

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

## GREENE

County Base Map

(Records are Sorted by Township, Range, and Section)

**LOG ID:**  
**019304**

WELL TYPE  
Private Well

DRILL DATE: 1960/09/15

TOWNSHIP RANGE SECTION

ELEVATION: 1,452FT

DRILL DEPTH: 525FT

28N 20W 11

UTM X UTM Y

DEPTH TO BED: 30FT

492,560.22 4,109,702.12  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**019136**

WELL TYPE  
Private Well

DRILL DATE: 1960/05/16

TOWNSHIP RANGE SECTION

ELEVATION: 1,473FT

DRILL DEPTH: 345FT

28N 20W 14

UTM X UTM Y

DEPTH TO BED: 40FT

491,630.21 4,108,903.12  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2.5 MI W OF ROGERSVILLE ON HWY 60

S.W.L. (AFTER CASING): 200

**LOG ID:**  
**004924**

WELL TYPE  
Private Well

DRILL DATE: 1938/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,447FT

DRILL DEPTH: 140FT

28N 20W 15

UTM X UTM Y

DEPTH TO BED: 30FT

490,120.20 4,108,142.12  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 55

**LOG ID:**  
**018499**

WELL TYPE  
Private Well

DRILL DATE: 1959/07/19

TOWNSHIP RANGE SECTION

ELEVATION: 1,443FT

DRILL DEPTH: 418FT

28N 20W 15

UTM X UTM Y

DEPTH TO BED: 25FT

489,720.20 4,108,142.12  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2.75 MI W OF ROGERSVILLE, N SIDE HWY 60

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****025206**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,423FT
<u>DRILL DEPTH:</u>	685FT	28N	20W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				489,749.20	4,109,056.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	POSSIBLE REPEATED SECTION IN MIDDLE OF CLTTER - formerly			
<u>S.W.L. (AFTER CASING):</u>	240		in name of Rogersville School			

**LOG ID:****005949**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,383FT
<u>DRILL DEPTH:</u>	342FT	28N	20W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				488,696.19	4,109,416.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	130					

**LOG ID:****006221**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,447FT
<u>DRILL DEPTH:</u>	135FT	28N	20W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				489,096.19	4,108,800.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****028976**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	2003/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,390FT
<u>DRILL DEPTH:</u>	605FT	28N	20W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				488,196.19	4,108,492.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019047**WELL TYPE

Private Well

DRILL DATE: 1960/04/10TOWNSHIPRANGESECTIONELEVATION:

1,401FT

DRILL DEPTH: 180FT

28N

20W

19

DEPTH TO BED: 30FTUTM XUTM Y

486,112.17

4,107,094.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI W OF ROGERSVILLE ON HWY 60, THEN 1 MI S.S.W.L. (AFTER CASING): 80**LOG ID:****019607**WELL TYPE

Private Well

DRILL DATE: 1961/01/07TOWNSHIPRANGESECTIONELEVATION:

1,409FT

DRILL DEPTH: 360FT

28N

20W

21

DEPTH TO BED: 15FTUTM XUTM Y

489,269.20

4,107,392.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF HWY 60 ON HWY 125.S.W.L. (AFTER CASING): 200**LOG ID:****017222**WELL TYPE

Private Well

DRILL DATE: 1958/05/01TOWNSHIPRANGESECTIONELEVATION:

1,451FT

DRILL DEPTH: 328FT

28N

20W

22

DEPTH TO BED: 30FTUTM XUTM Y

490,896.21

4,107,951.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ON HWY 60, 1 MI E OF HWY 125.S.W.L. (AFTER CASING):**LOG ID:****026081**WELL TYPE

Private Well

DRILL DATE: 1968/09/08TOWNSHIPRANGESECTIONELEVATION:

1,438FT

DRILL DEPTH: 400FT

28N

20W

22

DEPTH TO BED: 5FTUTM XUTM Y

490,696.21

4,106,521.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**019035**

WELL TYPE  
Private Well

DRILL DATE: 1959/11/23 TOWNSHIP 28N RANGE 20W SECTION 23 ELEVATION: 1,471FT  
DRILL DEPTH: 350FT UTM X 492,312.23 UTM Y 4,107,089.12  
DEPTH TO BED: 35FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 190

**LOG ID:**  
**027029**

WELL TYPE  
Private Well

DRILL DATE: 1969/10/27 TOWNSHIP 28N RANGE 20W SECTION 23 ELEVATION: 1,459FT  
DRILL DEPTH: 389FT UTM X 492,012.22 UTM Y 4,106,479.12  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 180

**LOG ID:**  
**018502**

WELL TYPE  
Private Well

DRILL DATE: 1959/06/26 TOWNSHIP 28N RANGE 20W SECTION 24 ELEVATION: 1,472FT  
DRILL DEPTH: 385FT UTM X 493,518.23 UTM Y 4,107,868.12  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI W OF ROGERSVILLE ON HWY 60  
S.W.L. (AFTER CASING): 200

**LOG ID:**  
**027997**

WELL TYPE  
Community Public Well

DRILL DATE: TOWNSHIP 28N RANGE 20W SECTION 24 ELEVATION: 1,465FT  
DRILL DEPTH: 1,635FT UTM X 494,118.24 UTM Y 4,107,358.12  
DEPTH TO BED: 40FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: SAMPLES SCANNED  
S.W.L. (AFTER CASING): 245



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005482**WELL TYPE

Private Well

DRILL DATE: 1939/07/01TOWNSHIP RANGE SECTION

28N

20W

26

ELEVATION: 1,445FTDRILL DEPTH: 248FTDEPTH TO BED: 40FTUTM XUTM Y

491,680.23

4,104,869.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON GREENE - CHRISTIAN COUNTY LINES.W.L. (AFTER CASING): 70**LOG ID:****010767**WELL TYPE

Private Well

DRILL DATE: 1946/12/24TOWNSHIP RANGE SECTION

28N

20W

26

ELEVATION: 1,451FTDRILL DEPTH: 355FTDEPTH TO BED: 40FTUTM XUTM Y

492,480.23

4,104,869.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF HWY 60 & 2 MI W OF ROGERSVILLES.W.L. (AFTER CASING): 150**LOG ID:****017286**WELL TYPE

Private Well

DRILL DATE: 1958/05/05TOWNSHIP RANGE SECTION

28N

20W

28

ELEVATION: 1,417FTDRILL DEPTH: 198FTDEPTH TO BED: 30FTUTM XUTM Y

487,841.19

4,106,403.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S & 1 MI W OF CODYS.W.L. (AFTER CASING): 77**LOG ID:****009775**WELL TYPE

Private Well

DRILL DATE: 1946/11/11TOWNSHIP RANGE SECTION

28N

20W

29

ELEVATION: 1,405FTDRILL DEPTH: 322FTDEPTH TO BED: 50FTUTM XUTM Y

486,213.18

4,106,440.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF HWY 60 FRON BURNS FILLING STATIONS.W.L. (AFTER CASING): 100



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**019526**

WELL TYPE  
Private Well

DRILL DATE: 1960/00/00 TOWNSHIP 28N RANGE 20W SECTION 29 ELEVATION: 1,409FT  
DRILL DEPTH: 320FT UTM X 487,613.19 UTM Y 4,106,236.13  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF JCT HWYS 125 & 60, THEN 1 MI W AND 0.25 MI S.  
S.W.L. (AFTER CASING): 180

**LOG ID:**  
**020789**

WELL TYPE  
Private Well

DRILL DATE: 1962/03/14 TOWNSHIP 28N RANGE 20W SECTION 29 ELEVATION: 1,387FT  
DRILL DEPTH: 360FT UTM X 486,213.18 UTM Y 4,105,006.13  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI E OF HWY NN ON COUNTY LINE  
S.W.L. (AFTER CASING): 200

**LOG ID:**  
**005842**

WELL TYPE  
Private Well

DRILL DATE: 1939/11/01 TOWNSHIP 28N RANGE 20W SECTION 4 ELEVATION: 1,362FT  
DRILL DEPTH: 480FT UTM X 488,146.17 UTM Y 4,112,874.11  
DEPTH TO BED: 293FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPEMED 293-480'.  
S.W.L. (AFTER CASING): 175

**LOG ID:**  
**025324**

WELL TYPE  
Private Well

DRILL DATE: 1967/08/03 TOWNSHIP 28N RANGE 20W SECTION 4 ELEVATION: 1,370FT  
DRILL DEPTH: 378FT UTM X 488,746.17 UTM Y 4,112,874.11  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Leo Pigg  
S.W.L. (AFTER CASING): 200



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004072**WELL TYPE

Private Well

DRILL DATE: 1936/12/14TOWNSHIPRANGESECTIONELEVATION:

1,309FT

DRILL DEPTH: 235FT

28N

20W

5

DEPTH TO BED: 20FTUTM XUTM Y

486,930.16

4,112,290.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 1.5 GPMS.W.L. (AFTER CASING): 90**LOG ID:****005572**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:

1,393FT

DRILL DEPTH: 100FT

28N

20W

5

DEPTH TO BED: 20FTUTM XUTM Y

486,930.16

4,111,468.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 45**LOG ID:****003680**WELL TYPE

Private Well

DRILL DATE: 1936/06/01TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH: 252FT

28N

20W

6

DEPTH TO BED: 20FTUTM XUTM Y

485,406.14

4,112,513.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****005625**WELL TYPE

Private Well

DRILL DATE: 1939/06/01TOWNSHIPRANGESECTIONELEVATION:

1,390FT

DRILL DEPTH: 334FT

28N

20W

6

DEPTH TO BED: 85FTUTM XUTM Y

486,006.15

4,111,577.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 85-334'; SAMPLES MAY BE MISLABELEDS.W.L. (AFTER CASING): 70



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****013808**WELL TYPE

Private Well

DRILL DATE: 1955/07/28TOWNSHIPRANGESECTIONELEVATION:

1,350FT

DRILL DEPTH: 438FT

28N

20W

6

DEPTH TO BED: 20FTUTM XUTM Y

485,306.15

4,111,577.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 240**LOG ID:****005948**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/11/01TOWNSHIPRANGESECTIONELEVATION:

1,378FT

DRILL DEPTH: 230FT

28N

20W

8

DEPTH TO BED: 20FTUTM XUTM Y

487,112.17

4,110,464.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****014464**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/05/01TOWNSHIPRANGESECTIONELEVATION:

1,426FT

DRILL DEPTH: 758FT

28N

20W

8

DEPTH TO BED: 25FTUTM XUTM Y

487,745.17

4,111,033.12

ZONE 15

S.W.L. (BEFORE CASING): 181 FTREMARKS: formerly in name of Logan Reorganized School District R-8S.W.L. (AFTER CASING): 245 FT**LOG ID:****027059**WELL TYPE

Community Public Well

DRILL DATE: 1972/01/01TOWNSHIPRANGESECTIONELEVATION:

1,382FT

DRILL DEPTH: 465FT

28N

20W

8

DEPTH TO BED: 20FTUTM XUTM Y

487,096.17

4,111,045.11

ZONE 15

S.W.L. (BEFORE CASING): 60REMARKS:S.W.L. (AFTER CASING): FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018889**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,389FT
<u>DRILL DEPTH:</u>	375FT	28N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				488,723.18	4,111,021.12
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	165					

REMARKS:**LOG ID:****027445**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,370FT
<u>DRILL DEPTH:</u>	750FT	28N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				488,196.18	4,110,023.12
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135					

REMARKS: POOR SAMPLES, MANY MISSING SAMPLES**LOG ID:****011765**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1950/11/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,343FT
<u>DRILL DEPTH:</u>	388FT	28N	21W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				483,858.13	4,111,564.11
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	205					

REMARKS:**LOG ID:****012717**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/01/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,308FT
<u>DRILL DEPTH:</u>	388FT	28N	21W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	236FT				484,058.13	4,112,192.11
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	200					

REMARKS: formerly in name of Van Frazier - OLD WELL DEEPENED 236-388'; 3 MI SW OF TURNERS STATION



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****013796**WELL TYPE

Private Well

DRILL DATE: 1955/08/11TOWNSHIPRANGESECTIONELEVATION:

1,315FT

DRILL DEPTH: 350FT

28N

21W

1

DEPTH TO BED: 20FTUTM XUTM Y

484,058.13

4,112,400.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****017597**WELL TYPE

Private Well

DRILL DATE: 1958/09/24TOWNSHIPRANGESECTIONELEVATION:

1,324FT

DRILL DEPTH: 427FT

28N

21W

1

DEPTH TO BED: 55FTUTM XUTM Y

483,258.13

4,111,564.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195**LOG ID:****017736**WELL TYPE

Private Well

DRILL DATE: 1958/10/27TOWNSHIPRANGESECTIONELEVATION:

1,327FT

DRILL DEPTH: 440FT

28N

21W

1

DEPTH TO BED: 20FTUTM XUTM Y

483,758.13

4,111,564.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 14 GPM @ 380'S.W.L. (AFTER CASING): 228**LOG ID:****010398**WELL TYPE

Private Well

DRILL DATE: 1948/05/18TOWNSHIPRANGESECTIONELEVATION:

1,210FT

DRILL DEPTH: 361FT

28N

21W

10

DEPTH TO BED: 235FTUTM XUTM Y

480,386.11

4,110,670.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 235-361'S.W.L. (AFTER CASING): 80



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018906**WELL TYPE

Community Public Well

DRILL DATE: 1960/03/18TOWNSHIPRANGESECTIONELEVATION:

1,249FT

DRILL DEPTH: 480FT

28N

21W

10

DEPTH TO BED: 50FTUTM XUTM Y

481,186.11

4,110,976.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

LAKE SPRINGFIELD RECREATIONAL AREA

S.W.L. (AFTER CASING): 100**LOG ID:****020481**WELL TYPE

Private Well

DRILL DATE: 1961/09/08TOWNSHIPRANGESECTIONELEVATION:

1,271FT

DRILL DEPTH: 200FT

28N

21W

10

DEPTH TO BED: 20FTUTM XUTM Y

481,386.12

4,110,262.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

WATER @ 165' - RED WATER

S.W.L. (AFTER CASING): 143**LOG ID:****022761**WELL TYPE

Private Well

DRILL DATE: 1964/03/25TOWNSHIPRANGESECTIONELEVATION:

1,169FT

DRILL DEPTH: 523FT

28N

21W

10

DEPTH TO BED: 30FTUTM XUTM Y

480,986.11

4,111,078.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****017598**WELL TYPE

Private Well

DRILL DATE: 1958/07/07TOWNSHIPRANGESECTIONELEVATION:

1,227FT

DRILL DEPTH: 247FT

28N

21W

11

DEPTH TO BED: 20FTUTM XUTM Y

482,397.13

4,110,409.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 55



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017944**WELL TYPE

Private Well

DRILL DATE: 1958/11/08TOWNSHIPRANGESECTIONELEVATION:

1,263FT

DRILL DEPTH: 235FT

28N

21W

11

DEPTH TO BED: 30FTUTM XUTM Y

482,197.12

4,111,227.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 148**LOG ID:****019840**WELL TYPE

Private Well

DRILL DATE: 1961/03/22TOWNSHIPRANGESECTIONELEVATION:

1,319FT

DRILL DEPTH: 370FT

28N

21W

11

DEPTH TO BED: 10FTUTM XUTM Y

482,997.13

4,109,999.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028299**WELL TYPE

Community Public Well

DRILL DATE: 1979/10/10TOWNSHIPRANGESECTIONELEVATION:

1,303FT

DRILL DEPTH: 665FT

28N

21W

11

DEPTH TO BED: 10FTUTM XUTM Y

482,297.12

4,110,715.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO ELEVATION, PRODUCTION, OR CASING DATAS.W.L. (AFTER CASING):**LOG ID:****011771**WELL TYPE

Private Well

DRILL DATE: 1951/01/05TOWNSHIPRANGESECTIONELEVATION:

1,338FT

DRILL DEPTH: 350FT

28N

21W

12

DEPTH TO BED: 50FTUTM XUTM Y

483,631.13

4,111,391.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF KENSER BRIDGE ON JAMES RIVERS.W.L. (AFTER CASING): 210



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019195**WELL TYPE

Private Well

DRILL DATE: 1960/07/05TOWNSHIPRANGESECTIONELEVATION:

1,314FT

DRILL DEPTH: 369FT

28N

21W

12

DEPTH TO BED: 40FTUTM XUTM Y

484,631.15

4,110,043.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****020791**WELL TYPE

Private Well

DRILL DATE: 1962/03/29TOWNSHIPRANGESECTIONELEVATION:

1,326FT

DRILL DEPTH: 440FT

28N

21W

12

DEPTH TO BED:UTM XUTM Y

483,931.14

4,110,665.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****021319**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,351FT

DRILL DEPTH: 463FT

28N

21W

12

DEPTH TO BED: 30FTUTM XUTM Y

484,231.14

4,110,561.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OPENING 42-52'S.W.L. (AFTER CASING): 235**LOG ID:****022981**WELL TYPE

Private Well

DRILL DATE: 1964/05/08TOWNSHIPRANGESECTIONELEVATION:

1,330FT

DRILL DEPTH: 485FT

28N

21W

13

DEPTH TO BED: 30FTUTM XUTM Y

483,198.14

4,109,357.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.25 MI N OF HWY 60 ON HWY NN.S.W.L. (AFTER CASING): 215



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003548**WELL TYPE

Private Well

DRILL DATE: 1936/03/10TOWNSHIPRANGESECTIONELEVATION:

1,296FT

DRILL DEPTH: 105FT

28N

21W

14

DEPTH TO BED: 25FTUTM XUTM Y

481,768.13

4,109,403.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 51**LOG ID:****006461**WELL TYPE

Private Well

DRILL DATE: 1940/10/05TOWNSHIPRANGESECTIONELEVATION:

1,305FT

DRILL DEPTH: 311FT

28N

21W

14

DEPTH TO BED: 60FTUTM XUTM Y

482,868.13

4,109,709.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****009905**WELL TYPE

Private Well

DRILL DATE: 1946/12/27TOWNSHIPRANGESECTIONELEVATION:

1,322FT

DRILL DEPTH: 200FT

28N

21W

14

DEPTH TO BED: 30FTUTM XUTM Y

482,368.13

4,108,789.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 168**LOG ID:****011843**WELL TYPE

Private Well

DRILL DATE: 1951/11/13TOWNSHIPRANGESECTIONELEVATION:

1,309FT

DRILL DEPTH: 225FT

28N

21W

14

DEPTH TO BED: 20FTUTM XUTM Y

481,568.13

4,108,585.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 225



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018585**WELL TYPE

Private Well

DRILL DATE: 1959/11/05TOWNSHIPRANGESECTIONELEVATION:

1,300FT

DRILL DEPTH: 360FT

28N

21W

14

DEPTH TO BED: 40FTUTM XUTM Y

482,968.13

4,109,811.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 143**LOG ID:****020905**WELL TYPE

Private Well

DRILL DATE: 1962/03/31TOWNSHIPRANGESECTIONELEVATION:

1,295FT

DRILL DEPTH: 345FT

28N

21W

14

DEPTH TO BED: 10FTUTM XUTM Y

482,468.13

4,109,505.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI E OF GALLOWAY; YIELDS - 1/2 GPM @ 250', 5.5 GPM @ 330', 5 GPM @S.W.L. (AFTER CASING): 150**LOG ID:****004020**WELL TYPE

Private Well

DRILL DATE: 1936/11/19TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 615FT

28N

21W

15

DEPTH TO BED: 80FTUTM XUTM Y

479,952.11

4,108,656.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: FARM IN COVE HOLLOWS.W.L. (AFTER CASING): 162**LOG ID:****007624**WELL TYPE

Private Well

DRILL DATE: 1941/08/26TOWNSHIPRANGESECTIONELEVATION:

1,200FT

DRILL DEPTH: 160FT

28N

21W

15

DEPTH TO BED: 20FTUTM XUTM Y

479,952.11

4,109,880.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**005575**

WELL TYPE  
Private Well

DRILL DATE: 1939/06/01 TOWNSHIP 28N RANGE 21W SECTION 16 ELEVATION: 1,252FT  
DRILL DEPTH: 95FT UTM X 479,343.10 UTM Y 4,109,947.12  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**006771**

WELL TYPE  
Private Well

DRILL DATE: 1940/12/01 TOWNSHIP 28N RANGE 21W SECTION 16 ELEVATION: 1,158FT  
DRILL DEPTH: 153FT UTM X 479,143.10 UTM Y 4,109,329.12  
DEPTH TO BED: 117FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: STRONG SMELLING WATER AT 118'  
S.W.L. (AFTER CASING):

**LOG ID:**  
**016078**

WELL TYPE  
Private Well

DRILL DATE: 1957/00/00 TOWNSHIP 28N RANGE 21W SECTION 16 ELEVATION: 1,244FT  
DRILL DEPTH: 98FT UTM X 478,743.10 UTM Y 4,109,432.12  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 40

**LOG ID:**  
**015298**

WELL TYPE  
Private Well

DRILL DATE: 1956/09/31 TOWNSHIP 28N RANGE 21W SECTION 17 ELEVATION: 1,270FT  
DRILL DEPTH: 335FT UTM X 477,728.09 UTM Y 4,109,191.12  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 170

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017943**WELL TYPE

Private Well

DRILL DATE: 1959/02/25TOWNSHIPRANGESECTIONELEVATION:

1,231FT

DRILL DEPTH: 175FT

28N

21W

17

DEPTH TO BED: 25FTUTM XUTM Y

477,928.09

4,108,787.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 18" OPENING 70-71', RED MUDS.W.L. (AFTER CASING): 92**LOG ID:****019445**WELL TYPE

Private Well

DRILL DATE: 1960/09/27TOWNSHIPRANGESECTIONELEVATION:

1,249FT

DRILL DEPTH: 187FT

28N

21W

17

DEPTH TO BED: 20FTUTM XUTM Y

477,728.09

4,108,989.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 130**LOG ID:****020455**WELL TYPE

Private Well

DRILL DATE: 1961/09/25TOWNSHIPRANGESECTIONELEVATION:

1,241FT

DRILL DEPTH: 180FT

28N

21W

17

DEPTH TO BED: 15FTUTM XUTM Y

477,928.09

4,108,989.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105**LOG ID:****021904**WELL TYPE

Private Well

DRILL DATE: 1963/04/27TOWNSHIPRANGESECTIONELEVATION:

1,251FT

DRILL DEPTH: 180FT

28N

21W

17

DEPTH TO BED: 25FTUTM XUTM Y

477,928.09

4,109,191.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007299**WELL TYPE

Private Well

DRILL DATE: 1941/04/30TOWNSHIPRANGESECTIONELEVATION:

1,270FT

DRILL DEPTH: 503FT

28N

21W

18

DEPTH TO BED: 133FTUTM XUTM Y

475,345.06

4,108,846.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 133-503'.S.W.L. (AFTER CASING):**LOG ID:****007906**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1942/07/07TOWNSHIPRANGESECTIONELEVATION:

1,294FT

DRILL DEPTH: 392FT

28N

21W

18

DEPTH TO BED: 25FTUTM XUTM Y

475,345.06

4,109,880.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: FREMONT RD AND hwy M.S.W.L. (AFTER CASING): 180**LOG ID:****009104**WELL TYPE

Private Well

DRILL DATE: 1946/01/03TOWNSHIPRANGESECTIONELEVATION:

1,295FT

DRILL DEPTH: 422FT

28N

21W

18

DEPTH TO BED: 30FTUTM XUTM Y

475,645.06

4,109,104.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF HWY M ON FREMONT ST.S.W.L. (AFTER CASING): 175**LOG ID:****009707**WELL TYPE

Private Well

DRILL DATE: 1946/11/02TOWNSHIPRANGESECTIONELEVATION:

1,304FT

DRILL DEPTH: 410FT

28N

21W

18

DEPTH TO BED: 10FTUTM XUTM Y

475,645.06

4,109,794.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010748**WELL TYPE

Private Well

DRILL DATE: 1947/06/13TOWNSHIPRANGESECTIONELEVATION:

1,293FT

DRILL DEPTH: 403FT

28N

21W

18

DEPTH TO BED: 35FTUTM XUTM Y

475,445.06

4,109,104.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****013983**WELL TYPE

Private Well

DRILL DATE: 1955/08/22TOWNSHIPRANGESECTIONELEVATION:

1,302FT

DRILL DEPTH: 421FT

28N

21W

18

DEPTH TO BED: 30FTUTM XUTM Y

475,845.07

4,109,276.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF HWY M ON FREMONT RD, SPFD.S.W.L. (AFTER CASING): 212**LOG ID:****017076**WELL TYPE

Private Well

DRILL DATE: 1958/01/01TOWNSHIPRANGESECTIONELEVATION:

1,298FT

DRILL DEPTH: 519FT

28N

21W

18

DEPTH TO BED: 65FTUTM XUTM Y

475,845.06

4,109,622.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180**LOG ID:****017916**WELL TYPE

Private Well

DRILL DATE: 1958/12/01TOWNSHIPRANGESECTIONELEVATION:

1,271FT

DRILL DEPTH: 461FT

28N

21W

18

DEPTH TO BED: 25FTUTM XUTM Y

476,045.07

4,109,104.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 185



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017917**WELL TYPE

Private Well

DRILL DATE: 1958/12/01TOWNSHIPRANGESECTIONELEVATION:

1,262FT

DRILL DEPTH: 452FT

28N

21W

18

DEPTH TO BED: 20FTUTM XUTM Y

476,045.07

4,109,104.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170**LOG ID:****017945**WELL TYPE

Private Well

DRILL DATE: 1959/01/01TOWNSHIPRANGESECTIONELEVATION:

1,279FT

DRILL DEPTH: 468FT

28N

21W

18

DEPTH TO BED: 25FTUTM XUTM Y

475,445.06

4,108,760.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF SPFDS.W.L. (AFTER CASING): 180**LOG ID:****018258**WELL TYPE

Private Well

DRILL DATE: 1959/05/12TOWNSHIPRANGESECTIONELEVATION:

1,291FT

DRILL DEPTH: 466FT

28N

21W

18

DEPTH TO BED: 25FTUTM XUTM Y

475,945.07

4,109,363.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 19 GPM @ 340'S.W.L. (AFTER CASING): 210**LOG ID:****018420**WELL TYPE

Private Well

DRILL DATE: 1959/05/02TOWNSHIPRANGESECTIONELEVATION:

1,261FT

DRILL DEPTH: 460FT

28N

21W

18

DEPTH TO BED: 20FTUTM XUTM Y

476,045.07

4,108,932.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018686**WELL TYPE

Private Well

DRILL DATE: 1959/10/01TOWNSHIPRANGESECTIONELEVATION:

1,255FT

DRILL DEPTH: 455FT

28N

21W

18

DEPTH TO BED: 10FTUTM XUTM Y

476,045.07

4,108,932.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF SPFD ON FREMONT RDS.W.L. (AFTER CASING): 185**LOG ID:****019042**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/04/22TOWNSHIPRANGESECTIONELEVATION:

1,291FT

DRILL DEPTH: 440FT

28N

21W

18

DEPTH TO BED: 20FTUTM XUTM Y

475,845.06

4,109,966.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: FREMONT RD AT HWY MS.W.L. (AFTER CASING): 200**LOG ID:****007840**WELL TYPE

Community Public Well

DRILL DATE: 1942/04/01TOWNSHIPRANGESECTIONELEVATION:

1,266FT

DRILL DEPTH: 395FT

28N

21W

19

DEPTH TO BED: 140FTUTM XUTM Y

476,007.07

4,108,172.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: WELL #2; OLD WELL DEEPENED 140-395'.S.W.L. (AFTER CASING): 240**LOG ID:****007845**WELL TYPE

Private Well

DRILL DATE: 1942/04/14TOWNSHIPRANGESECTIONELEVATION:

1,272FT

DRILL DEPTH: 396FT

28N

21W

19

DEPTH TO BED: 15FTUTM XUTM Y

475,807.07

4,108,172.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: WELL #1; CREVICE AT 147' W/ BLACK MUDDY WATER - 30 GPMS.W.L. (AFTER CASING): 140

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010662**WELL TYPE

Private Well

DRILL DATE: 1947/03/01TOWNSHIP RANGE SECTION

28N

21W

19

ELEVATION: 1,280FTDRILL DEPTH: 340FTUTM X UTM YDEPTH TO BED: 20FT

476,407.08 4,108,346.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****014324**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

28N

21W

19

ELEVATION: 1,254FTDRILL DEPTH: 395FTUTM X UTM YDEPTH TO BED: 10FT

476,207.08 4,108,259.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 1/2 GPM @ 40', 1 GPM @ 240'S.W.L. (AFTER CASING):**LOG ID:****019509**WELL TYPE

Private Well

DRILL DATE: 1960/10/31TOWNSHIP RANGE SECTION

28N

21W

2

ELEVATION: 1,249FTDRILL DEPTH: 390FTUTM X UTM YDEPTH TO BED: 160FT

481,632.11 4,112,870.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES ABOVE 160'S.W.L. (AFTER CASING): 220**LOG ID:****019511**WELL TYPE

Private Well

DRILL DATE: 1960/11/14TOWNSHIP RANGE SECTION

28N

21W

2

ELEVATION: 1,250FTDRILL DEPTH: 353FTUTM X UTM YDEPTH TO BED: 50FT

482,632.12 4,111,622.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 152



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**014584**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1956/06/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,161FT
<u>DRILL DEPTH:</u>	1,520FT	28N	21W	20		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	35	FT			477,025.09	4,106,902.14
<u>S.W.L. (AFTER CASING):</u>	34	FT			ZONE 15	

REMARKS: formerly in name of Springfield Utilities Well #1

**LOG ID:**  
**003429**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1935/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,342FT
<u>DRILL DEPTH:</u>	245FT	28N	21W	21		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					479,711.12	4,107,512.13
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS:

**LOG ID:**  
**019845**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1961/01/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,218FT
<u>DRILL DEPTH:</u>	135FT	28N	21W	21		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			479,311.11	4,107,914.13
<u>S.W.L. (AFTER CASING):</u>	83				ZONE 15	

REMARKS:

**LOG ID:**  
**022794**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1964/04/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	505FT	28N	21W	21		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			479,111.11	4,107,512.13
<u>S.W.L. (AFTER CASING):</u>	185				ZONE 15	

REMARKS: SOUTH OF LAKE SPFLD ON HWY 65.

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**023674**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,271FT
		28N	21W	21		
<u>DRILL DEPTH:</u>	600FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				478,911.11	4,107,712.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> "JACK SACKS" ???				
<u>S.W.L. (AFTER CASING):</u>	155					

**LOG ID:**  
**015299**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,293FT
		28N	21W	22		
<u>DRILL DEPTH:</u>	240FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				479,921.12	4,107,645.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 8 MI FROM SPFD ON HWY 65				
<u>S.W.L. (AFTER CASING):</u>	195					

**LOG ID:**  
**017073**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/02/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,299FT
		28N	21W	22		
<u>DRILL DEPTH:</u>	222FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				480,521.12	4,108,049.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 5 MI SE OF SPFD ON US 60.				
<u>S.W.L. (AFTER CASING):</u>	154					

**LOG ID:**  
**018497**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,244FT
		28N	21W	22		
<u>DRILL DEPTH:</u>	340FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				481,221.13	4,107,441.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 5 MI S OF SPFD ON HWY 60				
<u>S.W.L. (AFTER CASING):</u>	135					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009012**WELL TYPE

Private Well

DRILL DATE: 1945/11/16TOWNSHIPRANGESECTIONELEVATION:

1,340FT

DRILL DEPTH: 360FT

28N

21W

23

DEPTH TO BED: 190FTUTM XUTM Y

482,039.13

4,108,202.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 190-360'.S.W.L. (AFTER CASING): 165**LOG ID:****019044**WELL TYPE

Private Well

DRILL DATE: 1960/04/01TOWNSHIPRANGESECTIONELEVATION:

1,303FT

DRILL DEPTH: 375FT

28N

21W

23

DEPTH TO BED: 30FTUTM XUTM Y

482,939.14

4,107,586.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SE OF SPFD ON HWY NNS.W.L. (AFTER CASING): 160**LOG ID:****020450**WELL TYPE

Private Well

DRILL DATE: 1961/08/26TOWNSHIPRANGESECTIONELEVATION:

1,301FT

DRILL DEPTH: 370FT

28N

21W

23

DEPTH TO BED: 20FTUTM XUTM Y

482,939.15

4,106,764.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****016719**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH: 815FT

28N

21W

24

DEPTH TO BED: 5FTUTM XUTM Y

483,570.15

4,107,530.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Dorsey Williams - 2 MI E & 0.5 MI S OF JCT OF US  
60 & 65S.W.L. (AFTER CASING): 180

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**019208**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1960/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,336FT
<u>DRILL DEPTH:</u>	400FT	28N	21W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				483,546.16	4,106,113.13
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	183					

**LOG ID:**  
**003654**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/05/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,336FT
<u>DRILL DEPTH:</u>	350FT	28N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				481,719.14	4,106,589.13
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> AT MENTOR			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**005942**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	335FT	28N	21W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	150FT				479,677.13	4,105,695.14
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u> formerly in name of Ben Holmes - OLD WELL DEEPENED 150-335';			
<u>S.W.L. (AFTER CASING):</u>			ON E SIDE OF HWY. 65.			

**LOG ID:**  
**014179**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1955/09/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	343FT	28N	21W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				479,677.12	4,106,715.13
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	163					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019384**WELL TYPE

Private Well

DRILL DATE: 1960/10/07TOWNSHIPRANGESECTIONELEVATION:

1,287FT

DRILL DEPTH: 377FT

28N

21W

28

DEPTH TO BED: 10FTUTM XUTM Y

479,477.12

4,106,307.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:1 MI S OF JAMES RIVER ON HWY 65 @ CORNER OF 65 AND RIVER  
RDS.W.L. (AFTER CASING): 160**LOG ID:****016258**WELL TYPE

Private Well

DRILL DATE: 1957/05/06TOWNSHIPRANGESECTIONELEVATION:

1,279FT

DRILL DEPTH: 408FT

28N

21W

29

DEPTH TO BED: 25FTUTM XUTM Y

477,965.11

4,106,375.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****017595**WELL TYPE

Private Well

DRILL DATE: 1958/07/01TOWNSHIPRANGESECTIONELEVATION:

1,279FT

DRILL DEPTH: 496FT

28N

21W

29

DEPTH TO BED: 25FTUTM XUTM Y

477,965.11

4,106,375.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****018157**WELL TYPE

Private Well

DRILL DATE: 1959/04/06TOWNSHIPRANGESECTIONELEVATION:

1,264FT

DRILL DEPTH: 495FT

28N

21W

29

DEPTH TO BED: 20FTUTM XUTM Y

478,065.11

4,106,375.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 165



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018391**WELL TYPE

Private Well

DRILL DATE: 1959/06/01TOWNSHIPRANGESECTIONELEVATION:

1,266FT

DRILL DEPTH: 495FT

28N

21W

29

DEPTH TO BED: 25FTUTM XUTM Y

477,965.11

4,106,579.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI E OF KISSICK POWER PLANTS.W.L. (AFTER CASING): 140**LOG ID:****018713**WELL TYPE

Private Well

DRILL DATE: 1959/12/02TOWNSHIPRANGESECTIONELEVATION:

1,281FT

DRILL DEPTH: 458FT

28N

21W

29

DEPTH TO BED: 25FTUTM XUTM Y

477,865.11

4,106,579.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: PAST SPRINGFIELD LAKE ON S FREMONT RD; YIELD - 3 GPM @  
400'S.W.L. (AFTER CASING): 170**LOG ID:****020910**WELL TYPE

Community Public Well

DRILL DATE: 1962/06/01TOWNSHIPRANGESECTIONELEVATION:

1,169FT

DRILL DEPTH: 1,530FT

28N

21W

29

DEPTH TO BED: 15FTUTM XUTM Y

476,822.09

4,106,722.15

ZONE 15

S.W.L. (BEFORE CASING): 25REMARKS: formerly in name of Springfield UtilitiesS.W.L. (AFTER CASING): FT**LOG ID:****026667**WELL TYPE

Community Public Well

DRILL DATE: 1970/03/26TOWNSHIPRANGESECTIONELEVATION:

1,276FT

DRILL DEPTH: 610FT

28N

21W

29

DEPTH TO BED: 25FTUTM XUTM Y

477,699.11

4,106,206.14

ZONE 15

S.W.L. (BEFORE CASING): 335 FTREMARKS: 0.25 MI S & E OF LAKE SPFD POWER PLANT; HERBERT L.  
WESTON.S.W.L. (AFTER CASING): 175 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****026830**WELL TYPE

Community Public Well

DRILL DATE: 1970/09/09TOWNSHIP

28N

RANGE

21W

SECTION

29

ELEVATION:

1,166FT

DRILL DEPTH: 455FTDEPTH TO BED: 10FTUTM X

476,865.09

UTM Y

4,106,579.15

ZONE 15

S.W.L. (BEFORE CASING): 110REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****009901**WELL TYPE

Private Well

DRILL DATE: 1946/11/17TOWNSHIP

28N

RANGE

21W

SECTION

3

ELEVATION:

1,260FT

DRILL DEPTH: 352FTDEPTH TO BED: 20FTUTM X

481,215.10

UTM Y

4,112,733.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 145**LOG ID:****011512**WELL TYPE

Private Well

DRILL DATE: 1951/01/01TOWNSHIP

28N

RANGE

21W

SECTION

3

ELEVATION:

1,302FT

DRILL DEPTH: 692FTDEPTH TO BED: 30FTUTM X

480,615.10

UTM Y

4,112,099.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 204**LOG ID:****015999**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

28N

RANGE

21W

SECTION

3

ELEVATION:

1,316FT

DRILL DEPTH: 800FTDEPTH TO BED: 5FTUTM X

480,815.10

UTM Y

4,112,733.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SWL 340' 9/76S.W.L. (AFTER CASING): 287

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**017990**

WELL TYPE  
Private Well

DRILL DATE: 1959/02/14 TOWNSHIP 28N RANGE 21W SECTION 3 ELEVATION: 1,333FT  
DRILL DEPTH: 516FT UTM X 480,815.10 UTM Y 4,113,157.10  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 17 GPM @ 400'; TD = 509' IN LOG BOOK.  
S.W.L. (AFTER CASING): 294

**LOG ID:**  
**018257**

WELL TYPE  
Private Well

DRILL DATE: 1959/04/18 TOWNSHIP 28N RANGE 21W SECTION 3 ELEVATION: 1,332FT  
DRILL DEPTH: 506FT UTM X 480,915.10 UTM Y 4,113,157.10  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 16 GPM @ 407'  
S.W.L. (AFTER CASING): 291

**LOG ID:**  
**021001**

WELL TYPE  
Community Public Well

DRILL DATE: 1962/06/01 TOWNSHIP 28N RANGE 21W SECTION 3 ELEVATION: 1,232FT  
DRILL DEPTH: 750FT UTM X 481,015.11 UTM Y 4,111,675.11  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: POOR SAMPLES BELOW 500'  
S.W.L. (AFTER CASING): 155

**LOG ID:**  
**027556**

WELL TYPE  
Community Public Well

DRILL DATE: 1973/10/01 TOWNSHIP 28N RANGE 21W SECTION 3 ELEVATION: 1,342FT  
DRILL DEPTH: 825FT UTM X 480,768.10 UTM Y 4,113,143.10  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 200

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**028152**

WELL TYPE  
Community Public Well

DRILL DATE: 1978/09/22 TOWNSHIP 28N RANGE 21W SECTION 3 ELEVATION: 1,322FT  
DRILL DEPTH: 1,740FT UTM X 480,290.09 UTM Y 4,113,221.10  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**004876**

WELL TYPE  
Private Well

DRILL DATE: 1938/00/00 TOWNSHIP 28N RANGE 21W SECTION 4 ELEVATION: 1,225FT  
DRILL DEPTH: 135FT UTM X 478,788.09 UTM Y 4,111,744.11  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 71

**LOG ID:**  
**011309**

WELL TYPE  
Private Well

DRILL DATE: 1950/00/00 TOWNSHIP 28N RANGE 21W SECTION 4 ELEVATION: 1,282FT  
DRILL DEPTH: 110FT UTM X 479,188.08 UTM Y 4,112,794.10  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: YIELD 6 GPM AT 105'  
S.W.L. (AFTER CASING):

**LOG ID:**  
**012937**

WELL TYPE  
Private Well

DRILL DATE: 1954/09/28 TOWNSHIP 28N RANGE 21W SECTION 4 ELEVATION: 1,270FT  
DRILL DEPTH: 445FT UTM X 478,788.08 UTM Y 4,113,214.10  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 210



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****014642**WELL TYPE

Community Public Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

1,272FT

DRILL DEPTH: 1,205FT

28N

21W

4

DEPTH TO BED: 10FTUTM XUTM Y

479,188.09

4,112,374.10

ZONE 15

S.W.L. (BEFORE CASING): 130 FTREMARKS:S.W.L. (AFTER CASING): 185 FT**LOG ID:****019273**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/10/01TOWNSHIPRANGESECTIONELEVATION:

1,219FT

DRILL DEPTH: 771FT

28N

21W

4

DEPTH TO BED: 15FTUTM XUTM Y

478,788.08

4,112,269.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 142**LOG ID:****022043**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,304FT

DRILL DEPTH: 400FT

28N

21W

4

DEPTH TO BED: 235FTUTM XUTM Y

478,588.08

4,112,164.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR GALLOWAYS.W.L. (AFTER CASING): 105**LOG ID:****004469**WELL TYPE

Private Well

DRILL DATE: 1937/09/01TOWNSHIPRANGESECTIONELEVATION:

1,315FT

DRILL DEPTH: 355FT

28N

21W

5

DEPTH TO BED: 30FTUTM XUTM Y

476,985.06

4,113,074.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**004925**

WELL TYPE  
Private Well

DRILL DATE: 1938/00/00

TOWNSHIP RANGE SECTION  
28N 21W 5

ELEVATION: 1,312FT

DRILL DEPTH: 160FT

UTM X UTM Y

DEPTH TO BED: 15FT

477,585.07 4,111,930.11  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**005279**

WELL TYPE  
Private Well

DRILL DATE: 1939/03/01

TOWNSHIP RANGE SECTION  
28N 21W 5

ELEVATION: 1,278FT

DRILL DEPTH: 347FT

UTM X UTM Y

DEPTH TO BED: 32FT

478,185.08 4,111,826.11  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: YIELD - 15-20 GPM - Driller's Log Attached

S.W.L. (AFTER CASING): 106

**LOG ID:**  
**005539**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1939/01/01

TOWNSHIP RANGE SECTION  
28N 21W 5

ELEVATION: 1,305FT

DRILL DEPTH: 345FT

UTM X UTM Y

DEPTH TO BED: 150FT

477,185.06 4,112,866.11  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 60

**LOG ID:**  
**005580**

WELL TYPE  
Private Well

DRILL DATE: 1939/05/01

TOWNSHIP RANGE SECTION  
28N 21W 5

ELEVATION: 1,312FT

DRILL DEPTH: 155FT

UTM X UTM Y

DEPTH TO BED: 95FT

477,385.07 4,111,930.11  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 95-155.

S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**006233**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,322FT  
28N 21W 5  
DRILL DEPTH: 217FT UTM X UTM Y  
DEPTH TO BED: 20FT 477,185.07 4,112,034.11  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: ON OLD SEQUOITA ROAD  
S.W.L. (AFTER CASING):

**LOG ID:**  
**019481**

WELL TYPE  
Private Well

DRILL DATE: 1960/08/17 TOWNSHIP RANGE SECTION ELEVATION: 1,234FT  
28N 21W 5  
DRILL DEPTH: 499FT UTM X UTM Y  
DEPTH TO BED: 20FT 478,185.07 4,112,866.10  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 180

**LOG ID:**  
**021732**

WELL TYPE  
Private Well

DRILL DATE: 1963/01/03 TOWNSHIP RANGE SECTION ELEVATION: 1,275FT  
28N 21W 5  
DRILL DEPTH: 385FT UTM X UTM Y  
DEPTH TO BED: 25FT 477,785.07 4,113,074.10  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 2751 GLENDALE, S SPFD.  
S.W.L. (AFTER CASING): 147

**LOG ID:**  
**025801**

WELL TYPE  
Community Public Well

DRILL DATE: 1968/00/00 TOWNSHIP RANGE SECTION ELEVATION: 1,293FT  
28N 21W 5  
DRILL DEPTH: 685FT UTM X UTM Y  
DEPTH TO BED: 15FT 477,849.08 4,111,760.11  
ZONE 15  
S.W.L. (BEFORE CASING): 270 FT REMARKS:  
S.W.L. (AFTER CASING): 150 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005294**WELL TYPE

Private Well

DRILL DATE: 1939/03/16TOWNSHIPRANGESECTIONELEVATION:

1,309FT

DRILL DEPTH: 190FT

28N

21W

6

DEPTH TO BED: 25FTUTM XUTM Y

476,111.05

4,112,884.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 25**LOG ID:****016699**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/10/01TOWNSHIPRANGESECTIONELEVATION:

1,312FT

DRILL DEPTH: 1,002FT

28N

21W

6

DEPTH TO BED: 20FTUTM XUTM Y

475,811.05

4,112,457.13

ZONE 15

S.W.L. (BEFORE CASING): 50 FTREMARKS: 2558' W & 2500' N OF WE CORNERS.W.L. (AFTER CASING): 236 FT**LOG ID:****007664**WELL TYPE

Private Well

DRILL DATE: 1942/01/28TOWNSHIPRANGESECTIONELEVATION:

1,306FT

DRILL DEPTH: 400FT

28N

21W

7

DEPTH TO BED: 25FTUTM XUTM Y

476,083.06

4,110,376.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 212**LOG ID:****011767**WELL TYPE

Private Well

DRILL DATE: 1951/04/03TOWNSHIPRANGESECTIONELEVATION:

1,275FT

DRILL DEPTH: 367FT

28N

21W

7

DEPTH TO BED: 20FTUTM XUTM Y

476,083.06

4,111,062.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 135



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012269**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/03/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,288FT
<u>DRILL DEPTH:</u>	700FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				475,883.06	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	185					

REMARKS:**LOG ID:****012920**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/07/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,291FT
<u>DRILL DEPTH:</u>	390FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				475,683.06	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	215					

REMARKS: 3RD HOUSE W OF FREMONT RD ON HWY M**LOG ID:****014382**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/09/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,281FT
<u>DRILL DEPTH:</u>	255FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				476,283.07	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	185					

REMARKS:**LOG ID:****014728**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/10/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,311FT
<u>DRILL DEPTH:</u>	405FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				476,083.06	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: formerly in name of Dr. M.L. Gentry - ON HWY 'M' 1000' E OF  
FREMONT RD



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****014734**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/01/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,304FT
<u>DRILL DEPTH:</u>	270FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				475,883.06	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	170					

REMARKS:**LOG ID:****015406**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1956/07/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,314FT
<u>DRILL DEPTH:</u>	410FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				475,883.06	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	188					

REMARKS:**LOG ID:****016593**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/06/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,313FT
<u>DRILL DEPTH:</u>	253FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				476,183.06	4,110,376.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	171					

REMARKS: formerly in name of R.E. Workman - ON HWY 17 0.25 MI E OF FREEMONT RD.**LOG ID:****021257**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/07/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,262FT
<u>DRILL DEPTH:</u>	420FT	28N	21W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				475,483.05	4,110,892.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	195					

REMARKS:



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****023413**WELL TYPE

Private Well

DRILL DATE: 1965/01/11TOWNSHIP RANGE SECTION

28N

21W

7

ELEVATION: 1,306FTDRILL DEPTH: 534FTUTM XUTM YDEPTH TO BED: 345FT

475,683.06

4,110,376.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES ABOVE 345'S.W.L. (AFTER CASING):**LOG ID:****006540**WELL TYPE

Private Well

DRILL DATE: 1940/10/15TOWNSHIP RANGE SECTION

28N

21W

8

ELEVATION: 1,268FTDRILL DEPTH: 113FTUTM XUTM YDEPTH TO BED: 5FT

478,159.08

4,111,631.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Earl BatemanS.W.L. (AFTER CASING): 63**LOG ID:****003101**WELL TYPE

Private Well

DRILL DATE: 1940/08/13TOWNSHIP RANGE SECTION

28N

21W

9

ELEVATION: 1,254FTDRILL DEPTH: 307FTUTM XUTM YDEPTH TO BED: 60FT

479,264.09

4,111,048.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 190-307'; NO SAMPLES 152-190'. - Driller's Log AttachedS.W.L. (AFTER CASING): 146**LOG ID:****003405**WELL TYPE

Private Well

DRILL DATE: 1935/07/09TOWNSHIP RANGE SECTION

28N

21W

9

ELEVATION: 1,220FTDRILL DEPTH: 79FTUTM XUTM YDEPTH TO BED: 75FT

478,364.09

4,110,134.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 SAMPLE MARKED 79'; AT GALLOWAYS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003412**WELL TYPE

Private Well

DRILL DATE: 1935/07/01TOWNSHIP RANGE SECTION

28N

21W

9

ELEVATION: 1,185FTDRILL DEPTH: 244FTDEPTH TO BED: 40FTUTM XUTM Y

479,164.10 4,110,338.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****003584**WELL TYPE

Private Well

DRILL DATE: 1936/05/02TOWNSHIP RANGE SECTION

28N

21W

9

ELEVATION: 1,232FTDRILL DEPTH: 77FTDEPTH TO BED: 12FTUTM XUTM Y

479,264.10 4,110,134.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 27**LOG ID:****003586**WELL TYPE

Private Well

DRILL DATE: 1936/04/18TOWNSHIP RANGE SECTION

28N

21W

9

ELEVATION: 1,264FTDRILL DEPTH: 142FTDEPTH TO BED: 10FTUTM XUTM Y

479,264.10 4,110,134.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 73**LOG ID:****004137**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1937/03/15TOWNSHIP RANGE SECTION

28N

21W

9

ELEVATION: 1,205FTDRILL DEPTH: 1,125FTDEPTH TO BED: 10FTUTM XUTM Y

478,964.09 4,110,540.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SWL 100' @ 250-350, 80' @ 375-800, 65' @ 800-1110.S.W.L. (AFTER CASING): 65



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004923**WELL TYPE

Private Well

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

1,191FT

DRILL DEPTH: 105FT

28N

21W

9

DEPTH TO BED: 10FTUTM XUTM Y

479,164.09

4,111,556.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:ON FLOOD PLAIN OF SPRING BRANCH FROM SEQUIOTA STATE  
PKS.W.L. (AFTER CASING): 10**LOG ID:****005055**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,185FT

DRILL DEPTH: 225FT

28N

21W

9

DEPTH TO BED: 35FTUTM XUTM Y

478,864.09

4,110,642.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006394**WELL TYPE

Private Well

DRILL DATE: 1940/08/03TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 269FT

28N

21W

9

DEPTH TO BED: 12FTUTM XUTM Y

478,764.09

4,111,352.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

OLD WELL DEEPEMED 126.5-269 - Driller's Log Attached

S.W.L. (AFTER CASING): 140**LOG ID:****007625**WELL TYPE

Private Well

DRILL DATE: 1941/08/14TOWNSHIPRANGESECTIONELEVATION:

1,262FT

DRILL DEPTH: 66FT

28N

21W

9

DEPTH TO BED:UTM XUTM Y

479,164.10

4,110,236.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 38



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009015**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1945/11/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,174FT
<u>DRILL DEPTH:</u>	80FT	28N	21W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				478,764.09	4,110,134.12
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	45	<u>REMARKS:</u>	ON HWY 65 AT GALLOWAY			

**LOG ID:****009902**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/12/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,255FT
<u>DRILL DEPTH:</u>	107FT	28N	21W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					478,364.09	4,110,134.12
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	76	<u>REMARKS:</u>	1/2 MI W OF GALLOWAY ON HWY M			

**LOG ID:****011590**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1951/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	280FT	28N	21W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				478,664.09	4,110,845.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	ABANDONED #2 HOLE & MOVED OVER TO START DRILLING #4B.			

**LOG ID:****011591**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1951/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	1,137FT	28N	21W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				478,656.09	4,110,880.11
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80	<u>REMARKS:</u>	"150' S OF WELL #1"			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015413**WELL TYPE

Private Well

DRILL DATE: 1956/09/28TOWNSHIPRANGESECTIONELEVATION:

1,215FT

DRILL DEPTH: 280FT

28N

21W

9

DEPTH TO BED: 20FTUTM XUTM Y

478,964.10

4,110,134.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 108**LOG ID:****016313**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/07/01TOWNSHIPRANGESECTIONELEVATION:

1,194FT

DRILL DEPTH: 630FT

28N

21W

9

DEPTH TO BED: 20FTUTM XUTM Y

478,764.09

4,111,150.11

ZONE 15

S.W.L. (BEFORE CASING): 47 FTREMARKS: SEQUIOTA STATE HATCHERYS.W.L. (AFTER CASING): 96 FT**LOG ID:****019861**WELL TYPE

Private Well

DRILL DATE: 1961/04/05TOWNSHIPRANGESECTIONELEVATION:

1,283FT

DRILL DEPTH: 312FT

28N

21W

9

DEPTH TO BED: 65FTUTM XUTM Y

479,764.10

4,110,946.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI E OF SEQUIOTAS.W.L. (AFTER CASING): 175**LOG ID:****020496**WELL TYPE

Private Well

DRILL DATE: 1961/11/14TOWNSHIPRANGESECTIONELEVATION:

1,289FT

DRILL DEPTH: 386FT

28N

21W

9

DEPTH TO BED: 20FTUTM XUTM Y

479,664.10

4,111,048.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****021708**WELL TYPE

Community Public Well

DRILL DATE: 1963/05/01TOWNSHIPRANGESECTIONELEVATION:

1,255FT

DRILL DEPTH: 650FT

28N

21W

9

DEPTH TO BED: 10FTUTM XUTM Y

479,264.10

4,110,134.12

ZONE 15

S.W.L. (BEFORE CASING): 117 FTREMARKS:S.W.L. (AFTER CASING): 150 FT**LOG ID:****021725**WELL TYPE

Private Well

DRILL DATE: 1962/12/31TOWNSHIPRANGESECTIONELEVATION:

1,298FT

DRILL DEPTH: 392FT

28N

21W

9

DEPTH TO BED: 30FTUTM XUTM Y

479,764.10

4,110,946.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195**LOG ID:****022582**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/04/01TOWNSHIPRANGESECTIONELEVATION:

1,299FT

DRILL DEPTH: 850FT

28N

21W

9

DEPTH TO BED: 25FTUTM XUTM Y

479,564.09

4,111,556.11

ZONE 15

S.W.L. (BEFORE CASING): 207 FTREMARKS: @ SPRINGFIELD; POOR SAMPLESS.W.L. (AFTER CASING): 220 FT**LOG ID:****024862**WELL TYPE

Community Public Well

DRILL DATE: 1967/02/23TOWNSHIPRANGESECTIONELEVATION:

1,286FT

DRILL DEPTH: 685FT

28N

21W

9

DEPTH TO BED: 16FTUTM XUTM Y

479,290.10

4,110,454.11

ZONE 15

S.W.L. (BEFORE CASING): 200 FTREMARKS: formerly in name of Coronada Park Trailer Court and owned by Allen E.  
Salts - "VERY POOR SAMPLES"S.W.L. (AFTER CASING): 125 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012227**WELL TYPE

Private Well

DRILL DATE: 1952/09/04TOWNSHIPRANGESECTIONELEVATION:

1,278FT

DRILL DEPTH: 527FT

28N

22W

1

DEPTH TO BED: 4FTUTM XUTM Y

475,268.04

4,112,373.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI S OF US 66 ON MO HWY 123; YIELD 15 GPM @ 290'S.W.L. (AFTER CASING): 245**LOG ID:****013073**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/00/00TOWNSHIPRANGESECTIONELEVATION:

1,301FT

DRILL DEPTH: 1,200FT

28N

22W

10

DEPTH TO BED: 1,000FTUTM XUTM Y

471,179.00

4,110,976.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOG BEGINS AT 1000'S.W.L. (AFTER CASING):**LOG ID:****015898**WELL TYPE

Community Public Well

DRILL DATE: 1957/02/01TOWNSHIPRANGESECTIONELEVATION:

1,263FT

DRILL DEPTH: 1,230FT

28N

22W

11

DEPTH TO BED: 15FTUTM XUTM Y

473,553.03

4,110,672.17

ZONE 15

S.W.L. (BEFORE CASING): 218 FTREMARKS: formerly in name of Park Crest (Village) Development Company Well #1S.W.L. (AFTER CASING): 170 FT**LOG ID:****023411**WELL TYPE

Community Public Well

DRILL DATE: 1965/04/05TOWNSHIPRANGESECTIONELEVATION:

1,285FT

DRILL DEPTH: 1,605FT

28N

22W

11

DEPTH TO BED: 10FTUTM XUTM Y

472,097.01

4,110,699.19

ZONE 15

S.W.L. (BEFORE CASING): 198 FTREMARKS: formerly in name of Park Crest Village Water Company Well #2S.W.L. (AFTER CASING): 198 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012585**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/10/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,262FT
<u>DRILL DEPTH:</u>	477FT	28N	22W	12		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
					473,914.03	4,110,449.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	JCT OF HWYS 123 & M, @ WHITELY STORE			
<u>S.W.L. (AFTER CASING):</u>	198					

**LOG ID:****006777**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/03/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	374FT	28N	22W	13		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
					474,180.04	4,110,139.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Gordon Yowell			
<u>S.W.L. (AFTER CASING):</u>	145					

**LOG ID:****007294**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/04/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,260FT
<u>DRILL DEPTH:</u>	365FT	28N	22W	13		
<u>DEPTH TO BED:</u>	12FT				<u>UTM X</u>	<u>UTM Y</u>
					473,780.03	4,110,139.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	152					

**LOG ID:****009676**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/10/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,240FT
<u>DRILL DEPTH:</u>	350FT	28N	22W	13		
<u>DEPTH TO BED:</u>	150FT				<u>UTM X</u>	<u>UTM Y</u>
					473,880.04	4,108,826.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 165-350' (LOG #11838); 3/4 MI S HWY M ON			
<u>S.W.L. (AFTER CASING):</u>	125		HWY 123.			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010585**WELL TYPE

Private Well

DRILL DATE: 1948/10/19TOWNSHIP RANGE SECTION

28N 22W 13

ELEVATION: 1,245FTDRILL DEPTH: 465FTUTM X UTM YDEPTH TO BED: 25FT474,380.04 4,110,139.16  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.5 MI E OF HWY 123 ON HWY MS.W.L. (AFTER CASING):**LOG ID:****010877**WELL TYPE

Private Well

DRILL DATE: 1949/04/23TOWNSHIP RANGE SECTION

28N 22W 13

ELEVATION: 1,259FTDRILL DEPTH: 375FTUTM X UTM YDEPTH TO BED: 187FT474,180.04 4,110,139.17  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 187-375'S.W.L. (AFTER CASING): 150**LOG ID:****011314**WELL TYPE

Private Well

DRILL DATE: 1946/09/27TOWNSHIP RANGE SECTION

28N 22W 13

ELEVATION: 1,271FTDRILL DEPTH: 375FTUTM X UTM YDEPTH TO BED: 15FT474,180.04 4,110,139.17  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI E OF HWY 123 ON HWY M; DRY HOLE TO 315'S.W.L. (AFTER CASING): 220**LOG ID:****011455**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1950/09/13TOWNSHIP RANGE SECTION

28N 22W 13

ELEVATION: 1,252FTDRILL DEPTH: 485FTUTM X UTM YDEPTH TO BED: 20FT474,780.05 4,109,533.16  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: JOHNSON, C.A.S.W.L. (AFTER CASING): 158



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011838**WELL TYPE

Private Well

DRILL DATE: 1946/10/15TOWNSHIPRANGESECTIONELEVATION:

1,240FT

DRILL DEPTH: 350FT

28N

22W

13

DEPTH TO BED: 150FTUTM XUTM Y

473,880.04

4,108,826.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #9676S.W.L. (AFTER CASING):**LOG ID:****014663**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH: 1,235FT

28N

22W

13

DEPTH TO BED: 20FTUTM XUTM Y

474,780.05

4,109,533.16

ZONE 15

S.W.L. (BEFORE CASING): 67 FTREMARKS:S.W.L. (AFTER CASING): 152 FT**LOG ID:****009140**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1946/04/18TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 503FT

28N

22W

14

DEPTH TO BED: 320FTUTM XUTM Y

473,252.03

4,109,853.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 320-503'; SW CORNER HWYS 123 & M.S.W.L. (AFTER CASING): 170**LOG ID:****009646**WELL TYPE

Private Well

DRILL DATE: 1946/09/05TOWNSHIPRANGESECTIONELEVATION:

1,238FT

DRILL DEPTH: 360FT

28N

22W

14

DEPTH TO BED: 20FTUTM XUTM Y

472,352.01

4,110,163.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 94

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**011770**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1951/03/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,263FT
<u>DRILL DEPTH:</u>	394FT	28N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				473,052.02	4,110,163.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> ON BATTLEFIELD RD 0.25 MI W OF CAMPBELL ST RD.				
<u>S.W.L. (AFTER CASING):</u>	245					

**LOG ID:**  
**003555**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/03/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,242FT
<u>DRILL DEPTH:</u>	355FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				471,926.01	4,109,772.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> Driller's Log Attached				
<u>S.W.L. (AFTER CASING):</u>	230					

**LOG ID:**  
**013069**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1954/09/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,198FT
<u>DRILL DEPTH:</u>	450FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				471,326.01	4,108,750.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL DEEPEMED 150-450' (LOG #19872); EARLIER YIELD 35				
<u>S.W.L. (AFTER CASING):</u>	117	GPM, SWL 90'				

**LOG ID:**  
**013997**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	398FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				470,525.99	4,110,180.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****014273**WELL TYPE

Private Well

DRILL DATE: 1956/00/00TOWNSHIPRANGESECTIONELEVATION:

1,286FT

DRILL DEPTH: 405FT

28N

22W

15

DEPTH TO BED: 30FTUTM XUTM Y

470,625.99

4,110,180.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MICKEY OWEN SUBDIVISIONS.W.L. (AFTER CASING):**LOG ID:****016017**WELL TYPE

Private Well

DRILL DATE: 1956/03/15TOWNSHIPRANGESECTIONELEVATION:

1,284FT

DRILL DEPTH: 402FT

28N

22W

15

DEPTH TO BED: 15FTUTM XUTM Y

470,525.99

4,110,180.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****016430**WELL TYPE

Private Well

DRILL DATE: 1957/06/01TOWNSHIPRANGESECTIONELEVATION:

1,259FT

DRILL DEPTH: 385FT

28N

22W

15

DEPTH TO BED: 15FTUTM XUTM Y

470,625.99

4,110,180.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 187**LOG ID:****018419**WELL TYPE

Private Well

DRILL DATE: 1959/07/01TOWNSHIPRANGESECTIONELEVATION:

1,263FT

DRILL DEPTH: 380FT

28N

22W

15

DEPTH TO BED: 20FTUTM XUTM Y

471,326.00

4,110,180.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF CAMPBELL ON HWY M S OF SPFDS.W.L. (AFTER CASING): 180

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**

018688

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,284FT
<u>DRILL DEPTH:</u>	390FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				470,926.00	4,110,180.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 2 MI W OF CAMPBELL ON HWY M				
<u>S.W.L. (AFTER CASING):</u>	195					

**LOG ID:**

019631

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/12/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,288FT
<u>DRILL DEPTH:</u>	455FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				470,625.99	4,110,180.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**

019872

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/09/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,198FT
<u>DRILL DEPTH:</u>	450FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				471,326.01	4,108,750.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> OLD WELL DEEPEMED - SEE LOG #13069				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**

020206

WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/07/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,244FT
<u>DRILL DEPTH:</u>	450FT	28N	22W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				471,026.00	4,109,670.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	190					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007216**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,220FT
<u>DRILL DEPTH:</u>	125FT	28N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,509.98	4,109,173.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of Modern Woodman				
<u>S.W.L. (AFTER CASING):</u>	90					

**LOG ID:****011766**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1950/10/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,296FT
<u>DRILL DEPTH:</u>	248FT	28N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				469,709.98	4,110,203.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> HWY M W OF HWY 123, ABT 0.25 MI E OF MO PAC RR				
<u>S.W.L. (AFTER CASING):</u>	25	UNDERPASS ON S SIDE RD				

**LOG ID:****018500**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,280FT
<u>DRILL DEPTH:</u>	375FT	28N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				470,309.99	4,110,203.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> S OF SPFD ON HWY 166 TO HWY M, 2 MI W ON M.				
<u>S.W.L. (AFTER CASING):</u>	190					

**LOG ID:****019040**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,248FT
<u>DRILL DEPTH:</u>	480FT	28N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				468,909.97	4,110,203.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 4.5 MI W OF CAMPBELL ON HWY M, S OF SPFD.				
<u>S.W.L. (AFTER CASING):</u>	175					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019529**WELL TYPE

Private Well

DRILL DATE: 1960/00/00TOWNSHIPRANGESECTIONELEVATION:

1,288FT

DRILL DEPTH: 500FT

28N

22W

16

DEPTH TO BED: 15FTUTM XUTM Y

469,109.97

4,110,100.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI E OF HWY 160 ON HWY M, THEN 0.25 MI N.S.W.L. (AFTER CASING): 195**LOG ID:****019634**WELL TYPE

Private Well

DRILL DATE: 1961/01/31TOWNSHIPRANGESECTIONELEVATION:

1,288FT

DRILL DEPTH: 480FT

28N

22W

16

DEPTH TO BED: 40FTUTM XUTM Y

469,409.98

4,110,100.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 230**LOG ID:****020861**WELL TYPE

Private Well

DRILL DATE: 1962/05/02TOWNSHIPRANGESECTIONELEVATION:

1,292FT

DRILL DEPTH: 538FT

28N

22W

16

DEPTH TO BED: 25FTUTM XUTM Y

469,509.98

4,109,173.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 215**LOG ID:****018183**WELL TYPE

Private Well

DRILL DATE: 1959/03/19TOWNSHIPRANGESECTIONELEVATION:

1,209FT

DRILL DEPTH: 128FT

28N

22W

17

DEPTH TO BED: 20FTUTM XUTM Y

468,480.96

4,110,244.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028048**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH:

1,290FT

28N

22W

17

DEPTH TO BED:

10FT

UTM XUTM Y

468,427.97

4,108,842.25

ZONE 15

S.W.L. (BEFORE CASING):

200

FT

REMARKS:formerly known as City of Battlefield Well #2 - YIELD 300 GPM @ 400'  
(PUMP SETTING)S.W.L. (AFTER CASING):

265

FT

**LOG ID:****026178**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1969/05/13

TOWNSHIPRANGESECTIONELEVATION:

1,125FT

DRILL DEPTH:

50FT

28N

22W

18

DEPTH TO BED:

14FT

UTM XUTM Y

466,218.93

4,109,881.28

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:DRILLED FOR STRAT CONTROL, RADER SPRING - N EDGE OF RD,  
E OF WILSN CK.S.W.L. (AFTER CASING):**LOG ID:****002843**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1934/03/01

TOWNSHIPRANGESECTIONELEVATION:

1,259FT

DRILL DEPTH:

577FT

28N

22W

2

DEPTH TO BED:

25FT

UTM XUTM Y

473,447.02

4,111,948.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

Driller's Log Attached

S.W.L. (AFTER CASING):**LOG ID:****007310**WELL TYPE

Private Well

DRILL DATE:

1941/06/24

TOWNSHIPRANGESECTIONELEVATION:

1,290FT

DRILL DEPTH:

385FT

28N

22W

2

DEPTH TO BED:

241FT

UTM XUTM Y

473,247.01

4,112,592.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPEMED 241-385'.

S.W.L. (AFTER CASING):

213



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007922**WELL TYPE

Private Well

DRILL DATE: 1942/07/21TOWNSHIP RANGE SECTION

28N

22W

2

ELEVATION: 1,295FTDRILL DEPTH: 412FTUTM XUTM YDEPTH TO BED: 195FT

472,647.01

4,112,806.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 195-412'.S.W.L. (AFTER CASING): 60**LOG ID:****010403**WELL TYPE

Private Well

DRILL DATE: 1948/06/02TOWNSHIP RANGE SECTION

28N

22W

2

ELEVATION: 1,290FTDRILL DEPTH: 467FTUTM XUTM YDEPTH TO BED: 320FT

473,247.02

4,111,948.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 320-467'; 2 MI S OF JUNCT 60 & 123, 0.25 W OF 123S.W.L. (AFTER CASING): 200**LOG ID:****011030**WELL TYPE

Private Well

DRILL DATE: 1949/07/14TOWNSHIP RANGE SECTION

28N

22W

2

ELEVATION: 1,283FTDRILL DEPTH: 207FTUTM XUTM YDEPTH TO BED: 40FT

473,247.01

4,113,020.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S JUNCT HWY 166 & 123 N SIDE McLEAN RDS.W.L. (AFTER CASING): 6**LOG ID:****012730**WELL TYPE

Private Well

DRILL DATE: 1954/04/03TOWNSHIP RANGE SECTION

28N

22W

2

ELEVATION: 1,280FTDRILL DEPTH: 497FTUTM XUTM YDEPTH TO BED: 20FT

473,047.01

4,112,592.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI S OF HWY 166 ON HWY 123.S.W.L. (AFTER CASING): 247



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****014175**WELL TYPE

Private Well

DRILL DATE: 1955/09/21TOWNSHIPRANGESECTIONELEVATION:

1,290FT

DRILL DEPTH: 445FT

28N

22W

2

DEPTH TO BED: 30FTUTM XUTM Y

473,647.02

4,112,913.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 275**LOG ID:****020490**WELL TYPE

Private Well

DRILL DATE: 1961/10/16TOWNSHIPRANGESECTIONELEVATION:

1,267FT

DRILL DEPTH: 290FT

28N

22W

20

DEPTH TO BED: 25FTUTM XUTM Y

467,225.96

4,107,589.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 120**LOG ID:****024119**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,253FT

DRILL DEPTH: 1,225FT

28N

22W

20

DEPTH TO BED: 30FTUTM XUTM Y

467,573.96

4,107,786.27

ZONE 15

S.W.L. (BEFORE CASING): 190 FTREMARKS: formerly known as City of Battlefield Well #1S.W.L. (AFTER CASING): 180 FT**LOG ID:****017941**WELL TYPE

Private Well

DRILL DATE: 1959/01/14TOWNSHIPRANGESECTIONELEVATION:

1,275FT

DRILL DEPTH: 210FT

28N

22W

21

DEPTH TO BED: 25FTUTM XUTM Y

469,844.99

4,108,581.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 162



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020788**WELL TYPE

Private Well

DRILL DATE: 1961/12/27TOWNSHIPRANGESECTIONELEVATION:

1,288FT

DRILL DEPTH: 448FT

28N

22W

21

DEPTH TO BED: 25FTUTM XUTM Y

468,844.97

4,108,581.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****005841**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/10/01TOWNSHIPRANGESECTIONELEVATION:

1,225FT

DRILL DEPTH: 350FT

28N

22W

22

DEPTH TO BED: 65FTUTM XUTM Y

470,874.00

4,108,562.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****015364**WELL TYPE

Private Well

DRILL DATE: 1956/09/16TOWNSHIPRANGESECTIONELEVATION:

1,225FT

DRILL DEPTH: 195FT

28N

22W

22

DEPTH TO BED: 15FTUTM XUTM Y

471,474.01

4,107,946.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: POOR SAMPLES, DO NOT USE! SAMPLES 140-175 LOSTS.W.L. (AFTER CASING): 112**LOG ID:****016615**WELL TYPE

Private Well

DRILL DATE: 1957/04/26TOWNSHIPRANGESECTIONELEVATION:

1,203FT

DRILL DEPTH: 300FT

28N

22W

22

DEPTH TO BED: 5FTUTM XUTM Y

470,474.00

4,108,152.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL (#16615) DEEPENED 125-300 (#16911); 2 MI N OF  
PLAINVIEW SCHOS.W.L. (AFTER CASING): 68

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**016911**

WELL TYPE  
Private Well

DRILL DATE: 1957/04/26

TOWNSHIP 28N RANGE 22W SECTION 22

ELEVATION: 1,178FT

DRILL DEPTH:

UTM X UTM Y

DEPTH TO BED:

470,474.00 4,108,152.23  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED - SEE LOG #16615

S.W.L. (AFTER CASING):

**LOG ID:**  
**018158**

WELL TYPE  
Private Well

DRILL DATE: 1959/04/23

TOWNSHIP 28N RANGE 22W SECTION 22

ELEVATION: 1,226FT

DRILL DEPTH: 325FT

UTM X UTM Y

DEPTH TO BED: 10FT

470,474.00 4,107,946.23  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 140

**LOG ID:**  
**019738**

WELL TYPE  
Private Well

DRILL DATE:

TOWNSHIP 28N RANGE 22W SECTION 22

ELEVATION: 1,193FT

DRILL DEPTH: 463FT

UTM X UTM Y

DEPTH TO BED: 100FT

471,074.01 4,107,946.22  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1.5 MI W OF CAMPBELL ST ON PLAINVIEW RD; YIELD - 15 GPM @ 275'.

S.W.L. (AFTER CASING): 115

**LOG ID:**  
**027453**

WELL TYPE  
Community Public Well

DRILL DATE: 1973/09/07

TOWNSHIP 28N RANGE 22W SECTION 22

ELEVATION: 1,198FT

DRILL DEPTH:

UTM X UTM Y

DEPTH TO BED:

470,474.00 4,108,356.23  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #27495

S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****008099**WELL TYPE

Private Well

DRILL DATE: 1942/09/28TOWNSHIPRANGESECTIONELEVATION:

1,240FT

DRILL DEPTH: 349FT

28N

22W

23

DEPTH TO BED: 35FTUTM XUTM Y

473,009.03

4,108,038.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI ON RD W FROM PLAINVIEW SCHOOL ON CAMPBELL ST.S.W.L. (AFTER CASING):**LOG ID:****011225**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1949/11/12TOWNSHIPRANGESECTIONELEVATION:

1,271FT

DRILL DEPTH: 378FT

28N

22W

23

DEPTH TO BED: 210FTUTM XUTM Y

473,509.04

4,107,516.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: HWY 123 ABT 5 MI FROM JUNCT HWYS 166 & 123S.W.L. (AFTER CASING): 180**LOG ID:****014675**WELL TYPE

Private Well

DRILL DATE: 1952/00/00TOWNSHIPRANGESECTIONELEVATION:

1,272FT

DRILL DEPTH: 410FT

28N

22W

23

DEPTH TO BED: 15FTUTM XUTM Y

473,509.04

4,107,724.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HWY 123, 1/4 MI S OF OLD PLAINVIEW SCHOOLS.W.L. (AFTER CASING):**LOG ID:****014676**WELL TYPE

Private Well

DRILL DATE: 1955/12/16TOWNSHIPRANGESECTIONELEVATION:

1,278FT

DRILL DEPTH: 384FT

28N

22W

23

DEPTH TO BED: 20FTUTM XUTM Y

473,509.04

4,107,724.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2ND HOUSE S OF OLD PLAINVIEW SCHOOL, HWY 123 S OF SPFD.S.W.L. (AFTER CASING): 168



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018584**WELL TYPE

Private Well

DRILL DATE: 1959/08/25TOWNSHIPRANGESECTIONELEVATION:

1,268FT

DRILL DEPTH: 155FT

28N

22W

23

DEPTH TO BED: 20FTUTM XUTM Y

473,409.04

4,108,038.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 98**LOG ID:****018592**WELL TYPE

Private Well

DRILL DATE: 1959/10/09TOWNSHIPRANGESECTIONELEVATION:

1,259FT

DRILL DEPTH: 380FT

28N

22W

23

DEPTH TO BED: 25FTUTM XUTM Y

473,509.04

4,108,142.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 18.75 GPM @ 335'.S.W.L. (AFTER CASING): 170**LOG ID:****018714**WELL TYPE

Private Well

DRILL DATE: 1959/10/08TOWNSHIPRANGESECTIONELEVATION:

1,278FT

DRILL DEPTH: 398FT

28N

22W

23

DEPTH TO BED: 120FTUTM XUTM Y

472,509.03

4,107,100.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 120-398'; YIELD - 15 GPM @ 245'.S.W.L. (AFTER CASING): 197**LOG ID:****010757**WELL TYPE

Private Well

DRILL DATE: 1947/10/01TOWNSHIPRANGESECTIONELEVATION:

1,292FT

DRILL DEPTH: 405FT

28N

22W

24

DEPTH TO BED: 45FTUTM XUTM Y

474,320.05

4,107,709.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 180



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011029**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

1,283FT

DRILL DEPTH: 325FT

28N

22W

24

DEPTH TO BED: 20FTUTM XUTM Y

474,120.05

4,107,911.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****015849**WELL TYPE

Private Well

DRILL DATE: 1956/12/31TOWNSHIPRANGESECTIONELEVATION:

1,298FT

DRILL DEPTH: 417FT

28N

22W

24

DEPTH TO BED: 356FTUTM XUTM Y

474,520.06

4,107,509.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 356-417'S.W.L. (AFTER CASING): 230**LOG ID:****017988**WELL TYPE

Private Well

DRILL DATE: 1959/03/05TOWNSHIPRANGESECTIONELEVATION:

1,289FT

DRILL DEPTH: 421FT

28N

22W

24

DEPTH TO BED: 35FTUTM XUTM Y

474,720.06

4,107,911.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: S CAMPBELL ST TO OLD GLENVIEW SCHOOL, THEN E 0.75 MI.S.W.L. (AFTER CASING): 170**LOG ID:****019207**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/06/17TOWNSHIPRANGESECTIONELEVATION:

1,287FT

DRILL DEPTH: 875FT

28N

22W

24

DEPTH TO BED: 15FTUTM XUTM Y

474,120.05

4,107,911.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020809**WELL TYPE

Private Well

DRILL DATE: 1961/12/15 TOWNSHIP 28N RANGE 22W SECTION 24 ELEVATION: 1,253FT  
DRILL DEPTH: 470FT UTM X 473,720.04 UTM Y 4,107,911.18  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S OF HWY M, 100' ON E SIDE OF HWY 160.  
S.W.L. (AFTER CASING): 291

**LOG ID:****003431**WELL TYPE

Private Well

DRILL DATE: 1935/08/01 TOWNSHIP 28N RANGE 22W SECTION 25 ELEVATION: 1,216FT  
DRILL DEPTH: 160FT UTM X 474,966.07 UTM Y 4,105,572.18  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:****011581**WELL TYPE

Private Well

DRILL DATE: 1950/03/17 TOWNSHIP 28N RANGE 22W SECTION 25 ELEVATION: 1,270FT  
DRILL DEPTH: 347FT UTM X 475,066.07 UTM Y 4,106,905.17  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 160

**LOG ID:****011586**WELL TYPE

Private Well

DRILL DATE: 1950/02/24 TOWNSHIP 28N RANGE 22W SECTION 25 ELEVATION: 1,275FT  
DRILL DEPTH: 100FT UTM X 475,066.07 UTM Y 4,106,905.17  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E & 0.5 MI S OF PLAINVIEW ON W SIDE OF ROAD  
S.W.L. (AFTER CASING): 60



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019018**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/06/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,204FT
<u>DRILL DEPTH:</u>	800FT	28N	22W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				475,169.07	4,106,300.17
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80					

REMARKS:**LOG ID:****011769**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1951/03/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,225FT
<u>DRILL DEPTH:</u>	336FT	28N	22W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				473,447.04	4,106,936.19
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150					

REMARKS: ON HWY 123, 0.5 MI S & 0.25 MI W OF PLAINVIEW SCHOOL**LOG ID:****027495**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/09/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,250FT
<u>DRILL DEPTH:</u>	625FT	28N	22W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				472,047.03	4,106,728.21
<u>S.W.L. (BEFORE CASING):</u>	100	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90	FT				

REMARKS: ALSO LOG # 27453 - #27495 = 475-625'; OLD WELL DEEPEMED**LOG ID:****017363**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1958/08/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,279FT
<u>DRILL DEPTH:</u>	1,640FT	28N	22W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				470,629.98	4,112,832.20
<u>S.W.L. (BEFORE CASING):</u>	49	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	259	FT				

REMARKS: BATTLEFIELD RD & SCENIC DRIVE; SWL = 340' IN 1983.



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028614**WELL TYPE

Community Public Well

DRILL DATE: 1983/08/08TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 600FT

28N

22W

3

DEPTH TO BED: 35FTUTM XUTM Y

471,129.99

4,112,938.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION - "GROUNDING WELL"S.W.L. (AFTER CASING):**LOG ID:****013837**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/00/00TOWNSHIPRANGESECTIONELEVATION:

1,257FT

DRILL DEPTH: 425FT

28N

22W

4

DEPTH TO BED: 20FTUTM XUTM Y

469,808.97

4,112,860.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOT STATE APPROVEDS.W.L. (AFTER CASING):**LOG ID:****023035**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,264FT

DRILL DEPTH: 670FT

28N

22W

4

DEPTH TO BED: 445FTUTM XUTM Y

469,808.97

4,112,860.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES ABOVE 445' OR BELOW 678'; STATE-APPROVED WELLS.W.L. (AFTER CASING):**LOG ID:****007306**WELL TYPE

Unknown Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,258FT

DRILL DEPTH: 140FT

28N

22W

6

DEPTH TO BED: 29FTUTM XUTM Y

465,914.92

4,113,580.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007846**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH: 172FT

28N

22W

6

DEPTH TO BED: 25FTUTM XUTM Y

465,714.92

4,113,580.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027263**WELL TYPE

Community Public Well

DRILL DATE: 1973/01/01TOWNSHIPRANGESECTIONELEVATION:

1,255FT

DRILL DEPTH: 580FT

28N

22W

6

DEPTH TO BED: 30FTUTM XUTM Y

465,814.92

4,113,471.27

ZONE 15

S.W.L. (BEFORE CASING): 135 FTREMARKS: formerly in name of Brierwood Estates Trailer Park - SAMPLES  
SCANNED ONLYS.W.L. (AFTER CASING): 230 FT**LOG ID:****007630**WELL TYPE

Private Well

DRILL DATE: 1941/08/27TOWNSHIPRANGESECTIONELEVATION:

1,185FT

DRILL DEPTH: 107FT

28N

22W

7

DEPTH TO BED: 38FTUTM XUTM Y

467,065.94

4,111,085.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****011222**WELL TYPE

Private Well

DRILL DATE: 1949/11/23TOWNSHIPRANGESECTIONELEVATION:

1,235FT

DRILL DEPTH: 176FT

28N

22W

7

DEPTH TO BED: 35FTUTM XUTM Y

466,265.93

4,110,869.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL (#11222) DEEPENED 35-176' (1954, #12683); W OF RD  
TREE SCHOOLS.W.L. (AFTER CASING): 110



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012683**WELL TYPE

Private Well

DRILL DATE: 1949/11/23TOWNSHIP RANGE SECTION

28N

22W

7

ELEVATION: 1,235FTDRILL DEPTH: 176FTUTM X UTM Y

466,265.93 4,110,869.28

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS: SEE LOG #11222, OLD WELL DEEPENEDS.W.L. (AFTER CASING): 110**LOG ID:****017185**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/06/01TOWNSHIP RANGE SECTION

28N

22W

7

ELEVATION: 1,140FTDRILL DEPTH: 1,080FTUTM X UTM Y

467,067.94 4,111,847.26

ZONE 15

DEPTH TO BED: 5FTS.W.L. (BEFORE CASING): 8 FTREMARKS: formerly named City of Springfield Disposal PlantS.W.L. (AFTER CASING): 39 FT**LOG ID:****026179**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1969/05/12TOWNSHIP RANGE SECTION

28N

22W

7

ELEVATION: 1,135FTDRILL DEPTH: 40FTUTM X UTM Y

466,865.94 4,111,515.26

ZONE 15

DEPTH TO BED: 8FTS.W.L. (BEFORE CASING):REMARKS: DRILLED FOR STRAT CONTROL, WILSON CREEK (NEAR DISPOSAL PLANT)S.W.L. (AFTER CASING):**LOG ID:****027070**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1972/04/10TOWNSHIP RANGE SECTION

28N

22W

7

ELEVATION: 1,252FTDRILL DEPTH: 1,650FTUTM X UTM Y

465,588.92 4,111,621.28

ZONE 15

DEPTH TO BED: 20FTS.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES RUN ON LOG, JUST TOPS LOCATEDS.W.L. (AFTER CASING): 205



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028017**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1975/07/01TOWNSHIPRANGESECTIONELEVATION:

1,264FT

DRILL DEPTH: 1,655FT

28N

22W

7

DEPTH TO BED: 5FTUTM XUTM Y

465,983.93

4,111,609.28

ZONE 15

S.W.L. (BEFORE CASING): 184REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****011224**WELL TYPE

Private Well

DRILL DATE: 1949/11/28TOWNSHIPRANGESECTIONELEVATION:

1,265FT

DRILL DEPTH: 223FT

28N

22W

8

DEPTH TO BED: 30FTUTM XUTM Y

467,827.95

4,111,346.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI E OF ROUND TREE SCHOOLS.W.L. (AFTER CASING): 90**LOG ID:****011585**WELL TYPE

Private Well

DRILL DATE: 1950/02/18TOWNSHIPRANGESECTIONELEVATION:

1,253FT

DRILL DEPTH: 390FT

28N

22W

8

DEPTH TO BED: 193FTUTM XUTM Y

467,927.95

4,111,036.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 193-390' (#11224?)S.W.L. (AFTER CASING): 150**LOG ID:****006610**WELL TYPE

Private Well

DRILL DATE: 1940/11/20TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 396FT

28N

22W

9

DEPTH TO BED: 180FTUTM XUTM Y

469,561.98

4,110,588.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of A.B. Conrad - OLD WELL DEEPENED 180-396'.S.W.L. (AFTER CASING): 170

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**015842**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/10/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,305FT
<u>DRILL DEPTH:</u>	519FT	28N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				469,761.98	4,110,588.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD 14 GPM @ 280'				
<u>S.W.L. (AFTER CASING):</u>	235					

**LOG ID:**  
**017603**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/07/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,300FT
<u>DRILL DEPTH:</u>	512FT	28N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				469,761.98	4,110,382.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	198					

**LOG ID:**  
**018397**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/06/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,303FT
<u>DRILL DEPTH:</u>	413FT	28N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,761.98	4,110,588.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**018590**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/09/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,293FT
<u>DRILL DEPTH:</u>	435FT	28N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,761.98	4,110,588.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	210					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019046**WELL TYPE

Private Well

DRILL DATE: 1960/03/01TOWNSHIPRANGESECTIONELEVATION:

1,261FT

DRILL DEPTH: 390FT

28N

22W

9

DEPTH TO BED: 15FTUTM XUTM Y

469,561.98

4,110,382.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: S OF SPFD, 4 MI W ON HWY M FROM HWY 166.S.W.L. (AFTER CASING): 170**LOG ID:****019521**WELL TYPE

Private Well

DRILL DATE: 1960/08/17TOWNSHIPRANGESECTIONELEVATION:

1,255FT

DRILL DEPTH: 400FT

28N

22W

9

DEPTH TO BED: 15FTUTM XUTM Y

469,361.97

4,110,382.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI W OF CAMPBELL ST ON HWY M.S.W.L. (AFTER CASING): 185**LOG ID:****019751**WELL TYPE

Private Well

DRILL DATE: 1961/02/01TOWNSHIPRANGESECTIONELEVATION:

1,265FT

DRILL DEPTH: 450FT

28N

22W

9

DEPTH TO BED: 10FTUTM XUTM Y

469,561.98

4,110,382.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195**LOG ID:****020491**WELL TYPE

Private Well

DRILL DATE: 1961/04/10TOWNSHIPRANGESECTIONELEVATION:

1,263FT

DRILL DEPTH: 404FT

28N

22W

9

DEPTH TO BED: 20FTUTM XUTM Y

469,461.98

4,110,382.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 205



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020623**WELL TYPE

Private Well

DRILL DATE: 1961/12/13TOWNSHIPRANGESECTIONELEVATION:

1,257FT

DRILL DEPTH: 444FT

28N

22W

9

DEPTH TO BED: 15FTUTM XUTM Y

469,361.97

4,110,382.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****020786**WELL TYPE

Private Well

DRILL DATE: 1961/11/08TOWNSHIPRANGESECTIONELEVATION:

1,270FT

DRILL DEPTH: 460FT

28N

22W

9

DEPTH TO BED: 35FTUTM XUTM Y

469,461.97

4,111,002.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****021348**WELL TYPE

Private Well

DRILL DATE: 1962/09/14TOWNSHIPRANGESECTIONELEVATION:

1,259FT

DRILL DEPTH: 395FT

28N

22W

9

DEPTH TO BED: 20FTUTM XUTM Y

469,461.98

4,110,382.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 210**LOG ID:****005785**WELL TYPE

Private Well

DRILL DATE: 1939/09/26TOWNSHIPRANGESECTIONELEVATION:

1,265FT

DRILL DEPTH: 353FT

28N

23W

1

DEPTH TO BED: 30FTUTM XUTM Y

465,251.91

4,113,585.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: E 1/2 LOT 1 - Driller's Log AttachedS.W.L. (AFTER CASING): 210



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012336**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	500FT	28N	23W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				464,251.90	4,112,551.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	5 MI E OF REPUBLIC HWY 166, SINCLAIR GAS STATION			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****012389**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,291FT
<u>DRILL DEPTH:</u>	500FT	28N	23W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				464,251.90	4,112,551.30
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4.8 MI E OF REPUBLIC ON MO HWY 166			
<u>S.W.L. (AFTER CASING):</u>	200					

**LOG ID:****021343**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/12/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,250FT
<u>DRILL DEPTH:</u>	450FT	28N	23W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				464,751.91	4,113,068.29
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	281 FT	<u>REMARKS:</u>	4 MI W OF SPFD ON HWY 160.			
<u>S.W.L. (AFTER CASING):</u>	198 FT					

**LOG ID:****003536**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1936/02/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	93FT	28N	23W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				460,772.86	4,110,558.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2 MI S OF BROOKLINE STA.; 0.5 MI S OF HWY 13, 300' N OF			
<u>S.W.L. (AFTER CASING):</u>			FRISCO TRACKS			

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**003537**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1936/02/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,271FT
<u>DRILL DEPTH:</u>	120FT	28N	23W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				461,172.87	4,110,970.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.75 MI SW OF BROOKLINE STATION, 600' N OF FRISCO TRACKS			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**017995**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,256FT
<u>DRILL DEPTH:</u>	430FT	28N	23W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				461,772.87	4,110,970.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	140					

**LOG ID:**  
**028262**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	720FT	28N	23W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				462,072.88	4,110,764.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	MAY BE VERY CLOSE TO REPUBLIC FAULT, SAMPLES TO 165'			
<u>S.W.L. (AFTER CASING):</u>			MAY BE FAULTED			

**LOG ID:**  
**020811**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1962/01/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,233FT
<u>DRILL DEPTH:</u>	350FT	28N	23W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				462,488.88	4,110,532.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	VERY POOR SAMPLES; TD 235' ???			
<u>S.W.L. (AFTER CASING):</u>	102					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004703**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/03/01TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 135FT

28N

23W

15

DEPTH TO BED: 15FTUTM XUTM Y

461,726.88

4,109,761.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"NO LEAD OR ZINC"

S.W.L. (AFTER CASING):**LOG ID:****005471**WELL TYPE

Private Well

DRILL DATE: 1939/05/01TOWNSHIPRANGESECTIONELEVATION:

1,281FT

DRILL DEPTH: 200FT

28N

23W

15

DEPTH TO BED: 12FTUTM XUTM Y

460,926.87

4,108,943.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

PRODUCTION "STRONG"

S.W.L. (AFTER CASING): 47**LOG ID:****006196**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 105FT

28N

23W

15

DEPTH TO BED: 35FTUTM XUTM Y

461,326.87

4,109,557.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SE OF SHAFT

S.W.L. (AFTER CASING):**LOG ID:****006197**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/05/01TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 70FT

28N

23W

15

DEPTH TO BED: 35FTUTM XUTM Y

461,526.87

4,109,761.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LOCATION QUESTIONABLE

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006201**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,283FT

DRILL DEPTH: 101FT

28N

23W

15

DEPTH TO BED: 28FTUTM XUTM Y

461,326.87

4,109,147.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 26**LOG ID:****016607**WELL TYPE

Private Well

DRILL DATE: 1957/05/08TOWNSHIPRANGESECTIONELEVATION:

1,254FT

DRILL DEPTH: 480FT

28N

23W

15

DEPTH TO BED: 345FTUTM XUTM Y

461,626.87

4,110,375.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 345-480'; YIELD 10 GPM @ 350'S.W.L. (AFTER CASING): 150**LOG ID:****024115**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,276FT

DRILL DEPTH: 550FT

28N

23W

15

DEPTH TO BED: 55FTUTM XUTM Y

460,726.86

4,109,045.36

ZONE 15

S.W.L. (BEFORE CASING): 135 FTREMARKS: APPROX 1 MI NW OF BATTLEFIELD PARKS.W.L. (AFTER CASING): 166 FT**LOG ID:****003535**WELL TYPE

Private Well

DRILL DATE: 1936/02/25TOWNSHIPRANGESECTIONELEVATION:

1,299FT

DRILL DEPTH: 116FT

28N

23W

16

DEPTH TO BED: 85FTUTM XUTM Y

459,798.85

4,109,693.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: IN EITHER SECTION 9 OR 16S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****026600**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1970/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,292FT
<u>DRILL DEPTH:</u>	1,172FT	28N	23W	16		
<u>DEPTH TO BED:</u>	70FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	205	FT			460,555.86	4,110,286.36
<u>S.W.L. (AFTER CASING):</u>	213	FT			ZONE 15	

REMARKS: formerly in name of Chalet City Mobile Home Park

**LOG ID:****017807**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/06/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,284FT
<u>DRILL DEPTH:</u>	402FT	28N	23W	18		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			455,885.80	4,109,090.43
<u>S.W.L. (AFTER CASING):</u>	109				ZONE 15	

REMARKS: 1 MI W OF REPUBLIC

**LOG ID:****009348**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/07/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,255FT
<u>DRILL DEPTH:</u>	467FT	28N	23W	2		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			463,432.89	4,112,165.31
<u>S.W.L. (AFTER CASING):</u>	105				ZONE 15	

REMARKS: HWY 60 0.5 MI S OF BROOKLINE

**LOG ID:****020448**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,274FT
<u>DRILL DEPTH:</u>	475FT	28N	23W	2		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					463,832.90	4,112,373.30
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: YIELDS - 1/2 GPM @ 160', 2 GPM @ 370', 18 GPM @ 470'.

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**021084**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1962/06/29	<u>TOWNSHIP</u>	28N	<u>RANGE</u>	23W	<u>SECTION</u>	2	<u>ELEVATION:</u>	1,294FT
<u>DRILL DEPTH:</u>	426FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT							463,832.89	4,112,787.30
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>						
<u>S.W.L. (AFTER CASING):</u>	185								

**LOG ID:**  
**028114**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1977/04/05	<u>TOWNSHIP</u>	28N	<u>RANGE</u>	23W	<u>SECTION</u>	2	<u>ELEVATION:</u>	1,290FT
<u>DRILL DEPTH:</u>	532FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT							463,232.89	4,112,787.31
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> E SIDE OF BROOKLINE; MISSING 5-FT SAMPLE EVERY 10 FT.						
<u>S.W.L. (AFTER CASING):</u>	210								

**LOG ID:**  
**002111**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1926/07/10	<u>TOWNSHIP</u>	28N	<u>RANGE</u>	23W	<u>SECTION</u>	20	<u>ELEVATION:</u>	1,310FT
<u>DRILL DEPTH:</u>	1,000FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT							457,423.82	4,108,002.41
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> Driller's Log Attached						
<u>S.W.L. (AFTER CASING):</u>	165								

**LOG ID:**  
**013428**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1955/04/01	<u>TOWNSHIP</u>	28N	<u>RANGE</u>	23W	<u>SECTION</u>	20	<u>ELEVATION:</u>	1,303FT
<u>DRILL DEPTH:</u>	1,189FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>								458,323.84	4,107,796.40
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	17	FT	<u>REMARKS:</u>						
<u>S.W.L. (AFTER CASING):</u>	200	FT							



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028243**WELL TYPE

Community Public Well

DRILL DATE: 1979/05/01TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH: 1,230FT

28N

23W

20

DEPTH TO BED: 40FTUTM XUTM Y

458,481.84

4,108,876.39

ZONE 15

S.W.L. (BEFORE CASING): 228 FTREMARKS:S.W.L. (AFTER CASING): 227 FT**LOG ID:****028680**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1987/12/28TOWNSHIPRANGESECTIONELEVATION:

1,309FT

DRILL DEPTH: 1,200FT

28N

23W

20

DEPTH TO BED:UTM XUTM Y

458,123.83

4,108,105.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "MONITERING WELL AND CONTAMINATE RECOVERY", SCANNEDS.W.L. (AFTER CASING):**LOG ID:****028681**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1987/12/28TOWNSHIPRANGESECTIONELEVATION:

1,309FT

DRILL DEPTH: 1,200FT

28N

23W

20

DEPTH TO BED: 35FTUTM XUTM Y

458,123.83

4,108,105.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SEE#28680; SSC-6B; MONITORING AND CONTAMINATE RECOVERY WELL.S.W.L. (AFTER CASING):**LOG ID:****004706**WELL TYPE

Private Well

DRILL DATE: 1938/04/01TOWNSHIPRANGESECTIONELEVATION:

1,292FT

DRILL DEPTH: 618FT

28N

23W

21

DEPTH TO BED: 25FTUTM XUTM Y

459,053.85

4,107,972.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF REPUBLICS.W.L. (AFTER CASING): 200



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****023709**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,226FT

DRILL DEPTH:

400FT

28N

23W

23

UTM XUTM YDEPTH TO BED:

10FT

462,497.89

4,107,899.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

U.S. Department of Interior - HOLE ABANDONED

S.W.L. (AFTER CASING):**LOG ID:****023756**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1965/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH:

550FT

28N

23W

23

UTM XUTM YDEPTH TO BED:

15FT

462,500.89

4,107,844.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION DATA; "TO CASE AT 300 FT"

S.W.L. (AFTER CASING):**LOG ID:****027407**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH:

525FT

28N

23W

23

UTM XUTM YDEPTH TO BED:

5FT

462,497.89

4,108,105.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RANGER'S RESIDENCE

S.W.L. (AFTER CASING):

107

**LOG ID:****028940**WELL TYPE

Noncommunity Public Well

DRILL DATE:

2002/05/

TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH:

690FT

28N

23W

25

UTM XUTM YDEPTH TO BED:

465,283.94

4,105,838.31

ZONE 15

S.W.L. (BEFORE CASING):

180

REMARKS:S.W.L. (AFTER CASING):

FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006327**WELL TYPE

Private Well

DRILL DATE: 1939/08/01TOWNSHIP

28N

RANGE

23W

SECTION

27

ELEVATION:

1,260FT

DRILL DEPTH: 266FTUTM XUTM YDEPTH TO BED: 10FT

462,028.89

4,107,140.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017905**WELL TYPE

Private Well

DRILL DATE: 1958/12/17TOWNSHIP

28N

RANGE

23W

SECTION

3

ELEVATION:

1,278FT

DRILL DEPTH: 360FTUTM XUTM YDEPTH TO BED: 25FT

462,215.87

4,112,607.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 85**LOG ID:****020370**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/09/23TOWNSHIP

28N

RANGE

23W

SECTION

30

ELEVATION:

1,328FT

DRILL DEPTH: 755FTUTM XUTM YDEPTH TO BED: 45FT

457,099.82

4,106,630.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: COX-DAVIS DAIRY FARM, S OF REPUBLIC.S.W.L. (AFTER CASING): 215**LOG ID:****005128**WELL TYPE

Private Well

DRILL DATE: 1938/10/01TOWNSHIP

28N

RANGE

23W

SECTION

7

ELEVATION:

1,260FT

DRILL DEPTH: 276FTUTM XUTM YDEPTH TO BED: 22FT

456,734.81

4,111,109.41

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 125



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020794**WELL TYPE

Private Well

DRILL DATE: 1962/02/09TOWNSHIP

28N

RANGE

23W

SECTION

7

ELEVATION:

1,225FT

DRILL DEPTH: 300FTUTM XUTM YDEPTH TO BED:

457,334.81

4,111,705.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:"QUESTIONABLE SAMPLES"- USE WITH CAUTION; 1 MI DUE N OF  
REPUBLICS.W.L. (AFTER CASING): 176**LOG ID:****006155**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP

28N

RANGE

23W

SECTION

8

ELEVATION:

1,265FT

DRILL DEPTH: 285FTUTM XUTM YDEPTH TO BED: 45FT

457,922.82

4,111,447.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****011534**WELL TYPE

Private Well

DRILL DATE: 1951/03/01TOWNSHIP

28N

RANGE

24W

SECTION

11

ELEVATION:

1,248FT

DRILL DEPTH: 425FTUTM XUTM YDEPTH TO BED: 85FT

452,925.75

4,110,759.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4.5 MI NW OF REPUBLICS.W.L. (AFTER CASING):**LOG ID:****014674**WELL TYPE

Private Well

DRILL DATE: 1956/00/00TOWNSHIP

28N

RANGE

24W

SECTION

11

ELEVATION:

1,249FT

DRILL DEPTH: 135FTUTM XUTM YDEPTH TO BED: 40FT

453,925.77

4,111,173.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015722**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/02/01TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 47FT

28N

24W

11

UTM XUTM YDEPTH TO BED:

453,725.76

4,110,965.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LIMONITE PERCENTAGES LOGGED; NO FORMATIONS IDENTIFIED

S.W.L. (AFTER CASING):**LOG ID:****015723**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/02/01TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 45FT

28N

24W

11

UTM XUTM YDEPTH TO BED:

453,725.76

4,110,965.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:LOGGED LIMONITE PERCENTAGES, NO FORMATIONS OR  
LITHOLOGY SHOWNS.W.L. (AFTER CASING):**LOG ID:****015724**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/02/01TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 35FT

28N

24W

11

UTM XUTM YDEPTH TO BED:

453,725.76

4,110,965.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:LOGGED LIMONITE PERCENTAGES; NO FORMATIONS OR  
LITHOLOGIES SHOWNS.W.L. (AFTER CASING):**LOG ID:****015725**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/02/01TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 25FT

28N

24W

11

UTM XUTM YDEPTH TO BED:

453,725.76

4,110,965.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:LOGGED LIMONITE PERCENTAGES; NO FORMATIONS OR  
LITHOLOGIES SHOWNS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015866**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/03/01TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 15FT

28N

24W

11

DEPTH TO BED:UTM XUTM Y

453,725.76

4,110,965.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****015867**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/03/01TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 25FT

28N

24W

11

DEPTH TO BED:UTM XUTM Y

453,725.76

4,110,965.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020328**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 1,030FT

28N

24W

11

DEPTH TO BED: 870FTUTM XUTM Y

453,825.77

4,110,862.45

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NO SAMPLES ABOVE 870'; 10 FT INTERVALSS.W.L. (AFTER CASING): 100**LOG ID:****020256**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH: 410FT

28N

24W

14

DEPTH TO BED: 85FTUTM XUTM Y

453,482.76

4,110,573.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: EVERY OTHER SAMPLE MISSING - 10-FT SAMPLE INTERVALSS.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**022615**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,281FT  
28N 24W 20  
DRILL DEPTH: 375FT UTM X UTM Y  
DEPTH TO BED: 175FT 448,330.69 4,108,449.50  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES ABOVE 175'  
S.W.L. (AFTER CASING):

**LOG ID:**  
**015539**

WELL TYPE  
Private Well

DRILL DATE: 1956/00/00 TOWNSHIP RANGE SECTION ELEVATION: 1,313FT  
28N 24W 26  
DRILL DEPTH: 595FT UTM X UTM Y  
DEPTH TO BED: 410FT 452,779.76 4,106,517.47  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: HWY 166 1 MI W OF REPUBLIC; EVERY OTHER 5' SAMPLE SAVED  
S.W.L. (AFTER CASING):

**LOG ID:**  
**008056**

WELL TYPE  
Private Well

DRILL DATE: 1942/09/01 TOWNSHIP RANGE SECTION ELEVATION: 1,307FT  
28N 24W 29  
DRILL DEPTH: 907FT UTM X UTM Y  
DEPTH TO BED: 530FT 447,677.69 4,107,236.51  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: NO LITHOLOGY RECORDED ABOVE 530'  
S.W.L. (AFTER CASING): 150

**LOG ID:**  
**023227**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,303FT  
28N 24W 4  
DRILL DEPTH: 635FT UTM X UTM Y  
DEPTH TO BED: 55FT 449,525.69 4,113,270.48  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: HWY 66 & I-44 TO PP, 2 MI S ON HWY PP.  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****008580**WELL TYPE

Private Well

DRILL DATE: 1944/06/01TOWNSHIPRANGESECTIONELEVATION:

1,297FT

DRILL DEPTH: 450FT

28N

24W

7

DEPTH TO BED: 335FTUTM XUTM Y

447,369.66

4,112,368.51

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****014670**WELL TYPE

Irrigation Well

DRILL DATE: 1956/07/01TOWNSHIPRANGESECTIONELEVATION:

1,302FT

DRILL DEPTH: 1,210FT

28N

24W

7

DEPTH TO BED: 10FTUTM XUTM Y

447,369.66

4,112,368.51

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****004606**WELL TYPE

Private Well

DRILL DATE: 1938/00/00TOWNSHIPRANGESECTIONELEVATION:

1,438FT

DRILL DEPTH: 325FT

29N

20W

1

DEPTH TO BED: 30FTUTM XUTM Y

493,386.17

4,124,645.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION, NO SAMPLES 195-320'.S.W.L. (AFTER CASING):**LOG ID:****021895**WELL TYPE

Private Well

DRILL DATE: 1963/06/18TOWNSHIPRANGESECTIONELEVATION:

1,463FT

DRILL DEPTH: 352FT

29N

20W

11

DEPTH TO BED: 45FTUTM XUTM Y

491,297.17

4,120,908.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 8 MI E ON E DIVISION ST RD TO TURNERS GARAGE, 1 MI N TO  
INTERSECTIONS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****021261**WELL TYPE

Private Well

DRILL DATE: 1962/07/18TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 246FT

29N

20W

13

DEPTH TO BED: 25FTUTM XUTM Y

494,312.21

4,117,794.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 48**LOG ID:****007901**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1930/10/28TOWNSHIPRANGESECTIONELEVATION:

1,396FT

DRILL DEPTH: 722FT

29N

20W

16

DEPTH TO BED: 16FTUTM XUTM Y

488,135.14

4,119,273.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 601-722' (8/42); STRAFFORD STATION;  
POOR CORRELATION - DRILLER'S LOG ONLYS.W.L. (AFTER CASING): 260**LOG ID:****027458**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,379FT

DRILL DEPTH: 405FT

29N

20W

16

DEPTH TO BED: 20FTUTM XUTM Y

488,035.15

4,117,921.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FHA WELL, SAMPLES SCANNED, ONLY CHANGES NOTED.S.W.L. (AFTER CASING):**LOG ID:****021419**WELL TYPE

Private Well

DRILL DATE: 1962/11/02TOWNSHIPRANGESECTIONELEVATION:

1,379FT

DRILL DEPTH: 510FT

29N

20W

18

DEPTH TO BED: 185FTUTM XUTM Y

484,890.11

4,118,111.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES ABOVE 185'; YIELD - 15 GPM @ 356'S.W.L. (AFTER CASING): 303



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019438**WELL TYPE

Private Well

DRILL DATE: 1960/06/26TOWNSHIPRANGESECTIONELEVATION:

1,361FT

DRILL DEPTH: 645FT

29N

20W

19

DEPTH TO BED: 305FTUTM XUTM Y

484,866.12

4,116,659.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 16 GPM @ 360'; NO SAMPLES ABOVE 305'.S.W.L. (AFTER CASING): 310**LOG ID:****005151**WELL TYPE

Private Well

DRILL DATE: 1938/10/01TOWNSHIPRANGESECTIONELEVATION:

1,224FT

DRILL DEPTH: 600FT

29N

20W

20

DEPTH TO BED: 5FTUTM XUTM Y

486,575.14

4,116,545.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of WellsS.W.L. (AFTER CASING):**LOG ID:****026548**WELL TYPE

Private Well

DRILL DATE: 1969/07/07TOWNSHIPRANGESECTIONELEVATION:

1,237FT

DRILL DEPTH: 580FT

29N

20W

20

DEPTH TO BED: 35FTUTM XUTM Y

487,075.14

4,117,063.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FARM - 4 MI E OF SPFD ON CHERRY ST; " UNABLE TO LOCATE - 8/73"S.W.L. (AFTER CASING):**LOG ID:****020208**WELL TYPE

Private Well

DRILL DATE: 1961/06/05TOWNSHIPRANGESECTIONELEVATION:

1,377FT

DRILL DEPTH: 490FT

29N

20W

22

DEPTH TO BED: 55FTUTM XUTM Y

489,623.16

4,117,701.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 260

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**005478**

WELL TYPE  
Private Well

DRILL DATE: 1939/06/16

TOWNSHIP RANGE SECTION  
29N 20W 29

ELEVATION: 1,338FT

DRILL DEPTH: 270FT

DEPTH TO BED: 20FT

UTM X UTM Y  
487,745.15 4,115,545.10  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: #1 - Driller's Log Attached

S.W.L. (AFTER CASING): 170

**LOG ID:**  
**009568**

WELL TYPE  
Private Well

DRILL DATE: 1946/10/01

TOWNSHIP RANGE SECTION  
29N 20W 29

ELEVATION: 1,330FT

DRILL DEPTH: 290FT

DEPTH TO BED: 25FT

UTM X UTM Y  
487,345.15 4,115,545.10  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI NE OF TURNER STATION

S.W.L. (AFTER CASING):

**LOG ID:**  
**011226**

WELL TYPE  
Private Well

DRILL DATE: 1949/10/15

TOWNSHIP RANGE SECTION  
29N 20W 29

ELEVATION: 1,202FT

DRILL DEPTH: 156FT

DEPTH TO BED: 30FT

UTM X UTM Y  
487,345.15 4,115,749.10  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: APPROX 1 MI NE OF TURNER STATION ON BANK OF JAMES RIVER

S.W.L. (AFTER CASING): 40

**LOG ID:**  
**011488**

WELL TYPE  
Outcrop Description

DRILL DATE:

TOWNSHIP RANGE SECTION  
29N 20W 29

ELEVATION: 1,214FT

DRILL DEPTH: 164FT

DEPTH TO BED:

UTM X UTM Y  
486,545.14 4,114,931.10  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015414**WELL TYPE

Private Well

DRILL DATE: 1956/09/06TOWNSHIPRANGESECTIONELEVATION:

1,203FT

DRILL DEPTH: 149FT

29N

20W

29

DEPTH TO BED: 10FTUTM XUTM Y

486,545.14

4,115,545.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****019048**WELL TYPE

Private Well

DRILL DATE: 1960/00/00TOWNSHIPRANGESECTIONELEVATION:

1,326FT

DRILL DEPTH: 320FT

29N

20W

29

DEPTH TO BED: 30FTUTM XUTM Y

486,545.14

4,115,137.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF HWY 125 ON HWY D, OR 0.25 MI E OF TURNERSS.W.L. (AFTER CASING): 200**LOG ID:****019739**WELL TYPE

Private Well

DRILL DATE: 1961/01/20TOWNSHIPRANGESECTIONELEVATION:

1,252FT

DRILL DEPTH: 283FT

29N

20W

29

DEPTH TO BED: 20FTUTM XUTM Y

486,945.14

4,115,647.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.8 MI E OF TURNERS STATION, THEN LEFT TO SMALL HOUSE; 20  
GPM @ 220'S.W.L. (AFTER CASING): 140**LOG ID:****010404**WELL TYPE

Private Well

DRILL DATE: 1948/06/30TOWNSHIPRANGESECTIONELEVATION:

1,483FT

DRILL DEPTH: 483FT

29N

20W

3

DEPTH TO BED: 250FTUTM XUTM Y

489,733.14

4,123,196.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF STRAFFORDS.W.L. (AFTER CASING): 255



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020159**WELL TYPE

Private Well

DRILL DATE: 1961/06/05TOWNSHIPRANGESECTIONELEVATION:

1,452FT

DRILL DEPTH: 401FT

29N

20W

3

DEPTH TO BED: 20FTUTM XUTM Y

489,733.15

4,122,714.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF STRAFFORDS.W.L. (AFTER CASING): 235**LOG ID:****018150**WELL TYPE

Private Well

DRILL DATE: 1959/04/14TOWNSHIPRANGESECTIONELEVATION:

1,364FT

DRILL DEPTH: 435FT

29N

20W

30

DEPTH TO BED: 15FTUTM XUTM Y

485,037.13

4,115,922.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****019609**WELL TYPE

Private Well

DRILL DATE: 1960/07/17TOWNSHIPRANGESECTIONELEVATION:

1,369FT

DRILL DEPTH: 415FT

29N

20W

30

DEPTH TO BED: 35FTUTM XUTM Y

485,437.13

4,116,098.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI W OF HWY 125 ON HWY D, 1 MI N & 0.25 MI E.S.W.L. (AFTER CASING): 250**LOG ID:****017250**WELL TYPE

Private Well

DRILL DATE: 1958/05/16TOWNSHIPRANGESECTIONELEVATION:

1,208FT

DRILL DEPTH: 292FT

29N

20W

31

DEPTH TO BED: 15FTUTM XUTM Y

485,608.14

4,114,314.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 110



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019527**WELL TYPE

Private Well

DRILL DATE: 1960/07/01TOWNSHIPRANGESECTIONELEVATION:

1,211FT

DRILL DEPTH: 290FT

29N

20W

31

DEPTH TO BED: 10FTUTM XUTM Y

485,608.14

4,114,314.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI S ON HWY NN FROM HWY DS.W.L. (AFTER CASING): 112**LOG ID:****010513**WELL TYPE

Private Well

DRILL DATE: 1948/11/07TOWNSHIPRANGESECTIONELEVATION:

1,320FT

DRILL DEPTH: 275FT

29N

20W

32

DEPTH TO BED: 25FTUTM XUTM Y

487,224.16

4,113,619.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF HWY 60.S.W.L. (AFTER CASING): 175**LOG ID:****010752**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/09/05TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 285FT

29N

20W

32

DEPTH TO BED: 205FTUTM XUTM Y

487,624.16

4,114,447.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 105-285'; 1.5 MI SE OF TURNER STATIONS.W.L. (AFTER CASING): 175**LOG ID:****011027**WELL TYPE

Private Well

DRILL DATE: 1949/09/26TOWNSHIPRANGESECTIONELEVATION:

1,224FT

DRILL DEPTH: 90FT

29N

20W

32

DEPTH TO BED: 15FTUTM XUTM Y

486,208.15

4,113,602.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI SW OF TURNER STATION ON S ROAD AFTER JAMES RIVER  
BRIDGES.W.L. (AFTER CASING): 40

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**011028**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1949/09/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,218FT
<u>DRILL DEPTH:</u>	140FT	29N	20W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				486,208.15	4,113,246.11
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS:

**LOG ID:**  
**017996**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/03/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,324FT
<u>DRILL DEPTH:</u>	365FT	29N	20W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				487,124.15	4,114,343.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

**LOG ID:**  
**021907**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1963/04/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,346FT
<u>DRILL DEPTH:</u>	345FT	29N	20W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				487,524.16	4,113,515.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

**LOG ID:**  
**016943**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/09/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,408FT
<u>DRILL DEPTH:</u>	295FT	29N	20W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				489,779.18	4,113,841.11
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190					

REMARKS:



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018890**WELL TYPE

Private Well

DRILL DATE: 1959/11/01TOWNSHIPRANGESECTIONELEVATION:

1,398FT

DRILL DEPTH: 282FT

29N

20W

34

DEPTH TO BED: 35FTUTM XUTM Y

489,579.18

4,113,841.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.25 MI N OF CODY ON HWY 125.S.W.L. (AFTER CASING): 178**LOG ID:****018895**WELL TYPE

Private Well

DRILL DATE: 1960/00/00TOWNSHIPRANGESECTIONELEVATION:

1,412FT

DRILL DEPTH: 301FT

29N

20W

34

DEPTH TO BED: 25FTUTM XUTM Y

489,579.18

4,114,047.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI N OF CODY ON HWY 125, OR 2.5 MI N OF HWY 60.S.W.L. (AFTER CASING):**LOG ID:****027335**WELL TYPE

Community Public Well

DRILL DATE: 1973/03/22TOWNSHIPRANGESECTIONELEVATION:

1,412FT

DRILL DEPTH: 540FT

29N

20W

36

DEPTH TO BED: 60FTUTM XUTM Y

492,933.21

4,113,135.12

ZONE 15

S.W.L. (BEFORE CASING): 80REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****025602**WELL TYPE

Community Public Well

DRILL DATE: 1968/05/01TOWNSHIPRANGESECTIONELEVATION:

1,480FT

DRILL DEPTH: 1,100FT

29N

20W

4

DEPTH TO BED: 5FTUTM XUTM Y

488,847.11

4,124,899.10

ZONE 15

S.W.L. (BEFORE CASING): 285 FTREMARKS:S.W.L. (AFTER CASING): 280 FT

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**003206**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,435FT
		29N	20W	5		
<u>DRILL DEPTH:</u>	333FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	240FT				487,589.11	4,124,018.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ONLY ONE SAMPLE-- 240-245'			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**006778**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1941/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,330FT
		29N	20W	5		
<u>DRILL DEPTH:</u>	723FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				486,689.12	4,121,837.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LONG SECTION			
<u>S.W.L. (AFTER CASING):</u>	120					

**LOG ID:**  
**007304**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1941/05/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,398FT
		29N	20W	5		
<u>DRILL DEPTH:</u>	322FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	223FT				486,989.11	4,122,807.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPEMED 222.5-322'.			
<u>S.W.L. (AFTER CASING):</u>	157					

**LOG ID:**  
**017986**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,478FT
		29N	20W	5		
<u>DRILL DEPTH:</u>	715FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				488,009.11	4,124,617.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI W OF STRAFFORD ON OLD HWY 66			
<u>S.W.L. (AFTER CASING):</u>	170					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003127**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,421FT

DRILL DEPTH:

230FT

29N

20W

6

UTM XUTM YDEPTH TO BED:

75FT

486,182.09

4,124,122.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

TOTAL DEPTH AND FORMATIONS PENETRATED UNCERTAIN

S.W.L. (AFTER CASING):**LOG ID:****012196**WELL TYPE

Private Well

DRILL DATE:

1953/02/19

TOWNSHIPRANGESECTIONELEVATION:

1,412FT

DRILL DEPTH:

150FT

29N

20W

6

UTM XUTM YDEPTH TO BED:

40FT

485,255.09

4,122,930.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

AT END OF SHORT LANE TO N ON US 66.

S.W.L. (AFTER CASING):

75

**LOG ID:****019729**WELL TYPE

Private Well

DRILL DATE:

1961/01/21

TOWNSHIPRANGESECTIONELEVATION:

1,442FT

DRILL DEPTH:

428FT

29N

20W

6

UTM XUTM YDEPTH TO BED:

75FT

485,682.10

4,122,670.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

LONG SECTION 1 X 2.3 MI

S.W.L. (AFTER CASING):

275

**LOG ID:****027345**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,400FT

DRILL DEPTH:

1,410FT

29N

20W

6

UTM XUTM YDEPTH TO BED:

60FT

485,043.09

4,123,117.08

ZONE 15

S.W.L. (BEFORE CASING):

275

REMARKS:

OLD HWY 66 E OF SPFD; NARROW SECTION, 6200' FNL, 200' FWL.

S.W.L. (AFTER CASING):

FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005130**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,385FT
<u>DRILL DEPTH:</u>	424FT	29N	20W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	22FT				486,640.12	4,120,004.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	200					

REMARKS:**LOG ID:****007298**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/05/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,416FT
<u>DRILL DEPTH:</u>	625FT	29N	20W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	261FT				487,640.13	4,121,056.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	195					

REMARKS: OLD WELL DEEPENED 261-625'; 8 GPM @ 322' (SWAN CREEK)**LOG ID:****016605**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/03/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,405FT
<u>DRILL DEPTH:</u>	325FT	29N	20W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				488,066.14	4,119,563.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120					

REMARKS:**LOG ID:****004407**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,398FT
<u>DRILL DEPTH:</u>	180FT	29N	21W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				484,470.09	4,122,877.07
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: N SIDE OF US 66, NARROW SECTION

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**007301**

WELL TYPE  
Private Well

DRILL DATE: 1941/04/23 TOWNSHIP 29N RANGE 21W SECTION 1 ELEVATION: 1,375FT  
DRILL DEPTH: 351FT UTM X 483,415.06 UTM Y 4,124,122.07  
DEPTH TO BED: 75FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 6 MI E & 1 MI N OF SPFD, 1 MI N OF US 66.  
S.W.L. (AFTER CASING): 155

**LOG ID:**  
**007626**

WELL TYPE  
Private Well

DRILL DATE: 1941/09/15 TOWNSHIP 29N RANGE 21W SECTION 1 ELEVATION: 1,442FT  
DRILL DEPTH: 474FT UTM X 483,870.09 UTM Y 4,121,401.07  
DEPTH TO BED: 367FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPENED 367-474'; NARROW SECTION  
S.W.L. (AFTER CASING): 340

**LOG ID:**  
**010943**

WELL TYPE  
Private Well

DRILL DATE: 1946/10/01 TOWNSHIP 29N RANGE 21W SECTION 1 ELEVATION: 1,423FT  
DRILL DEPTH: 136FT UTM X 484,470.09 UTM Y 4,122,877.07  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: NARROW SECTION; 50 YDS E OF ANCHOR NIGHT CLUB ON HWY  
S.W.L. (AFTER CASING): 50 66 E OF SPFD.

**LOG ID:**  
**027581**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: TOWNSHIP 29N RANGE 21W SECTION 1 ELEVATION: 1,426FT  
DRILL DEPTH: 625FT UTM X 484,445.09 UTM Y 4,122,698.07  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: SAMPLES SCANNED, ONLY CHANGES IN RESIDUE TYPE LOGGED  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004158**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,374FT
<u>DRILL DEPTH:</u>	683FT	29N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	303FT				480,963.06	4,120,240.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 303-683'. NO WATER FROM SWAN CREEK.			
<u>S.W.L. (AFTER CASING):</u>	200					

**LOG ID:****004976**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,384FT
<u>DRILL DEPTH:</u>	365FT	29N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	205FT				481,563.06	4,121,266.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	PRODUCTION "STRONG"			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****009208**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1946/06/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,382FT
<u>DRILL DEPTH:</u>	395FT	29N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				481,563.06	4,121,266.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Otto Corts - WELL DEEPENED TO 650' IN 1947; 3 MI E OF SPFD ON HWY 66			
<u>S.W.L. (AFTER CASING):</u>	340					

**LOG ID:****011768**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1951/02/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,349FT
<u>DRILL DEPTH:</u>	356FT	29N	21W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,963.07	4,119,830.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	290					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**027459**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,300FT
		29N	21W	10		
<u>DRILL DEPTH:</u>	685FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				481,563.07	4,120,650.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**005758**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1939/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,365FT
		29N	21W	11		
<u>DRILL DEPTH:</u>	410FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	275FT				481,974.07	4,121,002.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**005770**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1939/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,392FT
		29N	21W	11		
<u>DRILL DEPTH:</u>	435FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	335FT				482,774.08	4,121,210.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> NO SAMPLES ABOVE 335'.				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**009624**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1947/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,393FT
		29N	21W	11		
<u>DRILL DEPTH:</u>	746FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				483,174.09	4,119,964.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	330					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003884**WELL TYPE

Private Well

DRILL DATE: 1936/09/14TOWNSHIPRANGESECTIONELEVATION:

1,360FT

DRILL DEPTH: 337FT

29N

21W

12

DEPTH TO BED: 35FTUTM XUTM Y

483,810.09

4,120,512.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 224**LOG ID:****011025**WELL TYPE

Private Well

DRILL DATE: 1949/09/20TOWNSHIPRANGESECTIONELEVATION:

1,314FT

DRILL DEPTH: 380FT

29N

21W

13

DEPTH TO BED: 310FTUTM XUTM Y

483,980.10

4,118,267.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI E OF GLENSTONE ON MILL ST RD; NO SAMPLES 0-310'S.W.L. (AFTER CASING): 250**LOG ID:****013109**WELL TYPE

Private Well

DRILL DATE: 1954/10/04TOWNSHIPRANGESECTIONELEVATION:

1,323FT

DRILL DEPTH: 377FT

29N

21W

13

DEPTH TO BED: 244FTUTM XUTM Y

483,980.10

4,119,505.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 244-377'S.W.L. (AFTER CASING): 260**LOG ID:****019036**WELL TYPE

Private Well

DRILL DATE: 1959/12/21TOWNSHIPRANGESECTIONELEVATION:

1,373FT

DRILL DEPTH: 450FT

29N

21W

13

DEPTH TO BED: 10FTUTM XUTM Y

484,780.11

4,118,267.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 313



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017599**WELL TYPE

Private Well

DRILL DATE: 1958/08/20TOWNSHIPRANGESECTIONELEVATION:

1,315FT

DRILL DEPTH: 462FT

29N

21W

14

DEPTH TO BED: 15FTUTM XUTM Y

482,551.09

4,118,549.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI E OF GLENSTONE ON MILL ST RD, 0.25 MI N.S.W.L. (AFTER CASING): 280**LOG ID:****020763**WELL TYPE

Private Well

DRILL DATE: 1962/00/00TOWNSHIPRANGESECTIONELEVATION:

1,286FT

DRILL DEPTH: 617FT

29N

21W

14

DEPTH TO BED: 20FTUTM XUTM Y

482,951.09

4,118,549.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021333**WELL TYPE

Private Well

DRILL DATE: 1962/09/04TOWNSHIPRANGESECTIONELEVATION:

1,313FT

DRILL DEPTH: 150FT

29N

21W

14

DEPTH TO BED: 20FTUTM XUTM Y

482,951.09

4,118,652.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****021941**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,238FT

DRILL DEPTH: 325FT

29N

21W

14

DEPTH TO BED: 15FTUTM XUTM Y

482,751.09

4,118,137.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: INCOMPLETE SAMPLES - 25-FT INTERVALS; YIELD - 15 GPM @  
316'S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004607**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,373FT

DRILL DEPTH:

390FT

29N

21W

15

UTM XUTM YDEPTH TO BED:

115FT

480,928.07

4,119,635.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

OLD WELL DEEPEMED 305-390; NO SAMPLES 0-115, 120-305'.

S.W.L. (AFTER CASING):**LOG ID:****011959**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1952/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,381FT

DRILL DEPTH:

700FT

29N

21W

15

UTM XUTM YDEPTH TO BED:

20FT

480,128.06

4,118,213.08

ZONE 15

S.W.L. (BEFORE CASING):

70

FT

REMARKS:

DIST. #9, WELL #1

S.W.L. (AFTER CASING):

335

FT

**LOG ID:****003585**WELL TYPE

Private Well

DRILL DATE:

1936/05/02

TOWNSHIPRANGESECTIONELEVATION:

1,366FT

DRILL DEPTH:

400FT

29N

21W

16

UTM XUTM YDEPTH TO BED:

29FT

478,514.04

4,119,716.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

1ST HOUSE E OF AIRPORT ON DIVISION ST - Driller's Log Attached

S.W.L. (AFTER CASING):**LOG ID:****007627**WELL TYPE

Private Well

DRILL DATE:

1941/08/07

TOWNSHIPRANGESECTIONELEVATION:

1,386FT

DRILL DEPTH:

675FT

29N

21W

16

UTM XUTM YDEPTH TO BED:

400FT

478,514.04

4,119,716.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPEMED 400-675'.

S.W.L. (AFTER CASING):

355



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007628**WELL TYPE

Private Well

DRILL DATE: 1941/12/06TOWNSHIPRANGESECTIONELEVATION:

1,361FT

DRILL DEPTH: 486FT

29N

21W

16

DEPTH TO BED: 15FTUTM XUTM Y

478,714.05

4,118,888.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 306**LOG ID:****007629**WELL TYPE

Private Well

DRILL DATE: 1942/01/26TOWNSHIPRANGESECTIONELEVATION:

1,370FT

DRILL DEPTH: 491FT

29N

21W

16

DEPTH TO BED: 35FTUTM XUTM Y

478,714.05

4,118,888.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 312**LOG ID:****011223**WELL TYPE

Private Well

DRILL DATE: 1949/12/19TOWNSHIPRANGESECTIONELEVATION:

1,366FT

DRILL DEPTH: 405FT

29N

21W

16

DEPTH TO BED: 20FTUTM XUTM Y

479,314.05

4,119,094.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 342**LOG ID:****010077**WELL TYPE

Private Well

DRILL DATE: 1948/02/26TOWNSHIPRANGESECTIONELEVATION:

1,338FT

DRILL DEPTH: 165FT

29N

21W

17

DEPTH TO BED: 60FTUTM XUTM Y

478,296.05

4,118,358.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50N OF WELCH PACKING CO ON MILL ST RD 0.5 MI E OF  
GLENSTONE



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012146**WELL TYPE

Private Well

DRILL DATE: 1952/03/27TOWNSHIP RANGE SECTIONELEVATION: 1,296FTDRILL DEPTH: 212FT

29N 21W 17

DEPTH TO BED: 25FTUTM X UTM Y  
477,896.03 4,119,576.06  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI W OF GALLOWAYS.W.L. (AFTER CASING): 155**LOG ID:****012653**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1954/04/01TOWNSHIP RANGE SECTIONELEVATION: 1,333FTDRILL DEPTH: 1,256FT

29N 21W 17

DEPTH TO BED: 30FTUTM X UTM Y  
476,896.03 4,119,170.08  
ZONE 15S.W.L. (BEFORE CASING): 340 FTREMARKS:S.W.L. (AFTER CASING): 337 FT**LOG ID:****017602**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/06/28TOWNSHIP RANGE SECTIONELEVATION: 1,328FTDRILL DEPTH: 670FT

29N 21W 17

DEPTH TO BED: 470FTUTM X UTM Y  
477,896.04 4,118,358.07  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 470-670'S.W.L. (AFTER CASING): 348**LOG ID:****003766**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/07/01TOWNSHIP RANGE SECTIONELEVATION: 1,313FTDRILL DEPTH: 404FT

29N 21W 18

DEPTH TO BED: 10FTUTM X UTM Y  
476,474.02 4,119,690.08  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "WILLIAMS & SCHNEIDER"S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003965**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/11/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,327FT
<u>DRILL DEPTH:</u>	752FT	29N	21W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				475,833.02	4,117,750.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	REAR OF 1100 E WALNUT, SPFD. - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	285					

**LOG ID:****013108**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/09/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,322FT
<u>DRILL DEPTH:</u>	755FT	29N	21W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	675FT				476,433.03	4,117,750.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NO SAMPLES ABOVE 675'			
<u>S.W.L. (AFTER CASING):</u>	405					

**LOG ID:****012291**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/04/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,371FT
<u>DRILL DEPTH:</u>	401FT	29N	21W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				483,023.05	4,124,844.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LONG SECTION; IN VERY NARROW E-W UPTHROWN FAULT BLOCK			
<u>S.W.L. (AFTER CASING):</u>	90					

**LOG ID:****006220**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/06/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,352FT
<u>DRILL DEPTH:</u>	124FT	29N	21W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	37FT				478,265.05	4,117,557.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	93					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006347**WELL TYPE

Private Well

DRILL DATE: 1940/07/01TOWNSHIP RANGE SECTION

29N 21W 20

ELEVATION: 1,335FTDRILL DEPTH: 430FTUTM X UTM YDEPTH TO BED: 30FT478,065.05 4,117,761.07  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 70-430';S.W.L. (AFTER CASING): 135**LOG ID:****007746**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1942/04/29TOWNSHIP RANGE SECTION

29N 21W 20

ELEVATION: 1,312FTDRILL DEPTH: 1,162FTUTM X UTM YDEPTH TO BED: 15FT477,365.04 4,118,067.08  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: MILL ST RD E OF SPFD; SWL 304 @ 350', 265 @ 550'.S.W.L. (AFTER CASING): 262**LOG ID:****008119**WELL TYPE

Private Well

DRILL DATE: 1942/09/25TOWNSHIP RANGE SECTION

29N 21W 20

ELEVATION: 1,350FTDRILL DEPTH: 344FTUTM X UTM YDEPTH TO BED: 40FT478,165.05 4,117,351.07  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ON CHERRY ST RD, 1 MI E OF US 65.S.W.L. (AFTER CASING): 126**LOG ID:****009645**WELL TYPE

Private Well

DRILL DATE: 1946/09/28TOWNSHIP RANGE SECTION

29N 21W 20

ELEVATION: 1,349FTDRILL DEPTH: 80FTUTM X UTM YDEPTH TO BED: 15FT478,265.05 4,118,169.07  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI FROM GLENSTONE ON MILL ST RDS.W.L. (AFTER CASING): 20



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****016014**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1957/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,333FT
<u>DRILL DEPTH:</u>	1,210FT	29N	21W	20		
<u>DEPTH TO BED:</u>	965FT				<u>UTM X</u>	<u>UTM Y</u>
					477,865.04	4,117,965.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD 200 GPM @ 500'; NO SAMPLES ABOVE 965'; 2000 S ST			
<u>S.W.L. (AFTER CASING):</u>	378		LOUIS ST., SPFD			

**LOG ID:****002568**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1932/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,348FT
<u>DRILL DEPTH:</u>	335FT	29N	21W	21		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
					478,884.05	4,118,077.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.3 MI E OF GLENSTONE RD ON MILL ST RD			
<u>S.W.L. (AFTER CASING):</u>	125					

**LOG ID:****004483**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,353FT
<u>DRILL DEPTH:</u>	355FT	29N	21W	21		
<u>DEPTH TO BED:</u>	150FT				<u>UTM X</u>	<u>UTM Y</u>
					479,084.05	4,118,077.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	250 FT	<u>REMARKS:</u>	OLD WELL DEEPENED 150-355, REFILLED TO 220; MILL ST ROAD			
<u>S.W.L. (AFTER CASING):</u>	40 FT					

**LOG ID:****009653**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/10/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,342FT
<u>DRILL DEPTH:</u>	111FT	29N	21W	21		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
					478,884.05	4,117,875.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.25 MI E OF HWY 65, 0.25 MI S OF CHERRY			
<u>S.W.L. (AFTER CASING):</u>	85					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012258**WELL TYPE

Private Well

DRILL DATE: 1953/03/20TOWNSHIPRANGESECTIONELEVATION:

1,351FT

DRILL DEPTH: 409FT

29N

21W

21

DEPTH TO BED: 20FTUTM XUTM Y

478,884.06

4,116,865.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI E OF OAK GROVE LANE ON McCURIE RDS.W.L. (AFTER CASING): 310**LOG ID:****013317**WELL TYPE

Private Well

DRILL DATE: 1955/01/08TOWNSHIPRANGESECTIONELEVATION:

1,364FT

DRILL DEPTH: 643FT

29N

21W

21

DEPTH TO BED: 25FTUTM XUTM Y

478,684.06

4,116,865.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI S OF CHERRY ST RD ON McQUIRE RDS.W.L. (AFTER CASING): 326**LOG ID:****017883**WELL TYPE

Community Public Well

DRILL DATE: 1958/06/09TOWNSHIPRANGESECTIONELEVATION:

1,337FT

DRILL DEPTH: 103FT

29N

21W

21

DEPTH TO BED: 15FTUTM XUTM Y

478,884.06

4,117,572.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****004916**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1938/07/01TOWNSHIPRANGESECTIONELEVATION:

1,350FT

DRILL DEPTH: 1,193FT

29N

21W

22

DEPTH TO BED: 5FTUTM XUTM Y

480,874.08

4,117,607.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 235

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**009549**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1947/01/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,368FT
<u>DRILL DEPTH:</u>	472FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	337FT				480,674.08	4,117,189.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL DEEPENED 367-472'; CHERRY ST RD SPFD.				
<u>S.W.L. (AFTER CASING):</u>	330					

**LOG ID:**  
**010760**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1948/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,346FT
<u>DRILL DEPTH:</u>	60FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				480,074.07	4,116,771.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**011024**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1949/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,341FT
<u>DRILL DEPTH:</u>	65FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				480,074.07	4,117,189.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**013103**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1954/06/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,360FT
<u>DRILL DEPTH:</u>	500FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				480,274.07	4,117,189.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> CHERRY ST, ACROSS FROM GOLF LINKS				
<u>S.W.L. (AFTER CASING):</u>	318					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****013476**WELL TYPE

Private Well

DRILL DATE: 1955/03/23TOWNSHIPRANGESECTIONELEVATION:

1,377FT

DRILL DEPTH: 469FT

29N

21W

22

DEPTH TO BED: 35FTUTM XUTM Y

480,074.07

4,116,981.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:0.2 MI S & 0.5 MI E OF CHERRY ST & CORNER OF HICKORY HILL  
GOLF COURSES.W.L. (AFTER CASING): 340**LOG ID:****014727**WELL TYPE

Private Well

DRILL DATE: 1956/02/09TOWNSHIPRANGESECTIONELEVATION:

1,350FT

DRILL DEPTH: 415FT

29N

21W

22

DEPTH TO BED: 100FTUTM XUTM Y

480,474.07

4,116,981.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

0.25 MI S OF HICKORY HILLS GOLF COURSE

S.W.L. (AFTER CASING): 315**LOG ID:****015846**WELL TYPE

Private Well

DRILL DATE: 1957/02/04TOWNSHIPRANGESECTIONELEVATION:

1,362FT

DRILL DEPTH: 469FT

29N

21W

22

DEPTH TO BED: 15FTUTM XUTM Y

480,274.07

4,116,981.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 360**LOG ID:****016592**WELL TYPE

Private Well

DRILL DATE: 1957/08/23TOWNSHIPRANGESECTIONELEVATION:

1,382FT

DRILL DEPTH: 550FT

29N

21W

22

DEPTH TO BED: 15FTUTM XUTM Y

480,274.07

4,117,189.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of Claude P. King

S.W.L. (AFTER CASING): 370



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018160**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,360FT
<u>DRILL DEPTH:</u>	1,600FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				480,474.07	4,117,399.08
<u>S.W.L. (BEFORE CASING):</u>	89	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	340	FT				
<u>REMARKS:</u>	YIELD - COULD BE 726 GPM					

**LOG ID:****019842**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/01/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,339FT
<u>DRILL DEPTH:</u>	520FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				480,474.07	4,116,981.08
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	355					
<u>REMARKS:</u>	0.25 MI S OF HICKORY HILLS GOLF COURSE					

**LOG ID:****020480**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/10/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,320FT
<u>DRILL DEPTH:</u>	450FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				481,474.08	4,117,189.08
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					
<u>REMARKS:</u>						

**LOG ID:****025185**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1967/08/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,356FT
<u>DRILL DEPTH:</u>	755FT	29N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,874.08	4,117,189.08
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	formerly in name of Suttles Trailer Park - NO PRODUCTION DATA					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**004036**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,245FT
<u>DRILL DEPTH:</u>	138FT	29N	21W	23		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIUELD - 20 GPH			
<u>S.W.L. (AFTER CASING):</u>	108				482,327.09	4,117,958.08
					ZONE 15	

**LOG ID:**  
**009002**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1945/10/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,330FT
<u>DRILL DEPTH:</u>	335FT	29N	21W	23		
<u>DEPTH TO BED:</u>	50FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4.5 MI E OF HWY 65 ON CHERRY ST RD.			
<u>S.W.L. (AFTER CASING):</u>	235				482,127.09	4,117,334.08
					ZONE 15	

**LOG ID:**  
**015841**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/09/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,276FT
<u>DRILL DEPTH:</u>	355FT	29N	21W	23		
<u>DEPTH TO BED:</u>	55FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	240				482,327.09	4,117,854.08
					ZONE 15	

**LOG ID:**  
**019037**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1960/05/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,303FT
<u>DRILL DEPTH:</u>	460FT	29N	21W	23		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	265				482,727.09	4,117,958.08
					ZONE 15	



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019191**WELL TYPE

Private Well

DRILL DATE: 1960/07/20TOWNSHIPRANGESECTIONELEVATION:

1,272FT

DRILL DEPTH: 460FT

29N

21W

23

DEPTH TO BED: 15FTUTM XUTM Y

481,727.09

4,117,128.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: VERY POOR MISSISSIPPIAN CORRELATIONSS.W.L. (AFTER CASING): 265**LOG ID:****023444**WELL TYPE

Private Well

DRILL DATE: 1965/03/23TOWNSHIPRANGESECTIONELEVATION:

1,335FT

DRILL DEPTH: 440FT

29N

21W

23

DEPTH TO BED: 40FTUTM XUTM Y

482,927.10

4,117,542.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI E OF SPFD ON CHERRY ST.S.W.L. (AFTER CASING): 200**LOG ID:****026840**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,352FT

DRILL DEPTH: 525FT

29N

21W

23

DEPTH TO BED: 35FTUTM XUTM Y

483,127.10

4,117,438.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4.5 MI E ON CHERRY ST, 0.25 MI N; VERY POOR SAMPLES, MANY MISSINGS.W.L. (AFTER CASING):**LOG ID:****003821**WELL TYPE

Private Well

DRILL DATE: 1936/06/28TOWNSHIPRANGESECTIONELEVATION:

1,364FT

DRILL DEPTH: 495FT

29N

21W

24

DEPTH TO BED: 35FTUTM XUTM Y

483,750.10

4,117,891.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 330-495' (LOG #15848); 2.5 MI E ON MILL ST RD - Driller's Log AttachedS.W.L. (AFTER CASING): 314

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**005339**

WELL TYPE  
Private Well

DRILL DATE: 1938/12/01

TOWNSHIP RANGE SECTION  
29N 21W 24

ELEVATION: 1,356FT

DRILL DEPTH: 292FT

UTM X UTM Y  
484,150.11 4,116,643.09  
ZONE 15

DEPTH TO BED: 60FT

S.W.L. (BEFORE CASING):

REMARKS: CHERRY ST RD E OF SPFD.

S.W.L. (AFTER CASING):

**LOG ID:**  
**009011**

WELL TYPE  
Private Well

DRILL DATE: 1945/11/02

TOWNSHIP RANGE SECTION  
29N 21W 24

ELEVATION: 1,355FT

DRILL DEPTH: 479FT

UTM X UTM Y  
484,150.11 4,116,643.09  
ZONE 15

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI E OF HWY 65 ON CHERRY ST RD

S.W.L. (AFTER CASING): 239

**LOG ID:**  
**015848**

WELL TYPE  
Private Well

DRILL DATE: 1936/06/28

TOWNSHIP RANGE SECTION  
29N 21W 24

ELEVATION: 1,368FT

DRILL DEPTH:

UTM X UTM Y  
483,750.10 4,117,891.09  
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPEMED - SEE LOG #3821

S.W.L. (AFTER CASING):

**LOG ID:**  
**019452**

WELL TYPE  
Private Well

DRILL DATE: 1960/08/04

TOWNSHIP RANGE SECTION  
29N 21W 24

ELEVATION: 1,363FT

DRILL DEPTH: 630FT

UTM X UTM Y  
484,150.11 4,117,891.09  
ZONE 15

DEPTH TO BED: 305FT

S.W.L. (BEFORE CASING): FT

REMARKS: NO SAMPLES ABOVE 305'

S.W.L. (AFTER CASING): 310



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003742**WELL TYPE

Private Well

DRILL DATE: 1936/08/26TOWNSHIPRANGESECTIONELEVATION:

1,310FT

DRILL DEPTH: 390FT

29N

21W

25

DEPTH TO BED: 20FTUTM XUTM Y

484,121.11

4,116,262.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:5 MI E OF SPFD ON CHERRY ST ROAD; OLD WELL DEEPENED  
(#12718) 300-390'S.W.L. (AFTER CASING): 237**LOG ID:****004306**WELL TYPE

Private Well

DRILL DATE: 1937/00/00TOWNSHIPRANGESECTIONELEVATION:

1,358FT

DRILL DEPTH: 340FT

29N

21W

25

DEPTH TO BED: 25FTUTM XUTM Y

484,721.12

4,116,056.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012718**WELL TYPE

Private Well

DRILL DATE: 1954/03/05TOWNSHIPRANGESECTIONELEVATION:

1,318FT

DRILL DEPTH: 390FT

29N

21W

25

DEPTH TO BED: 290FTUTM XUTM Y

484,121.11

4,116,262.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:OLD WELL DEEPENED 294-390'; SEE WELL LOG #3742 FOR  
COMPLETE LOGS.W.L. (AFTER CASING): 237**LOG ID:****015407**WELL TYPE

Private Well

DRILL DATE: 1956/09/04TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH: 452FT

29N

21W

25

DEPTH TO BED: 5FTUTM XUTM Y

483,521.11

4,115,436.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 262



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015411**WELL TYPE

Private Well

DRILL DATE: 1956/08/08TOWNSHIPRANGESECTIONELEVATION:

1,344FT

DRILL DEPTH: 445FT

29N

21W

25

DEPTH TO BED: 25FTUTM XUTM Y

483,521.11

4,115,436.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: C, E2, W2, W2 SEC. 25S.W.L. (AFTER CASING): 280**LOG ID:****016261**WELL TYPE

Private Well

DRILL DATE: 1957/04/23TOWNSHIPRANGESECTIONELEVATION:

1,324FT

DRILL DEPTH: 410FT

29N

21W

25

DEPTH TO BED: 5FTUTM XUTM Y

484,837.12

4,115,572.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017135**WELL TYPE

Private Well

DRILL DATE: 1958/02/22TOWNSHIPRANGESECTIONELEVATION:

1,323FT

DRILL DEPTH: 404FT

29N

21W

25

DEPTH TO BED: 20FTUTM XUTM Y

484,837.12

4,115,572.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 300**LOG ID:****026611**WELL TYPE

Community Public Well

DRILL DATE: 1970/06/01TOWNSHIPRANGESECTIONELEVATION:

1,345FT

DRILL DEPTH: 1,165FT

29N

21W

25

DEPTH TO BED: 50FTUTM XUTM Y

484,308.12

4,115,643.10

ZONE 15

S.W.L. (BEFORE CASING): 265REMARKS: NO PRODUCTION DATAS.W.L. (AFTER CASING): FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005584**WELL TYPE

Private Well

DRILL DATE: 1939/07/01TOWNSHIPRANGESECTIONELEVATION:

1,200FT

DRILL DEPTH: 195FT

29N

21W

26

DEPTH TO BED: 28FTUTM XUTM Y

482,093.10

4,115,302.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****006174**WELL TYPE

Private Well

DRILL DATE: 1940/05/01TOWNSHIPRANGESECTIONELEVATION:

1,196FT

DRILL DEPTH: 167FT

29N

21W

26

DEPTH TO BED: 8FTUTM XUTM Y

482,093.10

4,115,710.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 34**LOG ID:****007251**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/07/21TOWNSHIPRANGESECTIONELEVATION:

1,210FT

DRILL DEPTH: 200FT

29N

21W

26

DEPTH TO BED: 15FTUTM XUTM Y

482,093.10

4,115,914.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED 52-200.S.W.L. (AFTER CASING):**LOG ID:****013258**WELL TYPE

Private Well

DRILL DATE: 1954/12/29TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH: 620FT

29N

21W

26

DEPTH TO BED: 10FTUTM XUTM Y

481,893.10

4,115,096.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI E OF GLENSTONE AND SUNSHINES.W.L. (AFTER CASING): 268

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**008906**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1945/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,248FT
<u>DRILL DEPTH:</u>	330FT	29N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,864.08	4,116,199.09
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

**LOG ID:**  
**016276**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/05/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,331FT
<u>DRILL DEPTH:</u>	375FT	29N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				481,064.09	4,115,155.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	270	<u>REMARKS:</u>				

**LOG ID:**  
**016603**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/06/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,342FT
<u>DRILL DEPTH:</u>	443FT	29N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				480,864.09	4,115,365.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	310	<u>REMARKS:</u>				

**LOG ID:**  
**016908**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/09/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,289FT
<u>DRILL DEPTH:</u>	475FT	29N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				481,264.09	4,114,947.09
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	295	<u>REMARKS:</u>	YIELD 17 GPM @ 356'			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017077**WELL TYPE

Private Well

DRILL DATE: 1958/03/26TOWNSHIPRANGESECTIONELEVATION:

1,238FT

DRILL DEPTH: 403FT

29N

21W

27

DEPTH TO BED: 5FTUTM XUTM Y

481,064.09

4,115,781.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 220**LOG ID:****017143**WELL TYPE

Private Well

DRILL DATE: 1958/02/19TOWNSHIPRANGESECTIONELEVATION:

1,307FT

DRILL DEPTH: 465FT

29N

21W

27

DEPTH TO BED: 10FTUTM XUTM Y

481,064.09

4,114,947.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 280**LOG ID:****017298**WELL TYPE

Private Well

DRILL DATE: 1958/03/28TOWNSHIPRANGESECTIONELEVATION:

1,354FT

DRILL DEPTH: 745FT

29N

21W

27

DEPTH TO BED: 35FTUTM XUTM Y

480,264.08

4,114,947.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 12 GPM @ 354'S.W.L. (AFTER CASING): 344**LOG ID:****017600**WELL TYPE

Private Well

DRILL DATE: 1958/06/24TOWNSHIPRANGESECTIONELEVATION:

1,287FT

DRILL DEPTH: 393FT

29N

21W

27

DEPTH TO BED: 20FTUTM XUTM Y

481,364.09

4,114,947.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 265



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018706**WELL TYPE

Private Well

DRILL DATE: 1959/06/05TOWNSHIPRANGESECTIONELEVATION:

1,291FT

DRILL DEPTH: 470FT

29N

21W

27

DEPTH TO BED: 30FTUTM XUTM Y

481,064.09

4,115,155.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 0.75 MI E OF BURKE CONST. CO; YIELD - 12 GPM @ 344'S.W.L. (AFTER CASING): 285**LOG ID:****018708**WELL TYPE

Private Well

DRILL DATE: 1959/07/09TOWNSHIPRANGESECTIONELEVATION:

1,286FT

DRILL DEPTH: 455FT

29N

21W

27

DEPTH TO BED: 25FTUTM XUTM Y

481,264.09

4,115,155.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI E OF BURKS CONSTR. CO ON RT C; YIELD - 14 GPM @ 322'S.W.L. (AFTER CASING): 285**LOG ID:****019512**WELL TYPE

Private Well

DRILL DATE: 1960/10/17TOWNSHIPRANGESECTIONELEVATION:

1,315FT

DRILL DEPTH: 520FT

29N

21W

27

DEPTH TO BED: 325FTUTM XUTM Y

481,064.09

4,114,947.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 325-520'S.W.L. (AFTER CASING): 320**LOG ID:****020717**WELL TYPE

Private Well

DRILL DATE: 1961/07/07TOWNSHIPRANGESECTIONELEVATION:

1,251FT

DRILL DEPTH: 405FT

29N

21W

27

DEPTH TO BED: 15FTUTM XUTM Y

480,964.09

4,115,885.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 235

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**021000**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1962/06/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,236FT
<u>DRILL DEPTH:</u>	380FT	29N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				481,064.09	4,115,781.09
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	220				<u>REMARKS:</u>	

**LOG ID:**  
**026795**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,258FT
<u>DRILL DEPTH:</u>	395FT	29N	21W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				481,264.09	4,115,781.09
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

**LOG ID:**  
**011480**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1950/10/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,379FT
<u>DRILL DEPTH:</u>	597FT	29N	21W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				478,946.07	4,115,543.09
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	310				<u>REMARKS:</u> 1ST RD N OF GRAND AVE APPROX 600' E OF OAKGROVE LANE, SPFD.	

**LOG ID:**  
**012398**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1953/07/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,364FT
<u>DRILL DEPTH:</u>	151FT	29N	21W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				479,846.08	4,115,644.09
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	104				<u>REMARKS:</u>	



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012663**WELL TYPE

Private Well

DRILL DATE: 1953/11/24TOWNSHIPRANGESECTIONELEVATION:

1,351FT

DRILL DEPTH: 456FT

29N

21W

28

DEPTH TO BED: 9FTUTM XUTM Y

479,846.08

4,115,036.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 327**LOG ID:****013102**WELL TYPE

Private Well

DRILL DATE: 1954/07/16TOWNSHIPRANGESECTIONELEVATION:

1,367FT

DRILL DEPTH: 587FT

29N

21W

28

DEPTH TO BED: 25FTUTM XUTM Y

479,846.08

4,115,238.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 369**LOG ID:****013773**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/06/18TOWNSHIPRANGESECTIONELEVATION:

1,352FT

DRILL DEPTH: 570FT

29N

21W

28

DEPTH TO BED: 430FTUTM XUTM Y

479,846.08

4,115,036.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES ABOVE 430'S.W.L. (AFTER CASING): 361**LOG ID:****004482**WELL TYPE

Private Well

DRILL DATE: 1937/00/00TOWNSHIPRANGESECTIONELEVATION:

1,343FT

DRILL DEPTH: 121FT

29N

21W

29

DEPTH TO BED: 45FTUTM XUTM Y

478,032.06

4,115,931.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "STRONG FLOW"S.W.L. (AFTER CASING): 34



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005170**WELL TYPE

Private Well

DRILL DATE: 1938/12/01TOWNSHIP RANGE SECTION

29N

21W

29

ELEVATION: 1,359FTDRILL DEPTH: 125FTDEPTH TO BED: 25FTUTM XUTM Y

478,032.06

4,115,519.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "UNABLE TO LOCATE" - KEENEY 8/73S.W.L. (AFTER CASING):**LOG ID:****013066**WELL TYPE

Private Well

DRILL DATE: 1954/08/07TOWNSHIP RANGE SECTION

29N

21W

29

ELEVATION: 1,343FTDRILL DEPTH: 135FTDEPTH TO BED: 15FTUTM XUTM Y

476,795.04

4,115,404.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 19**LOG ID:****013415**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/03/01TOWNSHIP RANGE SECTION

29N

21W

29

ELEVATION: 1,341FTDRILL DEPTH: 1,632FTDEPTH TO BED: 20FTUTM XUTM Y

477,161.05

4,115,987.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 385**LOG ID:****014732**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/02/10TOWNSHIP RANGE SECTION

29N

21W

29

ELEVATION: 1,331FTDRILL DEPTH: 145FTDEPTH TO BED: 20FTUTM XUTM Y

476,832.05

4,115,109.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 16 GPM @ 120'S.W.L. (AFTER CASING): 52



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019405**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1960/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,353FT
<u>DRILL DEPTH:</u>	1,625FT	29N	21W	29		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	405				478,032.06	4,115,315.09
<u>S.W.L. (AFTER CASING):</u>	FT				ZONE 15	
<u>REMARKS:</u>	formerly in name of Royal McBee Corporation - YIELD - 872 GPM @ 423.77'					

**LOG ID:****005400**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,358FT
<u>DRILL DEPTH:</u>	868FT	29N	21W	3		
<u>DEPTH TO BED:</u>	310FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				481,443.05	4,122,899.06
<u>S.W.L. (AFTER CASING):</u>	265				ZONE 15	
<u>REMARKS:</u>	OLD WELL DEEPENED 310-868'; YIELDED ABT. 10 GPM IN 1930.					

**LOG ID:****012921**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/05/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,370FT
<u>DRILL DEPTH:</u>	530FT	29N	21W	3		
<u>DEPTH TO BED:</u>	240FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				480,809.05	4,121,567.06
<u>S.W.L. (AFTER CASING):</u>	337				ZONE 15	
<u>REMARKS:</u>	OLD WELL DEEPENED 240-530'; 2.5 MI E OF SPFD ON HWY 66; 9 GPM @ 380'					

**LOG ID:****016613**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/07/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,343FT
<u>DRILL DEPTH:</u>	487FT	29N	21W	3		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				481,009.05	4,122,517.06
<u>S.W.L. (AFTER CASING):</u>	312				ZONE 15	
<u>REMARKS:</u>						

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**019039**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1960/05/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,352FT
<u>DRILL DEPTH:</u>	530FT	29N	21W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				481,009.06	4,121,567.06
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	LONTG 1 X 2.3 MI SECTION; 3 MI E OF SPFD ON OLD HWY 66			

**LOG ID:**  
**005618**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1939/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,322FT
<u>DRILL DEPTH:</u>	377FT	29N	21W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				476,295.03	4,116,040.10
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	18	<u>REMARKS:</u>	TD MAY BE 373'			

**LOG ID:**  
**006237**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1940/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,337FT
<u>DRILL DEPTH:</u>	836FT	29N	21W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				476,595.04	4,116,438.10
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	355	<u>REMARKS:</u>	formerly in name of T.W. Duvall (deceased) - 1655 E PILMER; SWLs 355' @ 465, 355' @ 675.			

**LOG ID:**  
**014722**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,317FT
<u>DRILL DEPTH:</u>	370FT	29N	21W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				475,695.03	4,116,199.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	TOOLS STUCK AT 367'; OZARK MOTOR CO., SPFD.; YIELD 8 G/HOUR			

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**012157**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1952/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,287FT
<u>DRILL DEPTH:</u>	155FT	29N	21W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				478,009.07	4,113,681.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	603 S WELLER, SPFD			

**LOG ID:**  
**013646**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1955/04/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,338FT
<u>DRILL DEPTH:</u>	585FT	29N	21W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				476,909.05	4,114,921.10
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.25 S OF HWY 166 ON HWY 65			
<u>S.W.L. (AFTER CASING):</u>	331					

**LOG ID:**  
**003406**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1935/07/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,308FT
<u>DRILL DEPTH:</u>	333FT	29N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				479,533.08	4,113,714.10
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NO SAMPLES ABOVE 100' - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	200					

**LOG ID:**  
**010750**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1947/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,321FT
<u>DRILL DEPTH:</u>	445FT	29N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	310FT				479,833.08	4,114,229.09
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL DEEPENED 310-445'.			
<u>S.W.L. (AFTER CASING):</u>						

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010753**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1947/10/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,287FT
<u>DRILL DEPTH:</u>	175FT	29N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				479,033.08	4,113,405.10
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS:

**LOG ID:**  
**012422**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1953/08/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,311FT
<u>DRILL DEPTH:</u>	443FT	29N	21W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				479,233.08	4,114,435.09
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	270					

REMARKS: OLD WELL DEEPENED 112-443'.

**LOG ID:**  
**005617**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1939/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,270FT
<u>DRILL DEPTH:</u>	422FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	222FT				481,447.10	4,114,766.09
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: formerly in name of Ed Roup - OLD WELL DEEPENED 222-422'; TOP IN BURLINGTON LS.

**LOG ID:**  
**006045**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1940/03/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,372FT
<u>DRILL DEPTH:</u>	477FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	256FT				480,647.09	4,114,358.10
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	280					

REMARKS: formerly in name of R. A. Langwell - OLD WELL DEEPENED 361-477'(1/2/58) (#16910); NEW SWL 330'



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006046**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/03/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,365FT
<u>DRILL DEPTH:</u>	364FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	311FT				480,847.09	4,114,358.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of L.D. James - NO SAMPLES LOGGED ABOVE 311'				
<u>S.W.L. (AFTER CASING):</u>	262					

**LOG ID:****006317**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/06/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,340FT
<u>DRILL DEPTH:</u>	399FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	17FT				480,947.09	4,114,664.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> SWAN CREEK MADE 3 GPM				
<u>S.W.L. (AFTER CASING):</u>	240					

**LOG ID:****009903**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/12/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,365FT
<u>DRILL DEPTH:</u>	140FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				480,647.09	4,114,766.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> S SIDE OF SUNSHINE RD 2.25 MI E OF HWY 65				
<u>S.W.L. (AFTER CASING):</u>	100					

**LOG ID:****010880**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/03/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,349FT
<u>DRILL DEPTH:</u>	483FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,847.09	4,114,766.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> CREVICES @ 30, 94, 98' (98-110' SEALED WITH CONCRETE)				
<u>S.W.L. (AFTER CASING):</u>	306					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**012662**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1953/10/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,354FT
<u>DRILL DEPTH:</u>	560FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				480,647.09	4,114,766.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL DEEPENED 411-560' (#21334); YIELD 15 GPM, SWL 370'.				
<u>S.W.L. (AFTER CASING):</u>	317					

**LOG ID:**  
**013478**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,346FT
<u>DRILL DEPTH:</u>	827FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				480,047.08	4,114,766.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**015851**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/10/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,345FT
<u>DRILL DEPTH:</u>	543FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				480,847.09	4,114,766.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of W.B. Beckerleg				
<u>S.W.L. (AFTER CASING):</u>	344					

**LOG ID:**  
**016254**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/05/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,314FT
<u>DRILL DEPTH:</u>	345FT	29N	21W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				480,847.09	4,113,746.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	155					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****016910**WELL TYPE

Private Well

DRILL DATE: 1940/03/19TOWNSHIPRANGESECTIONELEVATION:

1,372FT

DRILL DEPTH: 477FT

29N

21W

34

UTM XUTM YDEPTH TO BED:

480,647.09

4,114,358.10

ZONE 15

S.W.L. (BEFORE CASING): 280 FTREMARKS:

formerly in name of R.A. Langwell - OLD WELL DEEPENED - SEE LOG #6045

S.W.L. (AFTER CASING): 330 FT**LOG ID:****016913**WELL TYPE

Private Well

DRILL DATE: 1957/10/16TOWNSHIPRANGESECTIONELEVATION:

1,327FT

DRILL DEPTH: 438FT

29N

21W

34

UTM XUTM YDEPTH TO BED: 10FT

481,047.10

4,113,338.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

0.25 MI E OF OLD BLACKMAN SCHOOL

S.W.L. (AFTER CASING): 272**LOG ID:****021334**WELL TYPE

Private Well

DRILL DATE: 1953/10/24TOWNSHIPRANGESECTIONELEVATION:

1,354FT

DRILL DEPTH: 560FT

29N

21W

34

UTM XUTM YDEPTH TO BED:

480,647.09

4,114,766.09

ZONE 15

S.W.L. (BEFORE CASING): 370 FTREMARKS:

OLD WELL DEEPENED - SEE LOG #12662

S.W.L. (AFTER CASING): 317 FT**LOG ID:****027168**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,333FT

DRILL DEPTH: 800FT

29N

21W

34

UTM XUTM YDEPTH TO BED: 5FT

480,847.10

4,113,338.10

ZONE 15

S.W.L. (BEFORE CASING): 225 FTREMARKS:S.W.L. (AFTER CASING): 360 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****016897**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1957/12/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,282FT
<u>DRILL DEPTH:</u>	65FT	29N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				482,465.11	4,114,703.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	MINERAL TEST; DRILLED WITH HOSSFELD PROSPECTING DRILL;			
<u>S.W.L. (AFTER CASING):</u>			HOLE NOT CASED			

**LOG ID:****017987**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/12/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,311FT
<u>DRILL DEPTH:</u>	426FT	29N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				481,665.11	4,113,261.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.75 MI E OF OLD BLACKMAN SCHOOL			
<u>S.W.L. (AFTER CASING):</u>	275					

**LOG ID:****018998**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/04/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,317FT
<u>DRILL DEPTH:</u>	435FT	29N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				482,965.11	4,114,600.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	250					

**LOG ID:****020456**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/08/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,278FT
<u>DRILL DEPTH:</u>	353FT	29N	21W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				481,865.10	4,114,291.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	245					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****021475**WELL TYPE

Private Well

DRILL DATE: 1962/11/29TOWNSHIPRANGESECTIONELEVATION:

1,273FT

DRILL DEPTH: 360FT

29N

21W

35

DEPTH TO BED: 20FTUTM XUTM Y

482,065.10

4,114,291.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 18.5 GPM @ 300'S.W.L. (AFTER CASING): 210**LOG ID:****010754**WELL TYPE

Private Well

DRILL DATE: 1947/10/09TOWNSHIPRANGESECTIONELEVATION:

1,210FT

DRILL DEPTH: 84FT

29N

21W

36

DEPTH TO BED: 15FTUTM XUTM Y

483,500.12

4,113,190.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SEE LOG #13315 FOR NEARBY (20") WELL #2S.W.L. (AFTER CASING): 35**LOG ID:****010758**WELL TYPE

Private Well

DRILL DATE: 1948/01/15TOWNSHIPRANGESECTIONELEVATION:

1,290FT

DRILL DEPTH: 385FT

29N

21W

36

DEPTH TO BED: 235FTUTM XUTM Y

484,300.12

4,114,646.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 235-385'.S.W.L. (AFTER CASING): 195**LOG ID:****011834**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1951/05/26TOWNSHIPRANGESECTIONELEVATION:

1,261FT

DRILL DEPTH: 338FT

29N

21W

36

DEPTH TO BED: 213FTUTM XUTM Y

484,808.13

4,114,492.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 213-338'S.W.L. (AFTER CASING): 150

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**013315**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1954/10/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,197FT
<u>DRILL DEPTH:</u>	232FT	29N	21W	36		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
					483,300.12	4,113,190.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	20' S OF 1 (#10754)			
<u>S.W.L. (AFTER CASING):</u>	97					

**LOG ID:**  
**011836**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1951/07/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,310FT
<u>DRILL DEPTH:</u>	486FT	29N	21W	4		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
					478,994.03	4,123,057.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI E & 1 MI N OF JUNCT HWYS 66 & 65; YIELD 20 GPH @ 75'			
<u>S.W.L. (AFTER CASING):</u>	282					

**LOG ID:**  
**012578**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1953/05/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,247FT
<u>DRILL DEPTH:</u>	527FT	29N	21W	4		
<u>DEPTH TO BED:</u>	455FT				<u>UTM X</u>	<u>UTM Y</u>
					479,168.02	4,123,901.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPEMED 450-527'; 0.75 MI E OF VALLEY WATER MILLS			
<u>S.W.L. (AFTER CASING):</u>	365					

**LOG ID:**  
**013822**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1955/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,390FT
<u>DRILL DEPTH:</u>	697FT	29N	21W	4		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
					479,194.04	4,121,659.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NARROW SECTION			
<u>S.W.L. (AFTER CASING):</u>	385					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****014095**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,306FT
<u>DRILL DEPTH:</u>	575FT	29N	21W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				479,594.04	4,122,591.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NARROW SECTION; 7600' S OF NE CORNER, 500' W OF E LINE			
<u>S.W.L. (AFTER CASING):</u>	250					

**LOG ID:****004157**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,237FT
<u>DRILL DEPTH:</u>	370FT	29N	21W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				477,600.00	4,124,047.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	LONG SECTION; 1.5 MI N & 1/2 MI E OF SW CORNER OF SEC. 5			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****004463**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,312FT
<u>DRILL DEPTH:</u>	196FT	29N	21W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				477,799.99	4,124,975.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ABANDONED WITH TOOLS IN HOLE; IN SOUTH PART OF LONG SECTION			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****004518**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	363FT	29N	21W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	160FT				477,800.00	4,124,511.05
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 160-363'; LONG SECTION			
<u>S.W.L. (AFTER CASING):</u>	221					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005033**WELL TYPE

Private Well

DRILL DATE: 1938/09/01TOWNSHIP RANGE SECTION

29N

21W

5

ELEVATION: 1,310FTDRILL DEPTH: 415FTUTM X UTM YDEPTH TO BED: 240FT

477,700.01 4,122,885.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 240-415'; 0.5 MI E ON US 66, 3/4 MI NS.W.L. (AFTER CASING):**LOG ID:****005127**WELL TYPE

Private Well

DRILL DATE: 1938/09/01TOWNSHIP RANGE SECTION

29N

21W

5

ELEVATION: 1,282FTDRILL DEPTH: 306FTUTM X UTM YDEPTH TO BED: 60FT

477,400.01 4,123,117.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION - Driller's Log AttachedS.W.L. (AFTER CASING): 235**LOG ID:****013733**WELL TYPE

Private Well

DRILL DATE: 1955/05/14TOWNSHIP RANGE SECTION

29N

21W

5

ELEVATION: 1,253FTDRILL DEPTH: 462FTUTM X UTM YDEPTH TO BED: 30FT

477,400.00 4,123,583.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****016917**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIP RANGE SECTION

29N

21W

5

ELEVATION: 1,289FTDRILL DEPTH: 435FTUTM X UTM YDEPTH TO BED: 35FT

477,800.01 4,123,117.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018591**WELL TYPE

Private Well

DRILL DATE: 1959/08/17TOWNSHIPRANGESECTIONELEVATION:

1,330FT

DRILL DEPTH: 440FT

29N

21W

5

DEPTH TO BED: 25FTUTM XUTM Y

477,800.02

4,122,653.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG 1 X 2 MI SECTION; 0.5 MI E OF JCT OF HWYS 66 & 65.S.W.L. (AFTER CASING):**LOG ID:****006775**WELL TYPE

Private Well

DRILL DATE: 1940/10/12TOWNSHIPRANGESECTIONELEVATION:

1,234FT

DRILL DEPTH: 352FT

29N

21W

6

DEPTH TO BED: 55FTUTM XUTM Y

476,389.98

4,124,634.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NARROW SECTIONS.W.L. (AFTER CASING): 140**LOG ID:****011782**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,283FT

DRILL DEPTH: 1,139FT

29N

21W

6

DEPTH TO BED: 5FTUTM XUTM Y

476,189.99

4,123,584.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTIONS.W.L. (AFTER CASING): 270**LOG ID:****014658**WELL TYPE

Private Well

DRILL DATE: 1956/03/19TOWNSHIPRANGESECTIONELEVATION:

1,299FT

DRILL DEPTH: 480FT

29N

21W

6

DEPTH TO BED: 20FTUTM XUTM Y

476,090.00

4,122,532.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 12 GPM @ 343'S.W.L. (AFTER CASING): 343



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015363**WELL TYPE

Private Well

DRILL DATE: 1956/08/22TOWNSHIPRANGESECTIONELEVATION:

1,277FT

DRILL DEPTH: 505FT

29N

21W

6

DEPTH TO BED: 300FTUTM XUTM Y

476,589.99

4,123,934.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:OLD WELL DEEPENED 300-505'; NARROW SECTION; YIELD 10  
GPM @ 305'S.W.L. (AFTER CASING): 280**LOG ID:****003793**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/09/11TOWNSHIPRANGESECTIONELEVATION:

1,360FT

DRILL DEPTH: 445FT

29N

21W

7

DEPTH TO BED: 65FTUTM XUTM Y

476,312.01

4,120,687.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

1824 N. WELLER, SPFD. - Driller's Log Attached

S.W.L. (AFTER CASING): 300**LOG ID:****010759**WELL TYPE

Private Well

DRILL DATE: 1947/12/30TOWNSHIPRANGESECTIONELEVATION:

1,361FT

DRILL DEPTH: 430FT

29N

21W

8

DEPTH TO BED: 20FTUTM XUTM Y

478,136.03

4,119,984.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 335**LOG ID:****019510**WELL TYPE

Private Well

DRILL DATE: 1960/11/26TOWNSHIPRANGESECTIONELEVATION:

1,374FT

DRILL DEPTH: 489FT

29N

21W

8

DEPTH TO BED: 235FTUTM XUTM Y

477,136.02

4,120,994.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

OLD WELL DEEPENED 235-489'.

S.W.L. (AFTER CASING): 385



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028046**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1977/02/16TOWNSHIPRANGESECTIONELEVATION:

1,363FT

DRILL DEPTH: 1,570FT

29N

21W

8

DEPTH TO BED:UTM XUTM Y

477,336.02

4,120,994.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SAMPLES SCANNED, ONLY CHANGES IN RESIDUE TYPE  
LOGGED; NO LITHOLOGIESS.W.L. (AFTER CASING):**LOG ID:****005934**WELL TYPE

Private Well

DRILL DATE: 1940/03/02TOWNSHIPRANGESECTIONELEVATION:

1,380FT

DRILL DEPTH: 469FT

29N

21W

9

DEPTH TO BED: 25FTUTM XUTM Y

479,139.04

4,120,097.06

ZONE 15

S.W.L. (BEFORE CASING): 315 FTREMARKS:OLD WELL DEEPENED 400-469' (#10749); "NO WATER IN SWAN  
CREEK" - Driller's Log AttachedS.W.L. (AFTER CASING): 360 FT**LOG ID:****006772**WELL TYPE

Private Well

DRILL DATE: 1940/10/24TOWNSHIPRANGESECTIONELEVATION:

1,390FT

DRILL DEPTH: 425FT

29N

21W

9

DEPTH TO BED: 330FTUTM XUTM Y

478,939.04

4,119,891.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

OLD WELL DEEPENED 300-425'; YIELD 5 GPM @ 360'

S.W.L. (AFTER CASING): 338**LOG ID:****008137**WELL TYPE

Private Well

DRILL DATE: 1942/07/29TOWNSHIPRANGESECTIONELEVATION:

1,372FT

DRILL DEPTH: 128FT

29N

21W

9

DEPTH TO BED: 20FTUTM XUTM Y

478,739.04

4,120,509.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

6-10 GPH YIELD

S.W.L. (AFTER CASING): 70



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009347**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1946/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,388FT
<u>DRILL DEPTH:</u>	527FT	29N	21W	9		
<u>DEPTH TO BED:</u>	108FT				<u>UTM X</u>	<u>UTM Y</u>
					478,739.04	4,119,891.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SHADY DELL SCHOOL; OLD WELL DEEPEMED 108-527'.			
<u>S.W.L. (AFTER CASING):</u>	366					

**LOG ID:****010749**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/03/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,375FT
<u>DRILL DEPTH:</u>		29N	21W	9		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
					479,139.04	4,120,097.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL DEEPEMED - SEE LOG #5934 FOR COMPLETE DATA			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****012399**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/07/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,389FT
<u>DRILL DEPTH:</u>	505FT	29N	21W	9		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
					479,139.04	4,121,125.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	375					

**LOG ID:****013758**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/01/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,375FT
<u>DRILL DEPTH:</u>	555FT	29N	21W	9		
<u>DEPTH TO BED:</u>	415FT				<u>UTM X</u>	<u>UTM Y</u>
					479,339.04	4,121,331.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPEMED (??); NO SAMPLES ABOVE 415'			
<u>S.W.L. (AFTER CASING):</u>	380					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**022046**

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,385FT  
29N 21W 9  
DRILL DEPTH: 800FT UTM X UTM Y  
DEPTH TO BED: 20FT 479,339.04 4,121,125.06  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: SAMPLES BELOW 750' ARE MIXED - OUT OF PLACE  
S.W.L. (AFTER CASING):

**LOG ID:**  
**023374**

WELL TYPE  
Industrial High Capacity Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,382FT  
29N 21W 9  
DRILL DEPTH: 425FT UTM X UTM Y  
DEPTH TO BED: 20FT 479,139.04 4,120,919.06  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**003595**

WELL TYPE  
Private Well

DRILL DATE: 1936/04/02 TOWNSHIP RANGE SECTION ELEVATION: 1,297FT  
29N 22W 1  
DRILL DEPTH: 148FT UTM X UTM Y  
DEPTH TO BED: 20FT 474,977.99 4,122,307.09  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: "ROCK QUARRY NOW AT THIS SITE AND WELL CANNOT BE  
S.W.L. (AFTER CASING): 74 LOCATED" - 12/60 - Driller's Log Attached

**LOG ID:**  
**004974**

WELL TYPE  
Private Well

DRILL DATE: 1938/08/01 TOWNSHIP RANGE SECTION ELEVATION: 1,272FT  
29N 22W 1  
DRILL DEPTH: 97FT UTM X UTM Y  
DEPTH TO BED: 25FT 474,577.97 4,124,175.10  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019843**WELL TYPE

Private Well

DRILL DATE: 1960/12/13TOWNSHIPRANGESECTIONELEVATION:

1,274FT

DRILL DEPTH: 410FT

29N

22W

1

DEPTH TO BED: 70FTUTM XUTM Y

474,777.98

4,122,307.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2933 N SUMMIT, SPFD.S.W.L. (AFTER CASING): 285**LOG ID:****001883**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1910//TOWNSHIPRANGESECTIONELEVATION:

1,301FT

DRILL DEPTH: 900FT

29N

22W

10

DEPTH TO BED: 32FTUTM XUTM Y

471,670.96

4,120,454.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO FORMATIONS OR TOPS IDENTIFIED - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****001884**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1910//TOWNSHIPRANGESECTIONELEVATION:

1,389FT

DRILL DEPTH: 930FT

29N

22W

10

DEPTH TO BED: 42FTUTM XUTM Y

471,770.96

4,120,454.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ NEW FRISCO SHOPS; NO TOPS OR FORMATIONS IDENTIFIED -  
DRILLER'S LOG ONLYS.W.L. (AFTER CASING): 190**LOG ID:****003448**WELL TYPE

Private Well

DRILL DATE: 1935/08/29TOWNSHIPRANGESECTIONELEVATION:

1,278FT

DRILL DEPTH: 127FT

29N

22W

10

DEPTH TO BED: 10FTUTM XUTM Y

471,070.95

4,121,374.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: N CAMPBELL, 2009 W HIGH ST - Driller's Log AttachedS.W.L. (AFTER CASING): 30



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****014800**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1956/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,298FT
<u>DRILL DEPTH:</u>	1,275FT	29N	22W	10		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			471,670.96	4,120,352.15
<u>S.W.L. (AFTER CASING):</u>	345				ZONE 15	

REMARKS:

**LOG ID:****002719**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1933/04/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,334FT
<u>DRILL DEPTH:</u>	1,220FT	29N	22W	11		
<u>DEPTH TO BED:</u>	740FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			473,481.98	4,120,527.12
<u>S.W.L. (AFTER CASING):</u>	208				ZONE 15	

REMARKS: OLD WELL DEEPENED 850-1220; 410 W. CHASE ST

**LOG ID:****002863**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1934/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,325FT
<u>DRILL DEPTH:</u>	1,215FT	29N	22W	11		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	150	FT			473,481.98	4,120,325.12
<u>S.W.L. (AFTER CASING):</u>	285	FT			ZONE 15	

REMARKS: 533 W. COMMERCIAL ST.; OLD WELL DEEPENED 790-1215' (LOG #8052) 1942 - Driller's Log Attached

**LOG ID:****004149**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1937/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,339FT
<u>DRILL DEPTH:</u>	852FT	29N	22W	11		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		FT			473,281.98	4,120,731.13
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	

REMARKS: E OF BROADWAY & S OF CHASE, SPFD; AT 725' TESTED <20 GPM, SWL 285' - Driller's Log Attached



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****008052**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1934/05/01TOWNSHIP

29N

RANGE

22W

SECTION

11

ELEVATION:

1,319FT

DRILL DEPTH:UTM XUTM YDEPTH TO BED:

473,481.98

4,120,325.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #2863S.W.L. (AFTER CASING):**LOG ID:****023339**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1964/00/00TOWNSHIP

29N

RANGE

22W

SECTION

11

ELEVATION:

1,332FT

DRILL DEPTH: 1,255FTUTM XUTM YDEPTH TO BED: 25FT

473,281.98

4,120,527.13

ZONE 15

S.W.L. (BEFORE CASING): 355REMARKS: SELMIER PEERLESSS.W.L. (AFTER CASING): FT**LOG ID:****006483**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/09/12TOWNSHIP

29N

RANGE

22W

SECTION

12

ELEVATION:

1,338FT

DRILL DEPTH: 900FTUTM XUTM YDEPTH TO BED: 17FT

474,193.99

4,120,197.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 490-900' (LOG #8653).S.W.L. (AFTER CASING): 320**LOG ID:****008653**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/09/12TOWNSHIP

29N

RANGE

22W

SECTION

12

ELEVATION:

1,340FT

DRILL DEPTH: 900FTUTM XUTM YDEPTH TO BED: 15FT

474,193.99

4,120,197.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SEE LOG #6483S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****001514**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1888//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,355FT
<u>DRILL DEPTH:</u>	456FT	29N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					474,841.00	4,118,659.11
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO UNITS IDENTIFIED - "FRICK ICE HOUSE" - DRILLER'S LOG ONLY			

**LOG ID:****004135**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1937/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,275FT
<u>DRILL DEPTH:</u>	1,217FT	29N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				474,041.00	4,118,451.13
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	E OF CAMPBELL & N OF PHELPS STS. - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	231					

**LOG ID:****004334**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1937/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,300FT
<u>DRILL DEPTH:</u>	1,346FT	29N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				474,040.99	4,119,285.12
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 912-1346 (1938); OLD WELL SWL 310' & 150 GPM YIELD			
<u>S.W.L. (AFTER CASING):</u>	283					

**LOG ID:****004561**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1937/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	1,230FT	29N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	360FT				474,041.00	4,118,451.13
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Anheuser-Busch - OLD WELL (#134) DEEPENED 850-1210 (1937); PHELPS AVE & MAIN ST. - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	228					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006235**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1940/07/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	1,202FT	29N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	13FT				474,041.00	4,118,451.13
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	285	<u>REMARKS:</u>	W & S OF JCT N ROBERTSON & E PHELPS STS;			

**LOG ID:****028238**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1979/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,326FT
<u>DRILL DEPTH:</u>	1,600FT	29N	22W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				473,972.99	4,119,972.12
<u>S.W.L. (BEFORE CASING):</u>	35	<u>REMARKS:</u>	church well			
<u>S.W.L. (AFTER CASING):</u>	FT				ZONE 15	

**LOG ID:****000132**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1902/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,268FT
<u>DRILL DEPTH:</u>	435FT	29N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					473,834.99	4,118,489.13
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1516 MAY BE DEEPENING FROM 435-827'; NO FORMATIONS IDENTIFIED ON LOG			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

**LOG ID:****000134**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	1,000FT	29N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	830FT				473,834.99	4,118,489.13
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of Anheuser-Busch Company - SEE LOG #4561 - DEEPENED FOR SPRINGFIELD ICE & REFG. CO., 1937'			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003193**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1935/04/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,274FT
<u>DRILL DEPTH:</u>	1,205FT	29N	22W	14		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				473,634.99	4,118,489.13
<u>S.W.L. (AFTER CASING):</u>	225				ZONE 15	
<u>REMARKS:</u>	PLUGGED DUE TO OIL IN WATER; 555 PHELPS ST. - Driller's Log Attached					

**LOG ID:****004367**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/08/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,307FT
<u>DRILL DEPTH:</u>	200FT	29N	22W	14		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					473,834.99	4,119,305.12
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>	961 N CAMPBELL; NO SHORT CREEK					

**LOG ID:****004701**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1938/04/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,280FT
<u>DRILL DEPTH:</u>	1,209FT	29N	22W	14		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				473,834.99	4,118,489.13
<u>S.W.L. (AFTER CASING):</u>	303				ZONE 15	
<u>REMARKS:</u>	SWL TO 397, DD TO 429 IN 12'60. Driller's Log Attached					

**LOG ID:****005269**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1939/02/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	1,223FT	29N	22W	14		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				473,834.99	4,118,489.13
<u>S.W.L. (AFTER CASING):</u>	385				ZONE 15	
<u>REMARKS:</u>	SWLs-14 @ 30, 30 @ 65, 281 @ 545, 234 @ 815, 238 @ 1200'.					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009307**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1946/11/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,270FT
<u>DRILL DEPTH:</u>	1,211FT	29N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					473,834.99	4,118,489.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	500 N MAIN SPFD; WELL #1; SWL 426', YIELD 350 GPM - 6/67		
<u>S.W.L. (AFTER CASING):</u>	339					

**LOG ID:****009459**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1947/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	1,231FT	29N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				473,634.99	4,118,489.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	345	FT	<u>REMARKS:</u>	601 MAIN AVE, SPFD; SWL 353' (1/50), 426' (7/53)		
<u>S.W.L. (AFTER CASING):</u>	426	FT				

**LOG ID:****010751**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	192FT	29N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				472,634.98	4,119,305.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	1407 W NICKOLS, SPFD.		
<u>S.W.L. (AFTER CASING):</u>	15					

**LOG ID:****024393**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1966/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,298FT
<u>DRILL DEPTH:</u>	1,225FT	29N	22W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				472,634.97	4,119,509.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	11	FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	357	FT				



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005839**WELL TYPE

Private Well

DRILL DATE: 1939/11/01TOWNSHIP RANGE SECTIONELEVATION: 1,305FTDRILL DEPTH: 907FT

29N 22W 15

DEPTH TO BED: 25FTUTM X UTM Y  
472,216.97 4,118,614.15  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 625 KANSAS AVE.S.W.L. (AFTER CASING): 285**LOG ID:****027005**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,290FTDRILL DEPTH: 1,250FT

29N 22W 15

DEPTH TO BED: 25FTUTM X UTM Y  
472,216.97 4,118,511.15  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1/2 BLK W ON PHELPS & KANSAS; POOR SAMPLES-DO NOT USE  
FOR CORRELATIONS.W.L. (AFTER CASING): 420**LOG ID:****003423**WELL TYPE

Private Well

DRILL DATE: 1935/07/01TOWNSHIP RANGE SECTIONELEVATION: 1,263FTDRILL DEPTH: 137FT

29N 22W 16

DEPTH TO BED: 75FTUTM X UTM Y  
469,199.94 4,118,554.20  
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****003533**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/02/22TOWNSHIP RANGE SECTIONELEVATION: 1,282FTDRILL DEPTH: 385FT

29N 22W 16

DEPTH TO BED: 145FTUTM X UTM Y  
469,799.94 4,119,582.18  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Alma Lohmeyer and Jewell Windle - NO SAMPLES 0-145, 205-250,  
260-362.S.W.L. (AFTER CASING): 210

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**003676**

WELL TYPE  
Private Well

DRILL DATE: 1936/06/25

TOWNSHIP RANGE SECTION

ELEVATION: 1,282FT

DRILL DEPTH: 275FT

29N 22W 16

DEPTH TO BED: 90FT

UTM X UTM Y  
470,399.95 4,118,554.18  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: AT NURSERY

S.W.L. (AFTER CASING):

**LOG ID:**  
**004514**

WELL TYPE  
Private Well

DRILL DATE: 1937/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,258FT

DRILL DEPTH: 147FT

29N 22W 16

DEPTH TO BED: 73FT

UTM X UTM Y  
469,199.94 4,118,554.20  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 75-147'.

S.W.L. (AFTER CASING):

**LOG ID:**  
**005411**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1938/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,270FT

DRILL DEPTH: 1,515FT

29N 22W 16

DEPTH TO BED: 215FT

UTM X UTM Y  
470,599.96 4,118,554.18  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: W EDGE OF SPFD ON HWY 66; NO SAMPLES 0-215, OR BELOW 1445'. (GRN HS)

S.W.L. (AFTER CASING): 300

**LOG ID:**  
**007623**

WELL TYPE  
Private Well

DRILL DATE: 1941/10/26

TOWNSHIP RANGE SECTION

ELEVATION: 1,265FT

DRILL DEPTH: 389FT

29N 22W 16

DEPTH TO BED: 5FT

UTM X UTM Y  
469,199.94 4,118,554.20  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 30



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011031**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/06/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,283FT
<u>DRILL DEPTH:</u>	436FT	29N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				470,199.95	4,118,554.18
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	280					
<u>REMARKS:</u>	OLD WELL DEEPEMED (?) 200-435'; 1 MI W SPFD ON HWY 66					

**LOG ID:****011381**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1950/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,290FT
<u>DRILL DEPTH:</u>	825FT	29N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				469,999.94	4,119,582.18
<u>S.W.L. (BEFORE CASING):</u>	185	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	285	FT				
<u>REMARKS:</u>	0.5 MI W OF SPFD ON CALHOUN ST; SWLs 73 @ 165, 95 @ 225-250, 185 @ 380					

**LOG ID:****014380**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/12/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,266FT
<u>DRILL DEPTH:</u>	525FT	29N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				469,799.95	4,118,554.19
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	290					
<u>REMARKS:</u>	AT CITY LIMITS ON COLLEGE ST; YIELD 12 GPM @ 350'					

**LOG ID:****017078**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1958/04/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	200FT	29N	22W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				469,599.94	4,119,069.19
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	W EDGE OF SPFD AT END OF BROWER ST.					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004408**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,271FT
<u>DRILL DEPTH:</u>	205FT	29N	22W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				467,572.92	4,119,096.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NICHOLS JCT, W PART, S OF ST L & SF RR - DRILLER'S LOG ONLY			
<u>S.W.L. (AFTER CASING):</u>	30					

**LOG ID:****005933**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/12/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,265FT
<u>DRILL DEPTH:</u>	80FT	29N	22W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				467,672.92	4,119,096.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	27					

**LOG ID:****006048**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/05/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,246FT
<u>DRILL DEPTH:</u>	177FT	29N	22W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				468,772.93	4,118,581.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WATER IN CREVICE AT 95'			
<u>S.W.L. (AFTER CASING):</u>	60					

**LOG ID:****006049**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/05/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,258FT
<u>DRILL DEPTH:</u>	354FT	29N	22W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				468,372.93	4,118,787.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	165					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007305**WELL TYPE

Private Well

DRILL DATE: 1941/06/06TOWNSHIP RANGE SECTION

29N

22W

17

ELEVATION: 1,248FTDRILL DEPTH: 184FTDEPTH TO BED: 101FTUTM X UTM Y

467,972.92 4,118,787.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Charles Stokes - OLD WELL DEEPENED 101-184'.S.W.L. (AFTER CASING):**LOG ID:****010667**WELL TYPE

Private Well

DRILL DATE: 1947/04/01TOWNSHIP RANGE SECTION

29N

22W

17

ELEVATION: 1,283FTDRILL DEPTH: 205FTDEPTH TO BED: 25FTUTM X UTM Y

468,372.92 4,120,023.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: W OF DIVISION ST & HWY 66 BYPASSS.W.L. (AFTER CASING): 75**LOG ID:****010955**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/06/01TOWNSHIP RANGE SECTION

29N

22W

17

ELEVATION: 1,286FTDRILL DEPTH: 175FTDEPTH TO BED: 20FTUTM X UTM Y

468,972.93 4,119,817.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Farley Trailer CompanyS.W.L. (AFTER CASING):**LOG ID:****011388**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1950/06/13TOWNSHIP RANGE SECTION

29N

22W

17

ELEVATION: 1,258FTDRILL DEPTH: 405FTDEPTH TO BED: 20FTUTM X UTM Y

467,572.92 4,118,581.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: AT NICHOLS SCHOOL ON HWY 66S.W.L. (AFTER CASING): 220



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**015847**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/12/24	<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	17	<u>ELEVATION:</u>	1,268FT
<u>DRILL DEPTH:</u>	390FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT							468,572.93	4,119,199.21
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>						
<u>S.W.L. (AFTER CASING):</u>	250								

**LOG ID:**  
**016949**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1952/12/19	<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	17	<u>ELEVATION:</u>	1,280FT
<u>DRILL DEPTH:</u>	400FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	175FT							468,972.93	4,120,023.20
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> OLD WELL DEEPENED 175-400'; YIELD - 6 GPM @ 300', 8 GPM @						
<u>S.W.L. (AFTER CASING):</u>	245		340'.						

**LOG ID:**  
**024089**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	17	<u>ELEVATION:</u>	1,254FT
<u>DRILL DEPTH:</u>	705FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT							468,472.93	4,118,581.21
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	120	FT	<u>REMARKS:</u> formerly in name of Candle Light Trailer Park						
<u>S.W.L. (AFTER CASING):</u>	165	FT							

**LOG ID:**  
**003493**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1935/11/14	<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	18	<u>ELEVATION:</u>	1,299FT
<u>DRILL DEPTH:</u>	177FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT							466,327.91	4,118,576.24
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> Driller's Log Attached						
<u>S.W.L. (AFTER CASING):</u>	20								



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003567**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1936/03/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,268FT
<u>DRILL DEPTH:</u>	174FT	29N	22W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	17FT				467,127.91	4,118,576.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	J.A. WELCH, 0WNER, HIWAY CAFE & SERVICE STATION - Driller's			
<u>S.W.L. (AFTER CASING):</u>	104		Log Attached			

**LOG ID:****003778**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1936/06/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	375FT	29N	22W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				467,327.92	4,118,576.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CLAUDE SMITH			
<u>S.W.L. (AFTER CASING):</u>	134					

**LOG ID:****005769**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,283FT
<u>DRILL DEPTH:</u>	180FT	29N	22W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				467,327.91	4,119,860.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****006203**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,278FT
<u>DRILL DEPTH:</u>	170FT	29N	22W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				466,727.91	4,119,432.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	81					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009084**WELL TYPE

Private Well

DRILL DATE: 1946/03/11TOWNSHIPRANGESECTIONELEVATION:

1,305FT

DRILL DEPTH: 402FT

29N

22W

18

DEPTH TO BED: 20FTUTM XUTM Y

466,327.90

4,119,004.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 250**LOG ID:****010079**WELL TYPE

Private Well

DRILL DATE: 1948/05/04TOWNSHIPRANGESECTIONELEVATION:

1,266FT

DRILL DEPTH: 100FT

29N

22W

18

DEPTH TO BED: 20FTUTM XUTM Y

467,327.92

4,118,576.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: N OF NICHOLS SCHOOL AND HWY 65; YIELD 10 GPHS.W.L. (AFTER CASING): 40**LOG ID:****011835**WELL TYPE

Private Well

DRILL DATE: 1951/05/15TOWNSHIPRANGESECTIONELEVATION:

1,255FT

DRILL DEPTH: 182FT

29N

22W

18

DEPTH TO BED: 30FTUTM XUTM Y

467,327.92

4,118,576.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 16" OPENING AT 21'S.W.L. (AFTER CASING): 45**LOG ID:****023057**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/05/01TOWNSHIPRANGESECTIONELEVATION:

1,283FT

DRILL DEPTH: 640FT

29N

22W

18

DEPTH TO BED: 25FTUTM XUTM Y

466,927.91

4,118,576.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 315 ORCHARD DR., SPFD.S.W.L. (AFTER CASING): 186



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003587**WELL TYPE

Private Well

DRILL DATE: 1936/04/20TOWNSHIPRANGESECTIONELEVATION:

1,270FT

DRILL DEPTH: 65FT

29N

22W

19

DEPTH TO BED: 40FTUTM XUTM Y

466,464.91

4,118,437.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005342**WELL TYPE

Private Well

DRILL DATE: 1939/03/01TOWNSHIPRANGESECTIONELEVATION:

1,281FT

DRILL DEPTH: 184FT

29N

22W

19

DEPTH TO BED: 30FTUTM XUTM Y

466,664.91

4,117,587.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 0.5 GPMS.W.L. (AFTER CASING): 58**LOG ID:****005623**WELL TYPE

Private Well

DRILL DATE: 1939/08/01TOWNSHIPRANGESECTIONELEVATION:

1,286FT

DRILL DEPTH: 260FT

29N

22W

19

DEPTH TO BED: 20FTUTM XUTM Y

466,764.91

4,118,013.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007302**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,292FT

DRILL DEPTH: 130FT

29N

22W

19

DEPTH TO BED: 25FTUTM XUTM Y

467,064.92

4,117,587.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Lundstrum - 2 MI W OF SPFD ON MT VERNON RDS.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010666**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1947/01/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,270FT
<u>DRILL DEPTH:</u>	165FT	29N	22W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				466,064.90	4,117,801.25
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	3.5 MI W OF SPFD			

**LOG ID:**  
**017241**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1958/04/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,257FT
<u>DRILL DEPTH:</u>	715FT	29N	22W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				466,864.91	4,118,437.24
<u>S.W.L. (BEFORE CASING):</u>	85 FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120 FT	<u>REMARKS:</u>	ON HWY 66			

**LOG ID:**  
**024764**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1966/09/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	505FT	29N	22W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				466,864.91	4,118,225.24
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

**LOG ID:**  
**001903**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1915/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,105FT
<u>DRILL DEPTH:</u>	1,050FT	29N	22W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					472,663.95	4,123,750.13
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	formerly in name of Springfield Water Works			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****001904**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,116FT

DRILL DEPTH:

1,110FT

29N

22W

2

UTM XUTM YDEPTH TO BED:

472,663.94

4,124,690.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NO BEDROCK DESCRIBED ABOVE 135'; SAME AS WELL #2551

S.W.L. (AFTER CASING):

52

**LOG ID:****002551**WELL TYPE

Community Public Well

DRILL DATE:

1915/01/01

TOWNSHIPRANGESECTIONELEVATION:

1,112FT

DRILL DEPTH:

1,404FT

29N

22W

2

UTM XUTM YDEPTH TO BED:

10FT

472,613.94

4,124,835.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of SPRINGFIELD WATER CO.; ORIGINALLY LOG #1904A

S.W.L. (AFTER CASING):

4

**LOG ID:****005275**WELL TYPE

Private Well

DRILL DATE:

1939/02/01

TOWNSHIPRANGESECTIONELEVATION:

1,236FT

DRILL DEPTH:

105FT

29N

22W

2

UTM XUTM YDEPTH TO BED:

10FT

473,063.96

4,122,808.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LONG SECTION

S.W.L. (AFTER CASING):**LOG ID:****006332**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1940/09/01

TOWNSHIPRANGESECTIONELEVATION:

1,259FT

DRILL DEPTH:

1,181FT

29N

22W

2

UTM XUTM YDEPTH TO BED:

10FT

473,563.97

4,122,808.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

DNR OBSERVATION WELL; LONG SECTION; DD - 2 IN.

S.W.L. (AFTER CASING):

280



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020985**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1962/04/01TOWNSHIPRANGESECTIONELEVATION:

29N

22W

2

DRILL DEPTH: 1,055FTUTM XUTM YDEPTH TO BED: 10FT

473,363.97

4,121,868.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:LONG SECTION; 0.25 MI N OF FAIRGROUNDS; IRON STAIN AT 600,  
945, 1032'S.W.L. (AFTER CASING):**LOG ID:****003713**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/06/24TOWNSHIPRANGESECTIONELEVATION:

1,241FT

DRILL DEPTH: 185FT

29N

22W

20

UTM XUTM YDEPTH TO BED: 140FT

468,021.93

4,118,396.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:OLD WELL DEEPENED 142-185'; LOST TOOLS, HOLE ABANDONED  
(SEE LOG #3775)S.W.L. (AFTER CASING):**LOG ID:****003775**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/07/01TOWNSHIPRANGESECTIONELEVATION:

1,241FT

DRILL DEPTH: 345FT

29N

22W

20

UTM XUTM YDEPTH TO BED: 20FT

467,921.92

4,118,396.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

T.S. HOWARD; 10 FT W OF WELL #1 (LOG # 3713)

S.W.L. (AFTER CASING): 115**LOG ID:****009562**WELL TYPE

Irrigation Well

DRILL DATE: 1947/03/19TOWNSHIPRANGESECTIONELEVATION:

1,248FT

DRILL DEPTH: 420FT

29N

22W

20

UTM XUTM YDEPTH TO BED: 20FT

467,921.92

4,118,396.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

600 FT W OF BYPASS ON W HWY 66

S.W.L. (AFTER CASING): 34



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010064**WELL TYPE

Private Well

DRILL DATE: 1947/05/18TOWNSHIPRANGESECTIONELEVATION:

1,246FT

DRILL DEPTH: 176FT

29N

22W

20

DEPTH TO BED: 20FTUTM XUTM Y

468,721.94

4,117,778.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD = 1/3 GPMS.W.L. (AFTER CASING): 90**LOG ID:****012699**WELL TYPE

Community Public Well

DRILL DATE: 1954/00/00TOWNSHIPRANGESECTIONELEVATION:

1,258FT

DRILL DEPTH: 1,216FT

29N

22W

20

DEPTH TO BED: 30FTUTM XUTM Y

468,216.93

4,118,096.22

ZONE 15

S.W.L. (BEFORE CASING): 237 FTREMARKS: formerly in name of Youngs Orchard Crest Subdivision Well #2 (WELL #1-C)S.W.L. (AFTER CASING): 226 FT**LOG ID:****012729**WELL TYPE

Private Well

DRILL DATE: 1954/02/25TOWNSHIPRANGESECTIONELEVATION:

1,244FT

DRILL DEPTH: 500FT

29N

22W

20

DEPTH TO BED: 30FTUTM XUTM Y

468,021.93

4,118,396.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 66, 1.75 MI W OF SPFD.S.W.L. (AFTER CASING): 230**LOG ID:****014381**WELL TYPE

Private Well

DRILL DATE: 1955/11/01TOWNSHIPRANGESECTIONELEVATION:

1,235FT

DRILL DEPTH: 365FT

29N

22W

20

DEPTH TO BED: 145FTUTM XUTM Y

468,721.94

4,117,778.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 145-365'S.W.L. (AFTER CASING): 150



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****016606**WELL TYPE

Private Well

DRILL DATE: 1956/10/17TOWNSHIPRANGESECTIONELEVATION:

1,261FT

DRILL DEPTH: 480FT

29N

22W

20

DEPTH TO BED: 325FTUTM XUTM Y

467,721.93

4,117,574.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:POSSIBLY OLD WELL DEEPENED, NO SAMPLES ABOVE 325';  
YIELD 10 GPM @ 320'S.W.L. (AFTER CASING): 280**LOG ID:****016912**WELL TYPE

Private Well

DRILL DATE: 1957/11/20TOWNSHIPRANGESECTIONELEVATION:

1,248FT

DRILL DEPTH: 376FT

29N

22W

20

DEPTH TO BED: 15FTUTM XUTM Y

468,521.93

4,117,778.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

0.5 MI S &amp; 0.25 W OF US 66 &amp; 166 BYPASS

S.W.L. (AFTER CASING): 229**LOG ID:****017297**WELL TYPE

Private Well

DRILL DATE: 1958/03/31TOWNSHIPRANGESECTIONELEVATION:

1,268FT

DRILL DEPTH: 376FT

29N

22W

20

DEPTH TO BED: 25FTUTM XUTM Y

468,121.93

4,117,574.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195**LOG ID:****018272**WELL TYPE

Private Well

DRILL DATE: 1959/07/28TOWNSHIPRANGESECTIONELEVATION:

1,246FT

DRILL DEPTH: 800FT

29N

22W

20

DEPTH TO BED: 25FTUTM XUTM Y

468,121.93

4,118,396.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:1000' N OF YOUNG ORCHARD WELL; SAMPLES GIVEN TO WASH.  
UNIV. FOR STUDYS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****002488**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1931//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,280FT
<u>DRILL DEPTH:</u>	316FT	29N	22W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				470,343.95	4,118,377.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of F.E. Smith - NO SAMPLES 0-115' AND 150-195'. -			
<u>S.W.L. (AFTER CASING):</u>			Driller's Log Attached			

**LOG ID:****003546**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/03/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,238FT
<u>DRILL DEPTH:</u>	60FT	29N	22W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				470,543.96	4,118,171.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****004289**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,280FT
<u>DRILL DEPTH:</u>	427FT	29N	22W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				470,543.96	4,118,377.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	CARLOS SAN PAOLO			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****004351**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/07/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	360FT	29N	22W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				470,343.95	4,118,171.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ON W COLLEGE ST, 3RD LOT E OF GLENN ST, N SIDE OF			
<u>S.W.L. (AFTER CASING):</u>			COLLEGFE			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004911**WELL TYPE

Private Well

DRILL DATE: 1938/04/01TOWNSHIP RANGE SECTIONELEVATION: 1,244FTDRILL DEPTH: 139FT

29N 22W 21

DEPTH TO BED:UTM X UTM Y  
469,143.94 4,118,377.20  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: "PRODUCTION IS STRONG"S.W.L. (AFTER CASING): 20**LOG ID:****005340**WELL TYPE

Private Well

DRILL DATE: 1939/03/01TOWNSHIP RANGE SECTIONELEVATION: 1,250FTDRILL DEPTH: 70FT

29N 22W 21

DEPTH TO BED: 5FTUTM X UTM Y  
469,243.94 4,117,759.20  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: PRODUCTION IS "STRONG"S.W.L. (AFTER CASING): 23**LOG ID:****006187**WELL TYPE

Private Well

DRILL DATE: 1940/03/01TOWNSHIP RANGE SECTIONELEVATION: 1,245FTDRILL DEPTH: 190FT

29N 22W 21

DEPTH TO BED: 10FTUTM X UTM Y  
469,343.94 4,117,551.20  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: PRODUCTION "WEAK"S.W.L. (AFTER CASING): 25**LOG ID:****006202**WELL TYPE

Private Well

DRILL DATE: 1940/04/01TOWNSHIP RANGE SECTIONELEVATION: 1,243FTDRILL DEPTH: 115FT

29N 22W 21

DEPTH TO BED: 21FTUTM X UTM Y  
470,143.95 4,117,759.19  
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****006232**WELL TYPE

Private Well

DRILL DATE: 1940/07/03TOWNSHIPRANGESECTIONELEVATION:

1,229FT

DRILL DEPTH: 140FT

29N

22W

21

DEPTH TO BED: 10FTUTM XUTM Y

469,643.95

4,116,933.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006392**WELL TYPE

Private Well

DRILL DATE: 1940/06/27TOWNSHIPRANGESECTIONELEVATION:

1,245FT

DRILL DEPTH: 334FT

29N

22W

21

DEPTH TO BED: 30FTUTM XUTM Y

470,043.95

4,117,862.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: WESTPORT ADDITIONS.W.L. (AFTER CASING): 184**LOG ID:****007303**WELL TYPE

Private Well

DRILL DATE: 1941/03/31TOWNSHIPRANGESECTIONELEVATION:

1,243FT

DRILL DEPTH: 393FT

29N

22W

21

DEPTH TO BED: 20FTUTM XUTM Y

469,243.94

4,118,274.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF SPFD ON HWY 66S.W.L. (AFTER CASING): 160**LOG ID:****007311**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

1,225FT

DRILL DEPTH: 190FT

29N

22W

21

DEPTH TO BED: 22FTUTM XUTM Y

469,543.95

4,117,345.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MT VERNON ST, 1.2 MI W OF SPFDS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009706**WELL TYPE

Private Well

DRILL DATE: 1946/10/15TOWNSHIPRANGESECTIONELEVATION:

1,284FT

DRILL DEPTH: 232FT

29N

22W

21

DEPTH TO BED: 90FTUTM XUTM Y

470,543.96

4,117,551.18

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 26**LOG ID:****010692**WELL TYPE

Multi-Family Well

DRILL DATE: 1947/06/01TOWNSHIPRANGESECTIONELEVATION:

1,264FT

DRILL DEPTH: 460FT

29N

22W

21

DEPTH TO BED: 20FTUTM XUTM Y

470,543.96

4,117,551.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SOUTH SCENIC DRIVE; BURCHAM & KILLIAN, OWNERS.S.W.L. (AFTER CASING):**LOG ID:****011578**WELL TYPE

Private Well

DRILL DATE: 1950/04/07TOWNSHIPRANGESECTIONELEVATION:

1,220FT

DRILL DEPTH: 375FT

29N

22W

21

DEPTH TO BED: 15FTUTM XUTM Y

469,143.94

4,117,139.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "CAN'T LOCATE" - 6/52S.W.L. (AFTER CASING): 185**LOG ID:****017223**WELL TYPE

Private Well

DRILL DATE: 1958/04/25TOWNSHIPRANGESECTIONELEVATION:

1,233FT

DRILL DEPTH: 320FT

29N

22W

21

DEPTH TO BED: 15FTUTM XUTM Y

469,543.95

4,116,933.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 220



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020318**WELL TYPE

Private Well

DRILL DATE: 1961/06/16TOWNSHIPRANGESECTIONELEVATION:

1,226FT

DRILL DEPTH: 340FT

29N

22W

21

DEPTH TO BED: 15FTUTM XUTM Y

469,443.95

4,117,036.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF HWY 166 ON HWY 13, THEN 0.5 MI E.S.W.L. (AFTER CASING): 190**LOG ID:****001887**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,325FT

DRILL DEPTH: 720FT

29N

22W

22

DEPTH TO BED: 35FTUTM XUTM Y

471,470.97

4,117,615.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO TOPS OR FORMATIONS IDENTIFIED; AT CAR SHOP IN SPFD. -  
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****001923**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1910//TOWNSHIPRANGESECTIONELEVATION:

1,301FT

DRILL DEPTH: 900FT

29N

22W

22

DEPTH TO BED: 30FTUTM XUTM Y

471,470.97

4,117,615.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****004409**WELL TYPE

Private Well

DRILL DATE: 1937/08/01TOWNSHIPRANGESECTIONELEVATION:

1,267FT

DRILL DEPTH: 422FT

29N

22W

22

DEPTH TO BED: 135FTUTM XUTM Y

471,170.97

4,116,893.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ON EXTENSION OF W GRAND ST, E OF US HWY 60 BYPASS.S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004921**WELL TYPE

Private Well

DRILL DATE: 1938/06/01 TOWNSHIP 29N RANGE 22W SECTION 22 ELEVATION: 1,292FT  
DRILL DEPTH: 450FT UTM X 471,370.97 UTM Y 4,118,131.17  
DEPTH TO BED: 40FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: PRODUCTION "STRONG"; NO DD @ 10 GPM  
S.W.L. (AFTER CASING): 30

**LOG ID:****005614**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/09/02 TOWNSHIP 29N RANGE 22W SECTION 22 ELEVATION: 1,277FT  
DRILL DEPTH: 437FT UTM X 470,870.96 UTM Y 4,118,234.17  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: WELL FOR SERVICE STATION  
S.W.L. (AFTER CASING): 228

**LOG ID:****010277**WELL TYPE

Private Well

DRILL DATE: 1948/10/01 TOWNSHIP 29N RANGE 22W SECTION 22 ELEVATION: 1,255FT  
DRILL DEPTH: 447FT UTM X 470,770.96 UTM Y 4,118,337.18  
DEPTH TO BED: 100FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:****011026**WELL TYPE

Private Well

DRILL DATE: 1948/00/00 TOWNSHIP 29N RANGE 22W SECTION 22 ELEVATION: 1,285FT  
DRILL DEPTH: 160FT UTM X 471,170.96 UTM Y 4,117,925.17  
DEPTH TO BED: 19FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****002028**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1916/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,245FT
<u>DRILL DEPTH:</u>	1,055FT	29N	22W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				473,079.99	4,117,582.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SOUTH SIDE SHOPS, NO SAMPLES BELOW 1000'; EITHER SEC. 14			
<u>S.W.L. (AFTER CASING):</u>			OR 23. - Driller's Log Attached			

**LOG ID:****003685**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1936/07/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,295FT
<u>DRILL DEPTH:</u>	900FT	29N	22W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	42FT				472,979.99	4,117,683.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	420 NEW AVENUE, 100' E OF NEW ST & 150' N OF ELM			
<u>S.W.L. (AFTER CASING):</u>	260					

**LOG ID:****001886**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1914/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,318FT
<u>DRILL DEPTH:</u>	1,000FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				475,296.02	4,116,939.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SAMPLES IN 10-FT INTERVALS; ORIGINALLY NUMBERED 1902			
<u>S.W.L. (AFTER CASING):</u>	178					

**LOG ID:****001902**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1914/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,318FT
<u>DRILL DEPTH:</u>	1,000FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				475,396.02	4,116,837.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SOME UNITS IDENTIFIED - DRILLER'S LOG ONLY			
<u>S.W.L. (AFTER CASING):</u>	178					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003601**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1936/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,323FT
<u>DRILL DEPTH:</u>	585FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				473,996.00	4,117,657.13
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	OWNED BY CHARLES LAWRENCE			

**LOG ID:****004296**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,315FT
<u>DRILL DEPTH:</u>	901FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				474,196.00	4,117,861.13
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	W OF JEFFERSON AVE, N OF WALNUT, SPFD.			
<u>S.W.L. (AFTER CASING):</u>	240					

**LOG ID:****004308**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,302FT
<u>DRILL DEPTH:</u>	1,250FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				474,196.00	4,118,271.12
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Electric Theater - OLD WELL DEEPENED			
<u>S.W.L. (AFTER CASING):</u>	75		970-1250 (1942)			

**LOG ID:****004568**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,308FT
<u>DRILL DEPTH:</u>	1,251FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	175FT				473,996.00	4,118,067.13
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 948-1251 (1947, LOG #9786); NO SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	365		740-950'. - Driller's Log Attached			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004972**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/08/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,302FT
<u>DRILL DEPTH:</u>	1,240FT	29N	22W	24		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				473,996.00	4,118,271.13
<u>S.W.L. (AFTER CASING):</u>	300				ZONE 15	

REMARKS: OLD WELL DEEPENED 950-1240 (1940); NO SAMPLES 950-1110'.

**LOG ID:****009786**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,308FT
<u>DRILL DEPTH:</u>	1,251FT	29N	22W	24		
<u>DEPTH TO BED:</u>	175FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					474,096.00	4,118,169.13
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: SEE LOG #4568

**LOG ID:****012784**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1954/07/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,331FT
<u>DRILL DEPTH:</u>	875FT	29N	22W	24		
<u>DEPTH TO BED:</u>	405FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				474,796.01	4,118,067.12
<u>S.W.L. (AFTER CASING):</u>	430				ZONE 15	

REMARKS: OLD WELL DEEPENED 570-875' (LOG #12928)

**LOG ID:****012928**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1954/07/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,331FT
<u>DRILL DEPTH:</u>	875FT	29N	22W	24		
<u>DEPTH TO BED:</u>	405FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					474,996.01	4,118,067.11
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: SEE LOG #12784

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**015408**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/06/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,324FT
<u>DRILL DEPTH:</u>	396FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				474,996.01	4,117,041.12
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	180					

REMARKS:

**LOG ID:**  
**026723**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1970/06/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,318FT
<u>DRILL DEPTH:</u>	1,248FT	29N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				474,996.01	4,118,271.11
<u>S.W.L. (BEFORE CASING):</u>	455	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	405	FT				

REMARKS: 909 E TRAFFICWAY, SPFD.

**LOG ID:**  
**013465**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1955/02/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,260FT
<u>DRILL DEPTH:</u>	526FT	29N	22W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				472,331.99	4,115,243.17
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	305					

REMARKS:

**LOG ID:**  
**003677**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1936/07/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,237FT
<u>DRILL DEPTH:</u>	421FT	29N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				470,718.97	4,115,896.19
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					

REMARKS:



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012162**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1952/10/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,250FT
<u>DRILL DEPTH:</u>	588FT	29N	22W	27		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				470,918.97	4,115,278.19
<u>S.W.L. (AFTER CASING):</u>	275				ZONE 15	
<u>REMARKS:</u>	0.25 MI E OF SHERWOOD SCHOOL ON HWY 166; YIELD 13 GPM @ 310'					

**LOG ID:****012962**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1954/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,226FT
<u>DRILL DEPTH:</u>	405FT	29N	22W	27		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					471,118.97	4,115,896.18
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>	WELL #1 LOST, NEW HOLE (#1B) ON LOG #13074					

**LOG ID:****013074**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1955/01/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,226FT
<u>DRILL DEPTH:</u>	1,240FT	29N	22W	27		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					471,118.97	4,115,896.18
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>	#1B 30' FROM #1 (LOG #12962)					

**LOG ID:****017188**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1958/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,246FT
<u>DRILL DEPTH:</u>	903FT	29N	22W	27		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	30	FT			471,118.97	4,115,896.18
<u>S.W.L. (AFTER CASING):</u>	304	FT			ZONE 15	
<u>REMARKS:</u>	BENNETT ST RD, SPFD.					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028674**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1988/05/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,217FT
<u>DRILL DEPTH:</u>	1,330FT	29N	22W	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					471,118.97	4,115,690.18
<u>S.W.L. (BEFORE CASING):</u>	378				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		FT			<u>REMARKS:</u>	

**LOG ID:****004553**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1937/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,268FT
<u>DRILL DEPTH:</u>	515FT	29N	22W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,483.95	4,115,515.21
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	205				<u>REMARKS:</u>	

**LOG ID:****005772**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,281FT
<u>DRILL DEPTH:</u>	80FT	29N	22W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,883.96	4,115,307.20
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

**LOG ID:****009595**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1947/08/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,273FT
<u>DRILL DEPTH:</u>	465FT	29N	22W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				469,683.96	4,115,307.21
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	250				<u>REMARKS:</u> 1 MI W OF FEDERAL HOSPITAL	



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010730**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1947/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,213FT
<u>DRILL DEPTH:</u>	445FT	29N	22W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	130FT				469,883.96	4,116,549.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 0.5 MI W & 0.1 MI N JUNCT 60 & 123.				
<u>S.W.L. (AFTER CASING):</u>	255					

**LOG ID:**  
**014803**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1956/04/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,281FT
<u>DRILL DEPTH:</u>	660FT	29N	22W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				470,083.96	4,115,307.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	285					

**LOG ID:**  
**003788**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1936/09/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,188FT
<u>DRILL DEPTH:</u>	313FT	29N	22W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				467,463.93	4,115,339.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> NO SAMPLES 0-45, 55-85, 220-240, 305-312.				
<u>S.W.L. (AFTER CASING):</u>	140					

**LOG ID:**  
**008129**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,227FT
<u>DRILL DEPTH:</u>	178FT	29N	22W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	18FT				468,463.94	4,116,771.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> 1 MI W OF SPFD ON COLLEGE ST RD				
<u>S.W.L. (AFTER CASING):</u>						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011828**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1952/01/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,260FT
<u>DRILL DEPTH:</u>	552FT	29N	22W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				468,763.95	4,115,351.22
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	235					

REMARKS:**LOG ID:****012274**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/01/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,260FT
<u>DRILL DEPTH:</u>	446FT	29N	22W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				468,663.95	4,115,339.22
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	235					

REMARKS: NEXT TO SUNSHINE COURT, W OF PETROL OFFICE ON N SIDE  
OF HWY

**LOG ID:****012333**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,259FT
<u>DRILL DEPTH:</u>	549FT	29N	22W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				468,863.95	4,115,339.22
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	250					

REMARKS:**LOG ID:****024401**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1966/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,244FT
<u>DRILL DEPTH:</u>	500FT	29N	22W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				468,080.94	4,115,298.23
<u>S.W.L. (BEFORE CASING):</u>	95	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150	FT				

REMARKS: formerly in name of Rogers Trailer Park



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****000133**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,267FT

DRILL DEPTH:

827FT

29N

22W

3

UTM XUTM YDEPTH TO BED:

615FT

471,657.94

4,123,558.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SAMPLES LOGGED ONLY FROM 6-17-700', NO TOPS OR  
FORMATIONS PICKED - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****001515**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1870//

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

720FT

29N

22W

3

UTM XUTM YDEPTH TO BED:

35FT

471,657.94

4,123,558.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:PROBABLY SEC 12; CAR SHOPS IN NORTH SPRINGFIELD -  
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****003418**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1935/07/01

TOWNSHIPRANGESECTIONELEVATION:

1,148FT

DRILL DEPTH:

100FT

29N

22W

3

UTM XUTM YDEPTH TO BED:

30FT

471,757.94

4,123,796.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****004857**WELL TYPE

Private Well

DRILL DATE:

1938/06/17

TOWNSHIPRANGESECTIONELEVATION:

1,180FT

DRILL DEPTH:

350FT

29N

22W

3

UTM XUTM YDEPTH TO BED:

25FT

471,757.93

4,124,748.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1/2 MI SW OF SPFD WATER STATION; MOST WATER AT 342'.

S.W.L. (AFTER CASING):

60

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**016965**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1953/02/13	<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	3	<u>ELEVATION:</u>	1,195FT
<u>DRILL DEPTH:</u>	335FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>								471,557.92	4,125,224.14
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	LONG 1X2 MI SECTION; 2500' E & 600' S OF NW CORNER OF SEC 3.				
<u>S.W.L. (AFTER CASING):</u>	140								

**LOG ID:**  
**017652**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/00/00	<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	3	<u>ELEVATION:</u>	1,246FT
<u>DRILL DEPTH:</u>	460FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT							471,357.95	4,121,892.15
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>				<u>REMARKS:</u>	0.25 MI W OF CITY LIMITS ON US 66 BYPASS; 0.25 MI N ON FULBRIGHT				
<u>S.W.L. (AFTER CASING):</u>									

**LOG ID:**  
**026073**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1968/07/12	<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	3	<u>ELEVATION:</u>	1,240FT
<u>DRILL DEPTH:</u>	500FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT							471,557.95	4,122,130.15
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	0.5 MI W OF HWY 13, 0.25 MI S OF I-44; LONG 1 X 2 MI SECTION				
<u>S.W.L. (AFTER CASING):</u>	340								

**LOG ID:**  
**003652**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	29N	<u>RANGE</u>	22W	<u>SECTION</u>	30	<u>ELEVATION:</u>	1,222FT
<u>DRILL DEPTH:</u>	100FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT							466,412.91	4,116,396.25
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>				<u>REMARKS:</u>					
<u>S.W.L. (AFTER CASING):</u>									

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**007925**

WELL TYPE  
Gas Well

DRILL DATE: 1942/07/01 TOWNSHIP 29N RANGE 22W SECTION 30 ELEVATION: 1,265FT  
DRILL DEPTH: 1,152FT UTM X 465,812.91 UTM Y 4,116,182.26  
DEPTH TO BED: 22FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: GAS REPORTED 325-330', STRONG SHOW GAS @ 411.  
S.W.L. (AFTER CASING):

**LOG ID:**  
**015415**

WELL TYPE  
Private Well

DRILL DATE: 1956/05/09 TOWNSHIP 29N RANGE 22W SECTION 30 ELEVATION: 1,292FT  
DRILL DEPTH: 100FT UTM X 465,812.91 UTM Y 4,116,822.26  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1220 E LOREN ST, SPFD.  
S.W.L. (AFTER CASING): 27

**LOG ID:**  
**022777**

WELL TYPE  
Private Well

DRILL DATE: 1960/09/01 TOWNSHIP 29N RANGE 22W SECTION 30 ELEVATION: 1,242FT  
DRILL DEPTH: 360FT UTM X 466,612.91 UTM Y 4,116,822.25  
DEPTH TO BED: 30FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 170

**LOG ID:**  
**009181**

WELL TYPE  
Private Well

DRILL DATE: 1946/05/01 TOWNSHIP 29N RANGE 22W SECTION 31 ELEVATION: 1,245FT  
DRILL DEPTH: 205FT UTM X 465,755.92 UTM Y 4,113,709.27  
DEPTH TO BED: 102FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPENED 102-205'  
S.W.L. (AFTER CASING): 40



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010584**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/09/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,240FT
<u>DRILL DEPTH:</u>	130FT	29N	22W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				466,755.92	4,114,567.25
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	97					

REMARKS:**LOG ID:****011080**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,247FT
<u>DRILL DEPTH:</u>	160FT	29N	22W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				466,355.92	4,113,709.26
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 6 MI SW OF SPFD**LOG ID:****010590**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,250FT
<u>DRILL DEPTH:</u>	430FT	29N	22W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	215FT				468,809.95	4,114,327.22
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190					

REMARKS: OLD WELL DEEPENED 215-430'; 5 5/8" HOLE.**LOG ID:****010728**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,220FT
<u>DRILL DEPTH:</u>	135FT	29N	22W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				467,809.94	4,115,147.23
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS: YIELD - "COULDN'T BAIL DRY"; 1.75 MI W OF JUNCT HWYS 60 & 123.



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010763**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/07/04 TOWNSHIP 29N RANGE 22W SECTION 32 ELEVATION: 1,248FT  
DRILL DEPTH: 378FT UTM X 467,809.94 UTM Y 4,114,943.24  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: F.F. DENT  
S.W.L. (AFTER CASING):

**LOG ID:****011068**WELL TYPE

Private Well

DRILL DATE: 1949/09/01 TOWNSHIP 29N RANGE 22W SECTION 32 ELEVATION: 1,223FT  
DRILL DEPTH: 120FT UTM X 467,409.93 UTM Y 4,114,533.24  
DEPTH TO BED: 40FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: GARAGE HOUSE JUST W OF DENT'S PLACE  
S.W.L. (AFTER CASING): 112

**LOG ID:****011076**WELL TYPE

Private Well

DRILL DATE: 1947/09/01 TOWNSHIP 29N RANGE 22W SECTION 32 ELEVATION: 1,235FT  
DRILL DEPTH: 130FT UTM X 467,609.93 UTM Y 4,115,147.24  
DEPTH TO BED: 40FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 0.25 MI E OF BLUFF SCHOOL; MUD OPENING AT 127-128'  
S.W.L. (AFTER CASING):

**LOG ID:****013475**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/04/09 TOWNSHIP 29N RANGE 22W SECTION 32 ELEVATION: 1,267FT  
DRILL DEPTH: 560FT UTM X 468,609.95 UTM Y 4,115,147.22  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: NO SAMPLES 100-200'  
S.W.L. (AFTER CASING): 240



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**022010**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1963/05/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,253FT
<u>DRILL DEPTH:</u>	705FT	29N	22W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				467,909.94	4,114,737.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 0.5 MI W OF SPFD ON HWYS 60 & 166				
<u>S.W.L. (AFTER CASING):</u>	235					

**LOG ID:**  
**026035**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1969/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,274FT
<u>DRILL DEPTH:</u>	640FT	29N	22W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				468,009.94	4,113,917.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> ON HWY FF IN SW CORNWER OF SPFD.				
<u>S.W.L. (AFTER CASING):</u>	275					

**LOG ID:**  
**026517**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1969/11/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,263FT
<u>DRILL DEPTH:</u>	640FT	29N	22W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				468,309.95	4,113,917.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	200	<u>REMARKS:</u> YIELD - 8 GPM @ 385' (= # 26035)				
<u>S.W.L. (AFTER CASING):</u>	FT					

**LOG ID:**  
**011842**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1952/01/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,226FT
<u>DRILL DEPTH:</u>	494FT	29N	22W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,837.97	4,113,684.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 0.5 MI W AND 0.5 MI S OF FEDERAL MEDICAL CENTER; 14 GPM @				
<u>S.W.L. (AFTER CASING):</u>	185	238'				



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****016427**WELL TYPE

Private Well

DRILL DATE: 1957/06/25TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH: 440FT

29N

22W

33

DEPTH TO BED: 15FTUTM XUTM Y

469,637.96

4,114,308.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF US MEDICAL CENTERS.W.L. (AFTER CASING): 225**LOG ID:****003716**WELL TYPE

Community Public Well

DRILL DATE: 1936/06/24TOWNSHIPRANGESECTIONELEVATION:

1,286FT

DRILL DEPTH: 1,321FT

29N

22W

34

DEPTH TO BED: 290FTUTM XUTM Y

471,263.98

4,114,686.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED (1951) 813-1321; POOR SAMPLES (SKIP 300-810)S.W.L. (AFTER CASING): 202**LOG ID:****007833**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 421FT

29N

22W

34

DEPTH TO BED: 30FTUTM XUTM Y

471,863.99

4,114,992.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LAKE SHORE ADDITIONS.W.L. (AFTER CASING):**LOG ID:****012689**WELL TYPE

Community Public Well

DRILL DATE: 1954/04/01TOWNSHIPRANGESECTIONELEVATION:

1,283FT

DRILL DEPTH: 1,675FT

29N

22W

34

DEPTH TO BED: 16FTUTM XUTM Y

470,663.97

4,114,890.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "HOLE NOT PLUMB"; NO CASINGS.W.L. (AFTER CASING): 260

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**012873**

WELL TYPE  
Community Public Well

DRILL DATE: 1954/07/23 TOWNSHIP 29N RANGE 22W SECTION 34 ELEVATION: 1,283FT  
DRILL DEPTH: 1,675FT UTM X 470,663.97 UTM Y 4,114,890.19  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 268

**LOG ID:**  
**028129**

WELL TYPE  
Community Public Well

DRILL DATE: 1978/06/07 TOWNSHIP 29N RANGE 22W SECTION 34 ELEVATION: 1,285FT  
DRILL DEPTH: 1,680FT UTM X 471,063.98 UTM Y 4,114,890.19  
DEPTH TO BED: 25FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**028331**

WELL TYPE  
Community Public Well

DRILL DATE: TOWNSHIP 29N RANGE 22W SECTION 34 ELEVATION: 1,276FT  
DRILL DEPTH: 710FT UTM X 471,363.98 UTM Y 4,114,380.19  
DEPTH TO BED: 45FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**006776**

WELL TYPE  
Private Well

DRILL DATE: 1940/11/22 TOWNSHIP 29N RANGE 22W SECTION 36 ELEVATION: 1,312FT  
DRILL DEPTH: 463FT UTM X 474,717.02 UTM Y 4,114,411.14  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 288



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007914**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/06/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,274FT
<u>DRILL DEPTH:</u>	425FT	29N	22W	36		
<u>DEPTH TO BED:</u>	35FT				<u>UTM X</u>	<u>UTM Y</u>
					473,917.02	4,113,593.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI S OF SUNSHINE ON CAMPBELL AVE; 1ST HOUSE N OF JOG			
<u>S.W.L. (AFTER CASING):</u>	183		ON E SIDE			

**LOG ID:****009143**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/04/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,300FT
<u>DRILL DEPTH:</u>	500FT	29N	22W	36		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
					474,717.03	4,113,797.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HOLLAND RD 3/4 MI S OF SUNSHINE, 1 MI W OF US 65			
<u>S.W.L. (AFTER CASING):</u>	250					

**LOG ID:****011840**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1951/05/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,314FT
<u>DRILL DEPTH:</u>	428FT	29N	22W	36		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
					474,517.02	4,114,207.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	265					

**LOG ID:****028167**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1977/09/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,303FT
<u>DRILL DEPTH:</u>	804FT	29N	22W	36		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
					475,317.03	4,114,615.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	JCT CAMPBELL & SUNSHINE, SPFD; NOT LOGGED			
<u>S.W.L. (AFTER CASING):</u>	450					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****001951**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH:

300FT

29N

22W

4

UTM XUTM YDEPTH TO BED:

25FT

469,448.91

4,123,614.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:PIERSON CREEK DISTRICT - 300' E OF OLD STAR SHAFT; NO  
UNITS GIVEN - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****003492**WELL TYPE

Private Well

DRILL DATE:

1935/10/25

TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH:

60FT

29N

22W

4

UTM XUTM YDEPTH TO BED:

5FT

469,448.91

4,123,614.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:1.5 MILE N OF SPRINGFIELD, 1 MILE E OF HIGHWAY 13 - Driller's  
Log AttachedS.W.L. (AFTER CASING):

23

**LOG ID:****005578**WELL TYPE

Private Well

DRILL DATE:

1948/09/13

TOWNSHIPRANGESECTIONELEVATION:

1,251FT

DRILL DEPTH:

430FT

29N

22W

4

UTM XUTM YDEPTH TO BED:

18FT

469,936.93

4,121,945.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:OLD WELL DEEPEMED 290-430' (LOG #10589); YIELD 14 GPM, SWL  
230'. - Driller's Log AttachedS.W.L. (AFTER CASING):

190

**LOG ID:****005987**WELL TYPE

Private Well

DRILL DATE:

1940/03/31

TOWNSHIPRANGESECTIONELEVATION:

1,242FT

DRILL DEPTH:

328FT

29N

22W

4

UTM XUTM YDEPTH TO BED:

100FT

470,136.92

4,123,363.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

AT RITTER SPRING; VERY LITTLE WATER IN SWAN CREEK

S.W.L. (AFTER CASING):

90



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****008135**WELL TYPE

Private Well

DRILL DATE: 1942/08/07TOWNSHIP RANGE SECTION

29N

22W

4

ELEVATION: 1,230FTDRILL DEPTH: 81FTUTM X UTM YDEPTH TO BED: 15FT

469,448.91 4,123,614.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 15 G/HOURS.W.L. (AFTER CASING):**LOG ID:****008917**WELL TYPE

Private Well

DRILL DATE: 1945/10/04TOWNSHIP RANGE SECTION

29N

22W

4

ELEVATION: 1,300FTDRILL DEPTH: 57FTUTM X UTM YDEPTH TO BED: 5FT

469,448.91 4,123,614.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 14**LOG ID:****010399**WELL TYPE

Private Well

DRILL DATE: 1948/08/02TOWNSHIP RANGE SECTION

29N

22W

4

ELEVATION: 1,243FTDRILL DEPTH: 432FTUTM X UTM YDEPTH TO BED: 200FT

470,336.94 4,121,945.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SW CORNER HOFFMAN AND MELVILLE ROADS, NW SPFD.S.W.L. (AFTER CASING): 195**LOG ID:****010589**WELL TYPE

Private Well

DRILL DATE: 1948/09/13TOWNSHIP RANGE SECTION

29N

22W

4

ELEVATION: 1,289FTDRILL DEPTH:UTM X UTM YDEPTH TO BED:

470,336.94 4,121,945.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #5578S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010756**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/11/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,279FT
<u>DRILL DEPTH:</u>	330FT	29N	22W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				470,136.93	4,122,891.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	230					

REMARKS:**LOG ID:****012036**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952/02/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,234FT
<u>DRILL DEPTH:</u>	168FT	29N	22W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				469,936.93	4,122,417.17
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	85					

REMARKS: 0.5 MI N & 0.35 MI E OF JCT HWYS 123 & 66 BYPASS; 5 GPM @ 126',**LOG ID:****012580**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/10/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,267FT
<u>DRILL DEPTH:</u>	339FT	29N	22W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				470,336.94	4,122,181.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	255					

REMARKS: N OF KEARNY RD ON FULBRIGHT TO 2ND RD ON LEFT, 1ST HOUSE**LOG ID:****016915**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/10/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,270FT
<u>DRILL DEPTH:</u>	425FT	29N	22W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				470,336.94	4,121,945.17
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	255					

REMARKS: YIELD 11 GPM @ 325'



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004917**WELL TYPE

Private Well

DRILL DATE: 1938/06/15TOWNSHIP RANGE SECTION

29N

22W

5

ELEVATION: 1,238FTDRILL DEPTH: 230FTUTM X UTM YDEPTH TO BED: 65FT

468,532.89 4,124,841.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 70-230'; "WEAK STREAM"; LONG SECTIONS.W.L. (AFTER CASING):**LOG ID:****005612**WELL TYPE

Private Well

DRILL DATE: 1939/09/21TOWNSHIP RANGE SECTION

29N

22W

5

ELEVATION: 1,259FTDRILL DEPTH: 355FTUTM X UTM YDEPTH TO BED: 10FT

468,332.90 4,123,879.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1.25 MI N OF S LINE OF SEC 5 ON W SIDE OF RD; LONG 1 X 2.3 MI SECTIONS.W.L. (AFTER CASING):**LOG ID:****009991**WELL TYPE

Private Well

DRILL DATE: 1947/02/21TOWNSHIP RANGE SECTION

29N

22W

5

ELEVATION: 1,246FTDRILL DEPTH: 335FTUTM X UTM YDEPTH TO BED: 179FT

468,632.90 4,124,361.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 179-335'.S.W.L. (AFTER CASING): 185**LOG ID:****009992**WELL TYPE

Private Well

DRILL DATE: 1947/03/07TOWNSHIP RANGE SECTION

29N

22W

5

ELEVATION: 1,275FTDRILL DEPTH: 380FTUTM X UTM YDEPTH TO BED: 290FT

468,532.90 4,123,879.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION; OLD WELL DEEPENED 290-380'.S.W.L. (AFTER CASING): 225



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010755**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1947/11/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,252FT
<u>DRILL DEPTH:</u>	282FT	29N	22W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	255FT				468,532.89	4,125,323.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 255-282'; MELVILLE RD NW OF SPFD.			
<u>S.W.L. (AFTER CASING):</u>	165					

**LOG ID:****012275**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/01/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,254FT
<u>DRILL DEPTH:</u>	235FT	29N	22W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				468,132.89	4,124,361.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	N OF SPFD MUNICIPAL AIRPORT			
<u>S.W.L. (AFTER CASING):</u>	170					

**LOG ID:****013316**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/11/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,243FT
<u>DRILL DEPTH:</u>	330FT	29N	22W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				469,132.90	4,124,361.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LONG 1 X 1.5 MI SECTION			
<u>S.W.L. (AFTER CASING):</u>	190					

**LOG ID:****013774**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,278FT
<u>DRILL DEPTH:</u>	205FT	29N	22W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				468,332.91	4,122,435.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LONG SECTION			
<u>S.W.L. (AFTER CASING):</u>	110					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****015840**WELL TYPE

Private Well

DRILL DATE: 1957/01/03TOWNSHIPRANGESECTIONELEVATION:

1,264FT

DRILL DEPTH: 465FT

29N

22W

5

DEPTH TO BED: 35FTUTM XUTM Y

468,332.92

4,121,953.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION; YIELD 12 GPM @ 335'S.W.L. (AFTER CASING): 275**LOG ID:****019775**WELL TYPE

Private Well

DRILL DATE: 1961/02/14TOWNSHIPRANGESECTIONELEVATION:

1,247FT

DRILL DEPTH: 315FT

29N

22W

5

DEPTH TO BED: 50FTUTM XUTM Y

468,732.90

4,123,879.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 10 GPM @ 315'S.W.L. (AFTER CASING): 167**LOG ID:****021335**WELL TYPE

Private Well

DRILL DATE: 1962/08/24TOWNSHIPRANGESECTIONELEVATION:

1,271FT

DRILL DEPTH: 148FT

29N

22W

5

DEPTH TO BED: 25FTUTM XUTM Y

468,532.92

4,121,953.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 124**LOG ID:****025805**WELL TYPE

Community Public Well

DRILL DATE: 1968/11/01TOWNSHIPRANGESECTIONELEVATION:

1,268FT

DRILL DEPTH: 800FT

29N

22W

5

DEPTH TO BED: 35FTUTM XUTM Y

468,905.92

4,122,485.19

ZONE 15

S.W.L. (BEFORE CASING): 231 FTREMARKS: JOHN E. WYLIE; "VERY POOR SAMPLES - DO NOT USE FOR CORRELATION"S.W.L. (AFTER CASING): 231 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010879**WELL TYPE

Private Well

DRILL DATE: 1949/05/26TOWNSHIPRANGESECTIONELEVATION:

1,285FT

DRILL DEPTH: 330FT

29N

22W

6

DEPTH TO BED: 25FTUTM XUTM Y

466,681.87

4,125,206.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTIONS.W.L. (AFTER CASING): 220**LOG ID:****015368**WELL TYPE

Private Well

DRILL DATE: 1956/08/03TOWNSHIPRANGESECTIONELEVATION:

1,240FT

DRILL DEPTH: 335FT

29N

22W

6

DEPTH TO BED: 20FTUTM XUTM Y

466,481.87

4,124,953.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION; YIELD - 13 GPM @ 243'S.W.L. (AFTER CASING): 225**LOG ID:****019841**WELL TYPE

Private Well

DRILL DATE: 1961/03/08TOWNSHIPRANGESECTIONELEVATION:

1,272FT

DRILL DEPTH: 367FT

29N

22W

6

DEPTH TO BED: 60FTUTM XUTM Y

466,481.86

4,125,459.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTIONS.W.L. (AFTER CASING):**LOG ID:****022630**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1964/05/01TOWNSHIPRANGESECTIONELEVATION:

1,277FT

DRILL DEPTH: 1,390FT

29N

22W

6

DEPTH TO BED: 20FTUTM XUTM Y

466,681.90

4,121,917.22

ZONE 15

S.W.L. (BEFORE CASING): 265 FTREMARKS: INDUSTRIAL DEVP. CORP.; LOST BIT IN HOLE.S.W.L. (AFTER CASING): 265 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****001901**WELL TYPE

Community Public Well

DRILL DATE: 1915/09/ TOWNSHIP 29N RANGE 22W SECTION 7 ELEVATION: 1,385FT  
DRILL DEPTH: 720FT UTM X UTM Y  
DEPTH TO BED: 30FT 466,888.91 4,120,307.23  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: NO TOP OR FORMATIONS PICKED - DRILLER'S LOG ONLY  
S.W.L. (AFTER CASING): 180

**LOG ID:****003822**WELL TYPE

Private Well

DRILL DATE: 1936/07/19 TOWNSHIP 29N RANGE 22W SECTION 7 ELEVATION: 1,272FT  
DRILL DEPTH: 170FT UTM X UTM Y  
DEPTH TO BED: 5FT 466,588.90 4,120,201.23  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1ST HOUSE W OF GREENE COUNTY FARM ON W DIVISION ST.  
S.W.L. (AFTER CASING): 70

**LOG ID:****010951**WELL TYPE

Private Well

DRILL DATE: 1947/00/00 TOWNSHIP 29N RANGE 22W SECTION 7 ELEVATION: 1,296FT  
DRILL DEPTH: 150FT UTM X UTM Y  
DEPTH TO BED: 10FT 465,988.90 4,120,201.24  
ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Max Mason - 1 MI W OF GREENE CO. FARM; MAY  
S.W.L. (AFTER CASING): START AT BASE OF SHORT CREEK

**LOG ID:****003597**WELL TYPE

Private Well

DRILL DATE: 1936/09/05 TOWNSHIP 29N RANGE 22W SECTION 8 ELEVATION: 1,293FT  
DRILL DEPTH: 205FT UTM X UTM Y  
DEPTH TO BED: 195FT 469,035.93 4,120,204.19  
ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPENED 95-205'. - DRILLER'S LOG ONLY  
S.W.L. (AFTER CASING): 95



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005714**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1939/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,278FT
<u>DRILL DEPTH:</u>	380FT	29N	22W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	270FT				468,835.93	4,120,204.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL DEEPENED 270-380'; HALL COUNLN'T LOCATE THIS			
<u>S.W.L. (AFTER CASING):</u>			WELL (6/50)			

**LOG ID:****010969**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,293FT
<u>DRILL DEPTH:</u>	150FT	29N	22W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				469,035.93	4,120,614.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****016604**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/07/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,269FT
<u>DRILL DEPTH:</u>	487FT	29N	22W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				467,635.91	4,121,642.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD 10 GPM @ 315'			
<u>S.W.L. (AFTER CASING):</u>	270					

**LOG ID:****019844**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,299FT
<u>DRILL DEPTH:</u>	840FT	29N	22W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				468,235.92	4,120,410.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2.5 MI N OF HWY 66, 0.5 MI W OF HWY 66 BYPASS			
<u>S.W.L. (AFTER CASING):</u>	190					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**004476**

WELL TYPE  
Private Well

DRILL DATE: 1937/08/01

TOWNSHIP RANGE SECTION  
29N 22W 9

ELEVATION: 1,282FT

DRILL DEPTH: 115FT

UTM X UTM Y  
469,854.94 4,120,585.18  
ZONE 15

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**004977**

WELL TYPE  
Private Well

DRILL DATE: 1938/08/05

TOWNSHIP RANGE SECTION  
29N 22W 9

ELEVATION: 1,281FT

DRILL DEPTH: 158FT

UTM X UTM Y  
469,254.93 4,120,379.19  
ZONE 15

DEPTH TO BED: 18FT

S.W.L. (BEFORE CASING):

REMARKS: PRODUCTION "WEAK"

S.W.L. (AFTER CASING):

**LOG ID:**  
**004978**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: 1938/08/01

TOWNSHIP RANGE SECTION  
29N 22W 9

ELEVATION: 1,285FT

DRILL DEPTH: 207FT

UTM X UTM Y  
469,254.93 4,120,173.19  
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING): FT

REMARKS: PRODUCTION "STRONG"

S.W.L. (AFTER CASING): 82

**LOG ID:**  
**005771**

WELL TYPE  
Private Well

DRILL DATE: 1939/08/01

TOWNSHIP RANGE SECTION  
29N 22W 9

ELEVATION: 1,284FT

DRILL DEPTH: 95FT

UTM X UTM Y  
470,054.94 4,120,585.18  
ZONE 15

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010968**

WELL TYPE  
Private Well

DRILL DATE: 1947/07/04

TOWNSHIP 29N RANGE 22W SECTION 9

ELEVATION: 1,314FT

DRILL DEPTH: 170FT

UTM X UTM Y

DEPTH TO BED: 45FT

470,254.94 4,121,409.17  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**004856**

WELL TYPE  
Private Well

DRILL DATE: 1938/06/01

TOWNSHIP 29N RANGE 23W SECTION 1

ELEVATION: 1,258FT

DRILL DEPTH: 60FT

UTM X UTM Y

DEPTH TO BED: 15FT

464,723.85 4,124,694.24  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LONG SECTION; WELL ABANDONED

S.W.L. (AFTER CASING):

**LOG ID:**  
**004975**

WELL TYPE  
Private Well

DRILL DATE: 1938/07/01

TOWNSHIP 29N RANGE 23W SECTION 1

ELEVATION: 1,258FT

DRILL DEPTH: 150FT

UTM X UTM Y

DEPTH TO BED: 35FT

465,323.88 4,122,274.24  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 15 FT S OF WELL #1 (#4856)

S.W.L. (AFTER CASING): 82

**LOG ID:**  
**008718**

WELL TYPE  
Community Public Well

DRILL DATE: 1945/03/01

TOWNSHIP 29N RANGE 23W SECTION 1

ELEVATION: 1,267FT

DRILL DEPTH: 1,250FT

UTM X UTM Y

DEPTH TO BED: 20FT

465,823.89 4,122,032.24  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 218



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****023731**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,264FT

DRILL DEPTH:

460FT

29N

23W

10

DEPTH TO BED:

10FT

UTM XUTM Y

461,884.85

4,120,524.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

90

**LOG ID:****003866**WELL TYPE

Private Well

DRILL DATE:

1936/10/03

TOWNSHIPRANGESECTIONELEVATION:

1,259FT

DRILL DEPTH:

120FT

29N

23W

11

DEPTH TO BED:

30FT

UTM XUTM Y

462,808.86

4,121,216.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

66

**LOG ID:****019355**WELL TYPE

Private Well

DRILL DATE:

1960/09/04

TOWNSHIPRANGESECTIONELEVATION:

1,275FT

DRILL DEPTH:

139FT

29N

23W

11

DEPTH TO BED:

10FT

UTM XUTM Y

463,608.86

4,121,729.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI W OF SPFD ON HWY EE ON BELLARE ST, LOT 21, MAPLES  
SUBDIV.S.W.L. (AFTER CASING):

84

**LOG ID:****028105**WELL TYPE

Community Public Well

DRILL DATE:

1977/03/01

TOWNSHIPRANGESECTIONELEVATION:

1,257FT

DRILL DEPTH:

605FT

29N

23W

12

DEPTH TO BED:

55FT

UTM XUTM Y

465,276.88

4,121,619.25

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**008388**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1943/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,305FT
<u>DRILL DEPTH:</u>	369FT	29N	23W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				464,270.88	4,119,668.27
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	218					

REMARKS:

**LOG ID:**  
**005188**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1938/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,306FT
<u>DRILL DEPTH:</u>	395FT	29N	23W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				464,040.88	4,118,672.28
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: ANDY LITTLE STATION

**LOG ID:**  
**010827**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1949/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,259FT
<u>DRILL DEPTH:</u>	151FT	29N	23W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				461,823.85	4,120,135.31
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

**LOG ID:**  
**015366**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1956/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,269FT
<u>DRILL DEPTH:</u>	169FT	29N	23W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				461,823.85	4,118,699.31
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	75					

REMARKS: 0.5 MI W OF STATE HWY MM ON US HWY 66



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018687**WELL TYPE

Private Well

DRILL DATE: 1959/09/01TOWNSHIPRANGESECTIONELEVATION:

1,273FT

DRILL DEPTH: 325FT

29N

23W

15

DEPTH TO BED: 25FTUTM XUTM Y

461,623.85

4,119,519.31

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI W OF SPFD ON HWY 66, & 0.25 MI NS.W.L. (AFTER CASING): 160**LOG ID:****005844**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 100FT

29N

23W

16

DEPTH TO BED: 5FTUTM XUTM Y

460,199.83

4,119,550.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007307**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,273FT

DRILL DEPTH: 333FT

29N

23W

16

DEPTH TO BED: 212FTUTM XUTM Y

459,799.83

4,119,550.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 212-333'. "UNABLE TO LOCATE" 7/73S.W.L. (AFTER CASING):**LOG ID:****010823**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,206FT

DRILL DEPTH: 260FT

29N

23W

17

DEPTH TO BED: 95FTUTM XUTM Y

459,184.82

4,118,776.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.25 MI W OF BARNES STORE ON W HWY 66S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010080**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1948/04/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,173FT
<u>DRILL DEPTH:</u>	210FT	29N	23W	18		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				456,972.79	4,119,648.38
<u>S.W.L. (AFTER CASING):</u>	92				ZONE 15	
<u>REMARKS:</u> 12 MI W OF SPFD, 0.8 MI FROM HWY 66 ON CTY RD T						

**LOG ID:**  
**016924**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1957/01/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,177FT
<u>DRILL DEPTH:</u>	400FT	29N	23W	19		
<u>DEPTH TO BED:</u>	235FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				457,537.80	4,118,632.38
<u>S.W.L. (AFTER CASING):</u>	120				ZONE 15	
<u>REMARKS:</u> NO SAMPLES ABOVE 235'; YIELD 6 GPM @ 150'						

**LOG ID:**  
**021349**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1962/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,124FT
<u>DRILL DEPTH:</u>	265FT	29N	23W	19		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				456,337.79	4,117,828.40
<u>S.W.L. (AFTER CASING):</u>	70				ZONE 15	
<u>REMARKS:</u>						

**LOG ID:**  
**003825**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	115FT	29N	23W	22		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				462,361.86	4,117,691.31
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	
<u>REMARKS:</u> W SIDE OF HWYS 60 & 13						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003826**WELL TYPE

Private Well

DRILL DATE: 1936/06/09TOWNSHIPRANGESECTIONELEVATION:

1,281FT

DRILL DEPTH: 430FT

29N

23W

22

DEPTH TO BED: 25FTUTM XUTM Y

462,361.86

4,118,511.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:AT STACY CORNER, SW CORNER OF JUNCT U.S. 65 AND 13, 7 MI  
W OF SPFD.S.W.L. (AFTER CASING):**LOG ID:****028932**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/03/TOWNSHIPRANGESECTIONELEVATION:

1,250FT

DRILL DEPTH: 900FT

29N

23W

22

DEPTH TO BED:UTM XUTM Y

461,661.85

4,117,794.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****003829**WELL TYPE

Private Well

DRILL DATE: 1936/00/00TOWNSHIPRANGESECTIONELEVATION:

1,287FT

DRILL DEPTH: 240FT

29N

23W

23

DEPTH TO BED: 10FTUTM XUTM Y

463,885.88

4,117,563.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED 155-240 (1948); SEE LOG #10400

S.W.L. (AFTER CASING): 90**LOG ID:****010400**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/10/01TOWNSHIPRANGESECTIONELEVATION:

1,287FT

DRILL DEPTH: 240FT

29N

23W

23

DEPTH TO BED: 10FTUTM XUTM Y

463,885.88

4,117,563.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL (#3829) DEEPENED

S.W.L. (AFTER CASING): 90



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****026075**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1969/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,272FT
<u>DRILL DEPTH:</u>	640FT	29N	23W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				462,585.87	4,117,046.31
<u>S.W.L. (BEFORE CASING):</u>	75	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	235	FT				

REMARKS:

**LOG ID:****026826**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,263FT
<u>DRILL DEPTH:</u>	715FT	29N	23W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					465,020.89	4,118,042.27
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: SEE LOG #27073

**LOG ID:****027073**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,282FT
<u>DRILL DEPTH:</u>	715FT	29N	23W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				465,233.89	4,118,095.26
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	175					

REMARKS: OLD # 26826

**LOG ID:****027338**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1973/05/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,289FT
<u>DRILL DEPTH:</u>	520FT	29N	23W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				464,279.89	4,116,826.28
<u>S.W.L. (BEFORE CASING):</u>	150	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150	FT				

REMARKS: formerly in name of KOA Campground

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**004702**

WELL TYPE  
Private Well

DRILL DATE: 1938/04/01 TOWNSHIP 29N RANGE 23W SECTION 28 ELEVATION: 1,208FT  
DRILL DEPTH: 95FT UTM X 460,087.84 UTM Y 4,116,927.34  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**024466**

WELL TYPE  
Noncommunity Public Well

DRILL DATE: TOWNSHIP 29N RANGE 23W SECTION 29 ELEVATION: 1,231FT  
DRILL DEPTH: 420FT UTM X 457,669.81 UTM Y 4,116,162.38  
DEPTH TO BED: 180FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: POOR SAMPLES  
S.W.L. (AFTER CASING):

**LOG ID:**  
**007848**

WELL TYPE  
Private Well

DRILL DATE: 1942/00/00 TOWNSHIP 29N RANGE 23W SECTION 3 ELEVATION: 1,229FT  
DRILL DEPTH: 160FT UTM X 461,794.81 UTM Y 4,125,559.28  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 1/2 MI E OF CLEAR CREEK  
S.W.L. (AFTER CASING):

**LOG ID:**  
**010956**

WELL TYPE  
Private Well

DRILL DATE: 1947/00/00 TOWNSHIP 29N RANGE 23W SECTION 3 ELEVATION: 1,224FT  
DRILL DEPTH: 100FT UTM X 461,994.83 UTM Y 4,124,057.29  
DEPTH TO BED: 35FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 1 MI E, 1.5 MI N OF CLEAR CREEK; 5/8 MI N OF W LINE, 1 1/8 MI N  
S.W.L. (AFTER CASING): OF S L



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012684**WELL TYPE

Private Well

DRILL DATE: 1954/05/13TOWNSHIPRANGESECTIONELEVATION:

1,231FT

DRILL DEPTH: 227FT

29N

23W

3

DEPTH TO BED: 85FTUTM XUTM Y

461,394.83

4,123,555.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 130**LOG ID:****026632**WELL TYPE

Community Public Well

DRILL DATE: 1970/09/01TOWNSHIPRANGESECTIONELEVATION:

1,253FT

DRILL DEPTH: 700FT

29N

23W

3

DEPTH TO BED: 5FTUTM XUTM Y

462,194.84

4,123,055.29

ZONE 15

S.W.L. (BEFORE CASING): 225 FTREMARKS:LONG SECTION; 4 MI S OF WILLARD ON HWY AB, OR 0.75 M N OF  
HWY EE ON ABS.W.L. (AFTER CASING): 200 FT**LOG ID:****027104**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,240FT

DRILL DEPTH: 1,500FT

29N

23W

3

DEPTH TO BED: 20FTUTM XUTM Y

461,871.84

4,121,951.30

ZONE 15

S.W.L. (BEFORE CASING): 224REMARKS:OLD WELL DEEPENED 1475-1500'(#29297); OWNED BY TOM  
SMITHS.W.L. (AFTER CASING): FT**LOG ID:****027297**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH: 1,500FT

29N

23W

3

DEPTH TO BED:UTM XUTM Y

461,994.84

4,122,053.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

OLD WELL DEEPENED - SEE LOG #27104

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020793**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962/02/16TOWNSHIP RANGE SECTION

29N

23W

31

ELEVATION: 1,187FTDRILL DEPTH: 473FTDEPTH TO BED: 10FTUTM XUTM Y

457,424.81

4,115,190.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI N OF REPUBLIC ON HWY N.S.W.L. (AFTER CASING):**LOG ID:****026324**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1969/01/10TOWNSHIP RANGE SECTION

29N

23W

31

ELEVATION: 1,187FTDRILL DEPTH: 430FTDEPTH TO BED: 25FTUTM XUTM Y

457,424.81

4,115,388.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: REPUBLIC OFFICES.W.L. (AFTER CASING):**LOG ID:****028070**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP RANGE SECTION

29N

23W

31

ELEVATION: 1,213FTDRILL DEPTH: 600FTDEPTH TO BED: 10FTUTM XUTM Y

456,124.79

4,114,101.41

ZONE 15

S.W.L. (BEFORE CASING): 150 FTREMARKS: formerly in name of Mary Beth Inc. Nursing HomeS.W.L. (AFTER CASING): 131 FT**LOG ID:****013779**WELL TYPE

Private Well

DRILL DATE: 1955/06/06TOWNSHIP RANGE SECTION

29N

23W

35

ELEVATION: 1,298FTDRILL DEPTH: 175FTDEPTH TO BED: 30FTUTM XUTM Y

463,884.89

4,114,216.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 32



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****009141**WELL TYPE

Private Well

DRILL DATE: 1946/05/01TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH: 182FT

29N

23W

36

DEPTH TO BED: 15FTUTM XUTM Y

465,300.91

4,115,001.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LOCATION QUESTIONEDS.W.L. (AFTER CASING): 125**LOG ID:****018083**WELL TYPE

Private Well

DRILL DATE: 1959/03/11TOWNSHIPRANGESECTIONELEVATION:

1,254FT

DRILL DEPTH: 451FT

29N

23W

36

DEPTH TO BED: 165FTUTM XUTM Y

465,500.91

4,113,969.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****010821**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

1,171FT

DRILL DEPTH: 45FT

29N

23W

4

DEPTH TO BED: 5FTUTM XUTM Y

460,550.82

4,123,099.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; CLEAR CREEK PARKS.W.L. (AFTER CASING):**LOG ID:****011385**WELL TYPE

Private Well

DRILL DATE: 1950/00/00TOWNSHIPRANGESECTIONELEVATION:

1,211FT

DRILL DEPTH: 207FT

29N

23W

4

DEPTH TO BED: 45FTUTM XUTM Y

460,250.80

4,124,835.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; 4 MI NE OF BOIS D'ARCS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017518**WELL TYPE

Private Well

DRILL DATE: 1958/10/01TOWNSHIPRANGESECTIONELEVATION:

1,151FT

DRILL DEPTH: 570FT

29N

23W

4

DEPTH TO BED: 5FTUTM XUTM Y

460,450.80

4,125,331.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI S OF WILLARD HIGH SCHOOL, 0.5 MI W.S.W.L. (AFTER CASING): 85**LOG ID:****010828**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

1,178FT

DRILL DEPTH: 211FT

29N

23W

5

DEPTH TO BED: 55FTUTM XUTM Y

458,545.78

4,124,632.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG 1 X 2 MI SECTION; 3 MI NE OF BOIS D'ARCS.W.L. (AFTER CASING):**LOG ID:****010820**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,219FT

DRILL DEPTH: 107FT

29N

23W

6

DEPTH TO BED: 40FTUTM XUTM Y

456,907.77

4,124,189.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI NE OF BOIS D'ARC; LONG SECTIONS.W.L. (AFTER CASING):**LOG ID:****010822**WELL TYPE

Private Well

DRILL DATE: 1949/06/01TOWNSHIPRANGESECTIONELEVATION:

1,216FT

DRILL DEPTH: 205FT

29N

23W

6

DEPTH TO BED: 55FTUTM XUTM Y

457,207.77

4,124,189.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG 1 X 2 MI SECTION; 0.5 MI NE OF BOIS D'ARCS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011384**WELL TYPE

Private Well

DRILL DATE: 1950/00/00TOWNSHIPRANGESECTIONELEVATION:

1,225FT

DRILL DEPTH: 80FT

29N

23W

6

DEPTH TO BED: 50FTUTM XUTM Y

457,307.79

4,122,647.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; 2 MI E OF BOIS D'ARCS.W.L. (AFTER CASING):**LOG ID:****010952**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIPRANGESECTIONELEVATION:

1,236FT

DRILL DEPTH: 75FT

29N

23W

7

DEPTH TO BED: 45FTUTM XUTM Y

456,815.79

4,121,259.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI W OF WYANDOTTE SCHOOL; 0.4 MI E OF W LINE 0.5 MI S OF N LINES.W.L. (AFTER CASING):**LOG ID:****010954**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH: 60FT

29N

23W

7

DEPTH TO BED: 20FTUTM XUTM Y

456,415.78

4,121,877.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI W OF WYANDOTTE SCHOOLS.W.L. (AFTER CASING):**LOG ID:****010824**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,242FT

DRILL DEPTH: 101FT

29N

23W

8

DEPTH TO BED: 35FTUTM XUTM Y

457,837.80

4,121,005.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI E & 0.5 MI S OF WYANDOTTE SCHOOLS.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010950**

WELL TYPE  
Private Well

DRILL DATE: 1947/00/00

TOWNSHIP RANGE SECTION  
29N 23W 8

ELEVATION: 1,268FT

DRILL DEPTH: 90FT

UTM X UTM Y

DEPTH TO BED: 30FT

459,237.81 4,121,823.34  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 9 MI W OF SPFD ON DIVISION ST RD

S.W.L. (AFTER CASING):

**LOG ID:**  
**011587**

WELL TYPE  
Private Well

DRILL DATE: 1950/00/00

TOWNSHIP RANGE SECTION  
29N 23W 9

ELEVATION: 1,265FT

DRILL DEPTH: 288FT

UTM X UTM Y

DEPTH TO BED: 25FT

459,456.82 4,121,166.34  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1.75 MI N OF BARN'S STORE

S.W.L. (AFTER CASING): 220

**LOG ID:**  
**017070**

WELL TYPE  
Private Well

DRILL DATE: 1958/04/16

TOWNSHIP RANGE SECTION  
29N 23W 9

ELEVATION: 1,280FT

DRILL DEPTH: 360FT

UTM X UTM Y

DEPTH TO BED: 20FT

459,656.82 4,120,348.34  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 8 MI W OF SPFD ON HWY EE

S.W.L. (AFTER CASING): 235

**LOG ID:**  
**003607**

WELL TYPE  
Private Well

DRILL DATE: 1936/05/05

TOWNSHIP RANGE SECTION  
29N 24W 1

ELEVATION: 1,201FT

DRILL DEPTH: 75FT

UTM X UTM Y

DEPTH TO BED: 28FT

455,345.75 4,123,993.39  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LOT 5 OF NE 1/4 SEC 1; 1/2 MI. N OF BOIS D'ARC

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010825**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,202FT

DRILL DEPTH:

139FT

29N

24W

1

DEPTH TO BED:

55FT

UTM XUTM Y

455,045.76

4,123,244.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LONG SECTION

S.W.L. (AFTER CASING):**LOG ID:****018508**WELL TYPE

Private Well

DRILL DATE:

1959/09/18

TOWNSHIPRANGESECTIONELEVATION:

1,244FT

DRILL DEPTH:

275FT

29N

24W

1

DEPTH TO BED:

30FT

UTM XUTM Y

455,445.77

4,122,746.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI E OF BOIS D'ARC SCHOOL; YIELD - 15 GPM @ 220'; LONG SECTION.

S.W.L. (AFTER CASING):

220

**LOG ID:****020511**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,213FT

DRILL DEPTH:

492FT

29N

24W

1

DEPTH TO BED:

35FT

UTM XUTM Y

454,999.76

4,122,901.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NO SAMPLES ABOVE 35' OR BELOW 200'

S.W.L. (AFTER CASING):

164

**LOG ID:****026141**WELL TYPE

Community Public Well

DRILL DATE:

1969/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,205FT

DRILL DEPTH:

995FT

29N

24W

1

DEPTH TO BED:

10FT

UTM XUTM Y

455,281.76

4,123,623.39

ZONE 15

S.W.L. (BEFORE CASING):

200

FT

REMARKS:

WELL #1; ALIAS # 5050083; GREEN CO PWSD #6

S.W.L. (AFTER CASING):

166

FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**017620**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/10/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,195FT
<u>DRILL DEPTH:</u>	455FT	29N	24W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	220FT				452,146.71	4,121,341.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2.75 MI W OF BOIS D'ARC, 1.5 MI S ON RT T; OLD WELL			
<u>S.W.L. (AFTER CASING):</u>			DEEPENED (?)			

**LOG ID:**  
**007847**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,105FT
<u>DRILL DEPTH:</u>	190FT	29N	24W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				452,506.72	4,119,730.44
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**025060**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1967/04/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,212FT
<u>DRILL DEPTH:</u>	307FT	29N	24W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				448,262.64	4,118,942.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.5 MI N OF HWY 266 ON HWY F, ON W SIDE OF RD			
<u>S.W.L. (AFTER CASING):</u>	160					

**LOG ID:**  
**028098**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	405FT	29N	24W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				448,462.64	4,119,146.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SAMPLES SCANNED, ONLY FM TOPS PICKED.			
<u>S.W.L. (AFTER CASING):</u>	100					

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**006395**

WELL TYPE  
Private Well

DRILL DATE: 1940/06/01

TOWNSHIP 29N RANGE 24W SECTION 24

ELEVATION: 1,156FT

DRILL DEPTH: 395FT

UTM X UTM Y

DEPTH TO BED: 185FT

454,718.77 4,117,454.42  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**023173**

WELL TYPE  
Private Well

DRILL DATE: 1964/10/22

TOWNSHIP 29N RANGE 24W SECTION 25

ELEVATION: 1,197FT

DRILL DEPTH: 420FT

UTM X UTM Y

DEPTH TO BED: 40FT

454,685.77 4,116,240.42  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 12 MI W OF SPFD ON HWY I-44

S.W.L. (AFTER CASING): 180

**LOG ID:**  
**020758**

WELL TYPE  
Private Well

DRILL DATE:

TOWNSHIP 29N RANGE 24W SECTION 26

ELEVATION: 1,197FT

DRILL DEPTH: 400FT

UTM X UTM Y

DEPTH TO BED: 15FT

454,258.76 4,115,635.43  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO ADDRESS

S.W.L. (AFTER CASING):

**LOG ID:**  
**009674**

WELL TYPE  
Private Well

DRILL DATE:

TOWNSHIP 29N RANGE 24W SECTION 29

ELEVATION: 1,232FT

DRILL DEPTH: 135FT

UTM X UTM Y

DEPTH TO BED: 55FT

449,372.67 4,116,524.48  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: HALLTOWN

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****023995**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965/06/08 TOWNSHIP 29N RANGE 24W SECTION 29 ELEVATION: 1,262FT  
DRILL DEPTH: 419FT UTM X 449,272.67 UTM Y 4,115,815.48  
DEPTH TO BED: 150FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES 0-150'; YIELD - 15 GPM @ 300'.  
S.W.L. (AFTER CASING):

**LOG ID:****010819**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 29N RANGE 24W SECTION 3 ELEVATION: 1,124FT  
DRILL DEPTH: 55FT UTM X 452,002.70 UTM Y 4,122,297.44  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 3 MI W OF BOIS D'ARC  
S.W.L. (AFTER CASING):

**LOG ID:****027316**WELL TYPE

Private Well

DRILL DATE: 1972/10/05 TOWNSHIP 29N RANGE 24W SECTION 3 ELEVATION: 1,160FT  
DRILL DEPTH: 475FT UTM X 451,462.68 UTM Y 4,123,776.43  
DEPTH TO BED: 35FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 2 MI W OF BOIS D'ARC ON COUNTY RD T; LONG SECTION  
S.W.L. (AFTER CASING):

**LOG ID:****021164**WELL TYPE

Private Well

DRILL DATE: 1962/06/14 TOWNSHIP 29N RANGE 24W SECTION 30 ELEVATION: 1,243FT  
DRILL DEPTH: 571FT UTM X 446,300.61 UTM Y 4,116,998.51  
DEPTH TO BED: 40FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 153



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019451**WELL TYPE

Private Well

DRILL DATE: 1960/09/20TOWNSHIPRANGESECTIONELEVATION:

1,238FT

DRILL DEPTH: 399FT

29N

24W

33

DEPTH TO BED: 20FTUTM XUTM Y

450,363.70

4,114,067.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 252**LOG ID:****009990**WELL TYPE

Private Well

DRILL DATE: 1947/03/24TOWNSHIPRANGESECTIONELEVATION:

1,134FT

DRILL DEPTH: 185FT

29N

24W

4

DEPTH TO BED: 25FTUTM XUTM Y

451,089.68

4,122,561.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "UNABLE TO LOCATE" - 7/73S.W.L. (AFTER CASING): 85**LOG ID:****011656**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,169FT

DRILL DEPTH: 250FT

29N

24W

5

DEPTH TO BED: 15FTUTM XUTM Y

448,969.62

4,124,406.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTION; 3.5 MI W OF BOIS D'ARCS.W.L. (AFTER CASING):**LOG ID:****011139**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

1,033FT

DRILL DEPTH: 318FT

29N

24W

6

DEPTH TO BED: 5FTUTM XUTM Y

446,879.58

4,123,898.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION, 1.25 M S OF N LINE, 50' E OF W LINES.W.L. (AFTER CASING): 20



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010953**WELL TYPE

Private Well

DRILL DATE: 1947/00/00TOWNSHIPRANGESECTIONELEVATION:

1,071FT

DRILL DEPTH: 100FT

29N

24W

8

DEPTH TO BED: 25FTUTM XUTM Y

449,099.65

4,121,173.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI E OF LEEPER SPRING & 3-4 MI SW OF BOIS D'ARCS.W.L. (AFTER CASING):**LOG ID:****009567**WELL TYPE

Private Well

DRILL DATE: 1946/10/01TOWNSHIPRANGESECTIONELEVATION:

1,315FT

DRILL DEPTH: 100FT

30N

20W

10

DEPTH TO BED:UTM XUTM Y

488,580.04

4,132,232.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI SE OF FAIR GROVES.W.L. (AFTER CASING): 50**LOG ID:****009085**WELL TYPE

Private Well

DRILL DATE: 1946/03/07TOWNSHIPRANGESECTIONELEVATION:

1,280FT

DRILL DEPTH: 81FT

30N

20W

13

DEPTH TO BED:UTM XUTM Y

492,576.10

4,129,758.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 27**LOG ID:****026506**WELL TYPE

Community Public Well

DRILL DATE: 1969/10/01TOWNSHIPRANGESECTIONELEVATION:

1,419FT

DRILL DEPTH: 729FT

30N

20W

17

DEPTH TO BED: 40FTUTM XUTM Y

486,037.02

4,130,861.11

ZONE 15

S.W.L. (BEFORE CASING): 296 FTREMARKS: LOST BIT AT 600'; SOME SAMPLES OUT OF PLACE; "POOR SAMPLES"S.W.L. (AFTER CASING): 290 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****012144**WELL TYPE

Private Well

DRILL DATE: 1952/01/17TOWNSHIPRANGESECTIONELEVATION:

1,393FT

DRILL DEPTH: 324FT

30N

20W

21

DEPTH TO BED: 40FTUTM XUTM Y

487,889.06

4,129,467.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 218**LOG ID:****012145**WELL TYPE

Private Well

DRILL DATE: 1952/01/16TOWNSHIPRANGESECTIONELEVATION:

1,391FT

DRILL DEPTH: 140FT

30N

20W

21

DEPTH TO BED: 25FTUTM XUTM Y

488,089.06

4,129,467.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 20**LOG ID:****012661**WELL TYPE

Private Well

DRILL DATE: 1953/12/19TOWNSHIPRANGESECTIONELEVATION:

1,381FT

DRILL DEPTH: 330FT

30N

20W

21

DEPTH TO BED: 30FTUTM XUTM Y

487,489.06

4,128,451.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 0.75 MI S OF RAY ANTONE WELL #12145S.W.L. (AFTER CASING): 185**LOG ID:****028175**WELL TYPE

Community Public Well

DRILL DATE: 1978/03/27TOWNSHIPRANGESECTIONELEVATION:

1,486FT

DRILL DEPTH: 1,492FT

30N

20W

34

DEPTH TO BED: 70FTUTM XUTM Y

489,468.11

4,125,453.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES SCANNED ONLY, NOT LOGGEDS.W.L. (AFTER CASING): 955



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019381**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,480FT

DRILL DEPTH:

570FT

30N

20W

35

DEPTH TO BED:

25FT

UTM XUTM Y

490,069.12

4,125,169.11

ZONE 15

S.W.L. (BEFORE CASING):

277

FT

REMARKS:S.W.L. (AFTER CASING):

277

FT

**LOG ID:****009227**WELL TYPE

Private Well

DRILL DATE:

1946/06/01

TOWNSHIPRANGESECTIONELEVATION:

1,252FT

DRILL DEPTH:

118FT

30N

20W

8

DEPTH TO BED:

5FT

UTM XUTM Y

486,534.01

4,132,722.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI S OF FAIR GROVES.W.L. (AFTER CASING):

26

**LOG ID:****011023**WELL TYPE

Private Well

DRILL DATE:

1946/08/01

TOWNSHIPRANGESECTIONELEVATION:

1,380FT

DRILL DEPTH:

100FT

30N

20W

9

DEPTH TO BED:

75FT

UTM XUTM Y

487,752.04

4,131,458.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006222**WELL TYPE

Private Well

DRILL DATE:

1940/06/01

TOWNSHIPRANGESECTIONELEVATION:

1,320FT

DRILL DEPTH:

245FT

30N

21W

10

DEPTH TO BED:

210FT

UTM XUTM Y

479,870.95

4,131,895.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED TO 210-245'.S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****019209**WELL TYPE

Private Well

DRILL DATE: 1960/07/01TOWNSHIPRANGESECTIONELEVATION:

1,258FT

DRILL DEPTH: 380FT

30N

21W

14

DEPTH TO BED: 25FTUTM XUTM Y

481,244.97

4,130,859.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI E OF HWY 65 ON KK, 0.5 MI SS.W.L. (AFTER CASING): 110**LOG ID:****006774**WELL TYPE

Private Well

DRILL DATE: 1940/07/26TOWNSHIPRANGESECTIONELEVATION:

1,229FT

DRILL DEPTH: 180FT

30N

21W

18

DEPTH TO BED: 62FTUTM XUTM Y

474,025.89

4,131,041.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 95**LOG ID:****005278**WELL TYPE

Private Well

DRILL DATE: 1938/01/01TOWNSHIPRANGESECTIONELEVATION:

1,201FT

DRILL DEPTH: 90FT

30N

21W

19

DEPTH TO BED: 5FTUTM XUTM Y

474,550.92

4,128,646.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAMPLES MAY BE FROM A DIFFERENT WELL - DO NOT USES.W.L. (AFTER CASING):**LOG ID:****007217**WELL TYPE

Private Well

DRILL DATE: 1940/12/01TOWNSHIPRANGESECTIONELEVATION:

1,342FT

DRILL DEPTH: 212FT

30N

21W

2

DEPTH TO BED: 10FTUTM XUTM Y

481,224.94

4,133,986.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "CAN'T LOCATE" - 5/52S.W.L. (AFTER CASING): 60

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**020999**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1962/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,269FT
<u>DRILL DEPTH:</u>	360FT	30N	21W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	325FT				477,586.94	4,129,955.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> NO SAMPLES ABOVE 325'				
<u>S.W.L. (AFTER CASING):</u>	210					

**LOG ID:**  
**003606**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/05/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	85FT	30N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				479,798.98	4,128,884.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> THIS WELL WAS DEEPENED AT AT LATER DATE				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**027558**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,312FT
<u>DRILL DEPTH:</u>	575FT	30N	21W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				478,999.97	4,129,382.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	125					

**LOG ID:**  
**003649**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1936/06/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,285FT
<u>DRILL DEPTH:</u>	210FT	30N	21W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				481,014.99	4,128,637.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> 4 MI N OF SPFD (JCT HWYS 66 & 65) ON HWY 65, 2.5 MI E OF HWY				
<u>S.W.L. (AFTER CASING):</u>		65				



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****028369**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1980/04/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,260FT
<u>DRILL DEPTH:</u>	495FT	30N	21W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				481,114.99	4,129,156.08
<u>S.W.L. (BEFORE CASING):</u>	105	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	210	FT				

REMARKS:**LOG ID:****018705**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/04/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,326FT
<u>DRILL DEPTH:</u>	490FT	30N	21W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	285FT				480,363.00	4,127,207.07
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	255					

REMARKS: OLD WELL DEEPENED 285-490'; YIELD - 10 GPM @ 300'.**LOG ID:****012428**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1953/08/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,321FT
<u>DRILL DEPTH:</u>	650FT	30N	21W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				477,877.97	4,127,761.06
<u>S.W.L. (BEFORE CASING):</u>	240	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	260	FT				

REMARKS: formerly in name of Reorganized School District R-1 Well #2**LOG ID:****025968**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1968/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,272FT
<u>DRILL DEPTH:</u>	700FT	30N	21W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				475,521.95	4,127,374.09
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	203					

REMARKS:



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010076**WELL TYPE

Private Well

DRILL DATE: 1948/03/22TOWNSHIPRANGESECTIONELEVATION:

1,307FT

DRILL DEPTH: 310FT

30N

21W

3

DEPTH TO BED: 20FTUTM XUTM Y

479,517.92

4,134,516.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****004722**WELL TYPE

Private Well

DRILL DATE: 1938/03/06TOWNSHIPRANGESECTIONELEVATION:

1,246FT

DRILL DEPTH: 250FT

30N

21W

30

DEPTH TO BED: 45FTUTM XUTM Y

474,696.92

4,128,462.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****006465**WELL TYPE

Private Well

DRILL DATE: 1940/09/01TOWNSHIPRANGESECTIONELEVATION:

1,300FT

DRILL DEPTH: 426FT

30N

21W

33

DEPTH TO BED: 204FTUTM XUTM Y

477,198.98

4,126,220.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED 204-426"; 4 MI N OF SPFD, 0.5 MI E OF US  
65.S.W.L. (AFTER CASING):**LOG ID:****027455**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,370FT

DRILL DEPTH: 605FT

30N

21W

35

DEPTH TO BED: 20FTUTM XUTM Y

481,235.03

4,125,291.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 300



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005468**WELL TYPE

Private Well

DRILL DATE: 1939/04/17TOWNSHIP RANGE SECTIONELEVATION: 1,412FTDRILL DEPTH: 415FT

30N 21W 36

DEPTH TO BED: 48FTUTM X UTM Y  
481,959.03 4,125,783.07  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 288-415'- LOG #9904; DRILLERS LOG FOR  
#5468 - Driller's Log AttachedS.W.L. (AFTER CASING): 140**LOG ID:****009904**WELL TYPE

Private Well

DRILL DATE: 1939/04/17TOWNSHIP RANGE SECTIONELEVATION: 1,412FTDRILL DEPTH: 415FT

30N 21W 36

DEPTH TO BED: 50FTUTM X UTM Y  
481,959.03 4,125,783.07  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #5468S.W.L. (AFTER CASING):**LOG ID:****003422**WELL TYPE

Private Well

DRILL DATE: 1935/07/01TOWNSHIP RANGE SECTIONELEVATION: 1,260FTDRILL DEPTH: 304FT

30N 21W 7

DEPTH TO BED: 255FTUTM X UTM Y  
474,966.89 4,131,942.10  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES ABOVE 255', POSSIBLY OLD WELL DEEPENED.S.W.L. (AFTER CASING): 135**LOG ID:****006773**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/08/15TOWNSHIP RANGE SECTIONELEVATION: 1,265FTDRILL DEPTH: 258FT

30N 21W 8

DEPTH TO BED: 145FTUTM X UTM Y  
476,168.90 4,132,308.09  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 145-258'.S.W.L. (AFTER CASING): 156



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003887**WELL TYPE

Private Well

DRILL DATE: 1936/09/01TOWNSHIPRANGESECTIONELEVATION:

1,262FT

DRILL DEPTH: 335FT

30N

21W

9

DEPTH TO BED: 85FTUTM XUTM Y

477,885.93

4,131,948.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005613**WELL TYPE

Private Well

DRILL DATE: 1939/08/07TOWNSHIPRANGESECTIONELEVATION:

1,251FT

DRILL DEPTH: 328FT

30N

22W

1

DEPTH TO BED: 208FTUTM XUTM Y

472,891.84

4,134,344.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 208-328'; PRODUCTION "STRONG"S.W.L. (AFTER CASING): 146**LOG ID:****007860**WELL TYPE

Private Well

DRILL DATE: 1942/03/14TOWNSHIPRANGESECTIONELEVATION:

1,225FT

DRILL DEPTH: 275FT

30N

22W

10

DEPTH TO BED: 70FTUTM XUTM Y

470,627.83

4,132,658.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 70-275'.S.W.L. (AFTER CASING): 54**LOG ID:****020949**WELL TYPE

Private Well

DRILL DATE: 1960/09/20TOWNSHIPRANGESECTIONELEVATION:

1,221FT

DRILL DEPTH: 295FT

30N

22W

10

DEPTH TO BED: 10FTUTM XUTM Y

470,627.83

4,133,468.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 10 GPM @ 170'S.W.L. (AFTER CASING): 125



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****007864**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/01/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,218FT
<u>DRILL DEPTH:</u>	214FT	30N	22W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				470,825.83	4,133,415.14
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	128					

REMARKS: YIELD "STRONG"

**LOG ID:****003547**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/03/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,268FT
<u>DRILL DEPTH:</u>	124FT	30N	22W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				472,652.86	4,132,127.12
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90					

REMARKS: NEAR EBENEZER - Driller's Log Attached

**LOG ID:****016797**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1957/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,082FT
<u>DRILL DEPTH:</u>	700FT	30N	22W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				467,277.83	4,128,902.19
<u>S.W.L. (BEFORE CASING):</u>	66	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70	FT				

REMARKS: GIRL SCOUT CAMP, 8 MI N OF SPFD, 2.5 MI W OF HWY 13

**LOG ID:****003417**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1935/07/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	125FT	30N	22W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				468,098.84	4,129,476.18
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	105					

REMARKS: "PLENTY OF WATER"; NO SAMPLES BELOW 100'; NO  
DRAWDOWN. - Driller's Log Attached

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**006047**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1940/04/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,234FT
<u>DRILL DEPTH:</u>	146FT	30N	22W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	13FT				469,100.85	4,129,422.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of Fred Goodwin - WELL DEEPENELD 146-248 BY				
<u>S.W.L. (AFTER CASING):</u>	90	FRIZELL (1946)				

**LOG ID:**  
**004914**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1938/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,171FT
<u>DRILL DEPTH:</u>	90FT	30N	22W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					471,319.88	4,128,752.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> "HIT WATER IN FLINT"				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**006228**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1940/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,227FT
<u>DRILL DEPTH:</u>	210FT	30N	22W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				470,719.86	4,130,196.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**018105**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1959/04/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,157FT
<u>DRILL DEPTH:</u>	278FT	30N	22W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				473,356.91	4,128,695.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	90					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004363**WELL TYPE

Private Well

DRILL DATE: 1937/07/30TOWNSHIPRANGESECTIONELEVATION:

1,240FT

DRILL DEPTH: 345FT

30N

22W

25

UTM XUTM YDEPTH TO BED: 100FT

473,483.92

4,127,088.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:DRILLERS LOG TO 260, SAMPLES 260-345; NO SAMPLES 1-100 %  
145-260.S.W.L. (AFTER CASING):**LOG ID:****013071**WELL TYPE

Community Public Well

DRILL DATE: 1954/09/01TOWNSHIPRANGESECTIONELEVATION:

1,138FT

DRILL DEPTH: 1,388FT

30N

22W

25

UTM XUTM YDEPTH TO BED: 15FT

472,883.91

4,128,100.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 120**LOG ID:****013072**WELL TYPE

Community Public Well

DRILL DATE: 1954/09/01TOWNSHIPRANGESECTIONELEVATION:

1,129FT

DRILL DEPTH: 1,335FT

30N

22W

25

UTM XUTM YDEPTH TO BED:

473,283.91

4,128,506.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 110**LOG ID:****013104**WELL TYPE

Community Public Well

DRILL DATE: 1954/00/00TOWNSHIPRANGESECTIONELEVATION:

1,136FT

DRILL DEPTH: 1,403FT

30N

22W

25

UTM XUTM YDEPTH TO BED:

472,283.91

4,127,494.13

ZONE 15

S.W.L. (BEFORE CASING): 122 FTREMARKS:

McDANIAL LAKE; DD 218' @ 955 GPM, SWL 121.5'

S.W.L. (AFTER CASING): 119 FT



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**013106**

WELL TYPE  
Community Public Well

DRILL DATE: 1954/09/01 TOWNSHIP 30N RANGE 22W SECTION 25 ELEVATION: 1,157FT  
DRILL DEPTH: 1,401FT UTM X 472,883.92 UTM Y 4,127,290.12  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 2 HR TEST YIELDED 1016 GPM, 98' DD  
S.W.L. (AFTER CASING): 133

**LOG ID:**  
**013107**

WELL TYPE  
Community Public Well

DRILL DATE: 1954/09/01 TOWNSHIP 30N RANGE 22W SECTION 25 ELEVATION: 1,135FT  
DRILL DEPTH: 195FT UTM X 472,283.90 UTM Y 4,128,506.13  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: LOST TOOLS IN HOLE, ABANDONED AND PLUGGED  
S.W.L. (AFTER CASING):

**LOG ID:**  
**019776**

WELL TYPE  
Private Well

DRILL DATE: 1961/02/28 TOWNSHIP 30N RANGE 22W SECTION 25 ELEVATION: 1,245FT  
DRILL DEPTH: 380FT UTM X 473,483.92 UTM Y 4,127,290.11  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 160

**LOG ID:**  
**027609**

WELL TYPE  
Community Public Well

DRILL DATE: 1974/05/20 TOWNSHIP 30N RANGE 22W SECTION 25 ELEVATION: 1,140FT  
DRILL DEPTH: 500FT UTM X 473,183.91 UTM Y 4,128,405.12  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): 125 FT REMARKS:  
S.W.L. (AFTER CASING): 90 FT

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**013105**

WELL TYPE  
Community Public Well

DRILL DATE: 1954/09/01 TOWNSHIP 30N RANGE 22W SECTION 26 ELEVATION: 1,127FT  
DRILL DEPTH: 1,366FT UTM X 472,063.90 UTM Y 4,128,373.13  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 107

**LOG ID:**  
**005283**

WELL TYPE  
Private Well

DRILL DATE: 1938/12/01 TOWNSHIP 30N RANGE 22W SECTION 27 ELEVATION: 1,247FT  
DRILL DEPTH: 285FT UTM X 470,438.87 UTM Y 4,128,630.15  
DEPTH TO BED: 130FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: OLD WELL DEEPENED 130-285'; YIELD "STRONG"  
S.W.L. (AFTER CASING):

**LOG ID:**  
**006014**

WELL TYPE  
Private Well

DRILL DATE: 1939/00/00 TOWNSHIP 30N RANGE 22W SECTION 27 ELEVATION: 1,185FT  
DRILL DEPTH: 310FT UTM X 470,038.87 UTM Y 4,128,630.16  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: "HIT STREAM AT 100"  
S.W.L. (AFTER CASING):

**LOG ID:**  
**004861**

WELL TYPE  
Private Well

DRILL DATE: 1938/06/01 TOWNSHIP 30N RANGE 22W SECTION 3 ELEVATION: 1,239FT  
DRILL DEPTH: 245FT UTM X 470,475.81 UTM Y 4,134,869.14  
DEPTH TO BED: 190FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: "PRODUCTION IS VERY STRONG"  
S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**006769**

WELL TYPE  
Private Well

DRILL DATE: 1940/12/27

TOWNSHIP 30N RANGE 22W SECTION 3

ELEVATION: 1,245FT

DRILL DEPTH: 237FT

UTM X UTM Y

DEPTH TO BED: 151FT

470,575.82 4,134,164.14  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 151-237; YIELD "STRONG"

S.W.L. (AFTER CASING):

**LOG ID:**  
**006770**

WELL TYPE  
Private Well

DRILL DATE: 1941/01/21

TOWNSHIP 30N RANGE 22W SECTION 3

ELEVATION: 1,172FT

DRILL DEPTH: 63FT

UTM X UTM Y

DEPTH TO BED: 35FT

469,675.80 4,134,869.15  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: "STEONG"; "CAN'T LOCATE" - 6/73

S.W.L. (AFTER CASING): 15

**LOG ID:**  
**028746**

WELL TYPE  
Unknown Well

DRILL DATE:

TOWNSHIP 30N RANGE 22W SECTION 30

ELEVATION: 1,155FT

DRILL DEPTH: 50FT

UTM X UTM Y

DEPTH TO BED:

464,376.81 4,127,985.23  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**004860**

WELL TYPE  
Private Well

DRILL DATE: 1938/06/01

TOWNSHIP 30N RANGE 22W SECTION 33

ELEVATION: 1,213FT

DRILL DEPTH: 246FT

UTM X UTM Y

DEPTH TO BED: 200FT

468,770.88 4,125,852.18  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL DEEPENED 200-246'; SEALED CREVICE @ 37'.

S.W.L. (AFTER CASING): 105



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005759**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/07/01TOWNSHIPRANGESECTIONELEVATION:

1,200FT

DRILL DEPTH: 350FT

30N

22W

33

DEPTH TO BED:UTM XUTM Y

467,970.86

4,127,058.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLED TWICE THROUGH PEARCY CAVE

S.W.L. (AFTER CASING):**LOG ID:****027651**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1974/03/04TOWNSHIPRANGESECTIONELEVATION:

1,150FT

DRILL DEPTH: 500FT

30N

22W

34

DEPTH TO BED: 5FTUTM XUTM Y

469,574.89

4,125,798.17

ZONE 15

S.W.L. (BEFORE CASING): 100REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****004513**WELL TYPE

Private Well

DRILL DATE: 1937/10/01TOWNSHIPRANGESECTIONELEVATION:

1,083FT

DRILL DEPTH: 110FT

30N

22W

6

DEPTH TO BED: 100FTUTM XUTM Y

465,794.75

4,134,643.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"GOOD STREAM"

S.W.L. (AFTER CASING):**LOG ID:****020239**WELL TYPE

Private Well

DRILL DATE: 1961/06/09TOWNSHIPRANGESECTIONELEVATION:

1,079FT

DRILL DEPTH: 164FT

30N

22W

7

DEPTH TO BED: 10FTUTM XUTM Y

465,139.76

4,133,242.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

HWY HH, 1/8 MI S OF SAC RIVER BRIDGE

S.W.L. (AFTER CASING): 66



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**026376**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1967/08/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,068FT
<u>DRILL DEPTH:</u>	195FT	30N	22W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				465,339.77	4,132,410.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Ellis Spitz			
<u>S.W.L. (AFTER CASING):</u>	53					

**LOG ID:**  
**004459**

WELL TYPE  
Noncommunity Public Well

<u>DRILL DATE:</u>	1937/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,093FT
<u>DRILL DEPTH:</u>	130FT	30N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					467,610.79	4,133,514.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CREVICE AT 44' CEMENTED OUT			
<u>S.W.L. (AFTER CASING):</u>	26					

**LOG ID:**  
**004520**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1937/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,200FT
<u>DRILL DEPTH:</u>	216FT	30N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				468,810.81	4,133,310.16
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	"STRONG STREAM OF WATER"; E OF FLINT HILL SCHOOL			
<u>S.W.L. (AFTER CASING):</u>	108					

**LOG ID:**  
**009103**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1946/01/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,194FT
<u>DRILL DEPTH:</u>	250FT	30N	22W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				468,910.81	4,132,700.16
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2.75 MI N OF GLIDEWELL ON HWY 13, THEN 1.25 MI W ON			
<u>S.W.L. (AFTER CASING):</u>	140		HACKNEY MILL RD			

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**
**003239**
WELL TYPE

Private Well

DRILL DATE:
TOWNSHIP
RANGE
SECTION
ELEVATION:
DRILL DEPTH: 145FT

30N

23W

1

DEPTH TO BED: 80FT

UTM X
UTM Y

463,851.73

4,135,015.20

ZONE 15

S.W.L. (BEFORE CASING):
REMARKS:
S.W.L. (AFTER CASING):
**LOG ID:**
**026098**
WELL TYPE

Private Well

DRILL DATE: 1969/04/07

TOWNSHIP
RANGE
SECTION
ELEVATION:

1,174FT

DRILL DEPTH: 280FT

30N

23W

10

DEPTH TO BED: 120FT

UTM X
UTM Y

460,641.70

4,133,392.24

ZONE 15

S.W.L. (BEFORE CASING):
REMARKS:

POOR LOG - SAMPLES WASHED AWAY; WELL HAS SINCE BEEN DEEPENED.

S.W.L. (AFTER CASING):
**LOG ID:**
**003867**
WELL TYPE

Private Well

DRILL DATE: 1936/10/17

TOWNSHIP
RANGE
SECTION
ELEVATION:

1,165FT

DRILL DEPTH: 155FT

30N

23W

15

DEPTH TO BED: 25FT

UTM X
UTM Y

459,785.72

4,130,762.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NW CORNER OF JUNCT US 160 &amp; 123

S.W.L. (AFTER CASING): 40

**LOG ID:**
**013289**
WELL TYPE

Private Well

DRILL DATE: 1954/00/00

TOWNSHIP
RANGE
SECTION
ELEVATION:

1,144FT

DRILL DEPTH: 140FT

30N

23W

15

DEPTH TO BED: 35FT

UTM X
UTM Y

459,385.71

4,131,374.27

ZONE 15

S.W.L. (BEFORE CASING):
REMARKS:

2 MI NW OF WILLARD; 5 GPM @ 125'

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****025644**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1968/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,205FT
<u>DRILL DEPTH:</u>	1,105FT	30N	23W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				458,861.72	4,130,418.29
<u>S.W.L. (BEFORE CASING):</u>	131	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	184	FT	<u>REMARKS:</u> formerly in name of Willard Country Club			

**LOG ID:****003588**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/04/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,233FT
<u>DRILL DEPTH:</u>	190FT	30N	23W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				461,568.76	4,129,498.26
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70		<u>REMARKS:</u> CAN BE BAILED DRY AT 10 GPM - Driller's Log Attached			

**LOG ID:****003608**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/05/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,198FT
<u>DRILL DEPTH:</u>	149FT	30N	23W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				463,787.78	4,130,476.23
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100		<u>REMARKS:</u> Driller's Log Attached			

**LOG ID:****019303**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/09/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,286FT
<u>DRILL DEPTH:</u>	366FT	30N	23W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	219FT				463,535.80	4,128,036.24
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	180		<u>REMARKS:</u> OLD WELL DEEPENED 219-366'; 0.75 MI E OF WILLARD			



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003878**WELL TYPE

Private Well

DRILL DATE: 1936/09/10TOWNSHIPRANGESECTIONELEVATION:

1,235FT

DRILL DEPTH: 216FT

30N

23W

26

DEPTH TO BED: 135FTUTM XUTM Y

462,208.78

4,128,801.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****008398**WELL TYPE

Private Well

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

1,237FT

DRILL DEPTH: 182FT

30N

23W

26

DEPTH TO BED: 15FTUTM XUTM Y

462,108.78

4,128,698.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012581**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1953/11/15TOWNSHIPRANGESECTIONELEVATION:

1,213FT

DRILL DEPTH: 626FT

30N

23W

26

DEPTH TO BED: 30FTUTM XUTM Y

461,508.77

4,128,286.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.25 MI W & 0.5 MI S OF WILLARDS.W.L. (AFTER CASING):**LOG ID:****019701**WELL TYPE

Community Public Well

DRILL DATE: 1961/05/17TOWNSHIPRANGESECTIONELEVATION:

1,244FT

DRILL DEPTH: 1,130FT

30N

23W

26

DEPTH TO BED: 25FTUTM XUTM Y

462,044.77

4,128,927.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 178



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****023337**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/00/00TOWNSHIPRANGESECTIONELEVATION:

1,242FT

DRILL DEPTH: 850FT

30N

23W

26

DEPTH TO BED: 20FTUTM XUTM Y

462,308.78

4,128,904.25

ZONE 15

S.W.L. (BEFORE CASING): 85 FTREMARKS: VERY POOR LOG - POOR SAMPLESS.W.L. (AFTER CASING): 190 FT**LOG ID:****028499**WELL TYPE

Community Public Well

DRILL DATE: 1981/03/23TOWNSHIPRANGESECTIONELEVATION:

1,191FT

DRILL DEPTH: 1,125FT

30N

23W

26

DEPTH TO BED: 30FTUTM XUTM Y

460,926.76

4,128,610.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO ELEVATION, PRODUCTION, OR COMPLETION DATAS.W.L. (AFTER CASING):**LOG ID:****003717**WELL TYPE

Private Well

DRILL DATE: 1936/07/09TOWNSHIPRANGESECTIONELEVATION:

1,183FT

DRILL DEPTH: 183FT

30N

23W

27

DEPTH TO BED: 15FTUTM XUTM Y

460,697.76

4,128,534.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: FEE #2S.W.L. (AFTER CASING): 125**LOG ID:****023965**WELL TYPE

Private Well

DRILL DATE: 1963/03/01TOWNSHIPRANGESECTIONELEVATION:

1,193FT

DRILL DEPTH: 430FT

30N

23W

35

DEPTH TO BED: 45FTUTM XUTM Y

460,857.78

4,127,286.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 125

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003092**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1925/09/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,042FT
<u>DRILL DEPTH:</u>	640FT	30N	24W	21		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	26	FT			448,191.55	4,130,088.40
<u>S.W.L. (AFTER CASING):</u>	45	FT			ZONE 15	

REMARKS: DEEPENED - see log #12530, NEW CASING IN 1954

**LOG ID:****011829**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1952/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,070FT
<u>DRILL DEPTH:</u>	725FT	30N	24W	21		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	58	FT			448,419.56	4,129,699.41
<u>S.W.L. (AFTER CASING):</u>	68	FT			ZONE 15	

REMARKS:

**LOG ID:****012530**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1925/09/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,040FT
<u>DRILL DEPTH:</u>		30N	24W	21		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					448,188.55	4,130,081.40
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: OLD WELL DEEPENED - SEE LOG #3092

**LOG ID:****028684**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1982/06/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,076FT
<u>DRILL DEPTH:</u>	1,580FT	30N	24W	22		
<u>DEPTH TO BED:</u>	60FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	65	FT			449,527.58	4,129,803.39
<u>S.W.L. (AFTER CASING):</u>	93	FT			ZONE 15	

REMARKS: ON PIPER ROAD



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****021414**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,189FT

DRILL DEPTH:

379FT

30N

24W

26

UTM XUTM YDEPTH TO BED:

20FT

451,090.63

4,127,737.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

2 MI E &amp; 2 MI S OF ASH GROVE; YIELDS - 4 GPM @ 260', 6 GPM @ 300'.

S.W.L. (AFTER CASING):**LOG ID:****000130**WELL TYPE

Private Well

DRILL DATE:

1878//

TOWNSHIPRANGESECTIONELEVATION:

1,080FT

DRILL DEPTH:

226FT

30N

24W

28

UTM XUTM YDEPTH TO BED:

10FT

448,544.58

4,127,894.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

CORUM - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):**LOG ID:****000131**WELL TYPE

Private Well

DRILL DATE:

1891//

TOWNSHIPRANGESECTIONELEVATION:

1,060FT

DRILL DEPTH:

250FT

30N

24W

28

UTM XUTM YDEPTH TO BED:

17FT

449,144.58

4,129,118.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):**LOG ID:****012167**WELL TYPE

Private Well

DRILL DATE:

1953/02/05

TOWNSHIPRANGESECTIONELEVATION:

1,211FT

DRILL DEPTH:

635FT

30N

24W

36

UTM XUTM YDEPTH TO BED:

25FT

453,252.69

4,126,108.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI W AND 1 MI N OF BOIS D'ARC

S.W.L. (AFTER CASING):

175



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****016304**WELL TYPE

Private Well

DRILL DATE: 1957/06/25 TOWNSHIP 30N RANGE 24W SECTION 8 ELEVATION: 1,046FT  
DRILL DEPTH: 565FT UTM X 446,711.50 UTM Y 4,132,744.39  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W & 1 MI N OF ASHGROVE; YIELD 30 GPM @ 60'.  
S.W.L. (AFTER CASING): 53

**LOG ID:****016350**WELL TYPE

Private Well

DRILL DATE: 1957/00/00 TOWNSHIP 30N RANGE 24W SECTION 8 ELEVATION: 975FT  
DRILL DEPTH: 575FT UTM X 446,741.49 UTM Y 4,133,343.39  
DEPTH TO BED: 310FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of C.L. Chilcutt - EVERY OTHER SAMPLE 310-485';  
S.W.L. (AFTER CASING): 60 YIELD 30 GPM @ 60'; NO SAMPLES ABOVE 310'

**LOG ID:****022652**WELL TYPE

Private Well

DRILL DATE: 1964/02/22 TOWNSHIP 31N RANGE 20W SECTION 13 ELEVATION: 1,227FT  
DRILL DEPTH: 225FT UTM X 492,973.99 UTM Y 4,140,829.18  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 100

**LOG ID:****028128**WELL TYPE

Private Well

DRILL DATE: 1978/05/15 TOWNSHIP 31N RANGE 20W SECTION 14 ELEVATION: 1,200FT  
DRILL DEPTH: 190FT UTM X 491,569.98 UTM Y 4,140,346.17  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**008106**

WELL TYPE  
Private Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,185FT

DRILL DEPTH: 75FT

31N 20W 19

DEPTH TO BED: 10FT

UTM X UTM Y  
485,120.94 4,138,226.13  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1/2 MI N & 1/2 MI W OF FAIR GROVE

S.W.L. (AFTER CASING):

**LOG ID:**  
**008788**

WELL TYPE  
Private Well

DRILL DATE: 1945/05/14

TOWNSHIP RANGE SECTION

ELEVATION: 1,180FT

DRILL DEPTH: 110FT

31N 20W 22

DEPTH TO BED:

UTM X UTM Y  
490,139.98 4,139,095.16  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 3 MI NE OF FAIR GROVE

S.W.L. (AFTER CASING): 40

**LOG ID:**  
**008793**

WELL TYPE  
Private Well

DRILL DATE: 1945/06/07

TOWNSHIP RANGE SECTION

ELEVATION: 1,243FT

DRILL DEPTH: 50FT

31N 20W 28

DEPTH TO BED: 10FT

UTM X UTM Y  
488,381.98 4,137,239.14  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: IN FAIR GROVE

S.W.L. (AFTER CASING): 50

**LOG ID:**  
**008801**

WELL TYPE  
Private Well

DRILL DATE: 1945/06/16

TOWNSHIP RANGE SECTION

ELEVATION: 1,260FT

DRILL DEPTH: 81FT

31N 20W 28

DEPTH TO BED:

UTM X UTM Y  
487,181.97 4,137,643.14  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: FAIR GROVE

S.W.L. (AFTER CASING): 25



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****003832**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1936/08/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,227FT
<u>DRILL DEPTH:</u>	295FT	31N	20W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	200FT				486,890.97	4,137,581.13
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	118					

REMARKS:**LOG ID:****013769**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,251FT
<u>DRILL DEPTH:</u>	550FT	31N	20W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				486,890.96	4,137,783.13
<u>S.W.L. (BEFORE CASING):</u>	141	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	153	FT				

REMARKS: REORGANIZED DISTRICT #10**LOG ID:****025330**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1967/10/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,253FT
<u>DRILL DEPTH:</u>	1,150FT	31N	20W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				486,701.97	4,136,939.13
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: formerly in name of City of Fair Grove and Community Water Service  
PWS**LOG ID:****009228**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/06/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,210FT
<u>DRILL DEPTH:</u>	75FT	31N	20W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					484,873.96	4,136,411.12
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30					

REMARKS: FAIR GROVE



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****011084**WELL TYPE

Private Well

DRILL DATE: 1947/09/16TOWNSHIP RANGE SECTION

31N 20W 34

ELEVATION: 1,263FTDRILL DEPTH: 120FTUTM X UTM YDEPTH TO BED:489,058.02 4,134,663.14  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI SE OF FAIR GROVES.W.L. (AFTER CASING): 40**LOG ID:****004855**WELL TYPE

Private Well

DRILL DATE: 1938/06/01TOWNSHIP RANGE SECTION

31N 21W 19

ELEVATION: 1,078FTDRILL DEPTH: 49FTUTM X UTM YDEPTH TO BED:474,355.81 4,139,233.11  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 10**LOG ID:****004858**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

31N 21W 20

ELEVATION: 1,090FTDRILL DEPTH: 77FTUTM X UTM YDEPTH TO BED: 7FT476,642.85 4,139,093.10  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 14**LOG ID:****004859**WELL TYPE

Private Well

DRILL DATE: 1938/06/01TOWNSHIP RANGE SECTION

31N 21W 21

ELEVATION: 1,100FTDRILL DEPTH: 57FTUTM X UTM YDEPTH TO BED: 5FT477,441.86 4,139,055.09  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: "NOT A VERY STRONG WELL"S.W.L. (AFTER CASING): 25

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**010734**

WELL TYPE  
Private Well

DRILL DATE: 1948/07/21 TOWNSHIP 31N RANGE 21W SECTION 21 ELEVATION: 1,105FT  
DRILL DEPTH: 80FT UTM X 477,441.85 UTM Y 4,139,259.09  
DEPTH TO BED: 15FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI NE OF NEW HOPE CHURCH ON HWY CC.  
S.W.L. (AFTER CASING): 20

**LOG ID:**  
**027374**

WELL TYPE  
Community Public Well

DRILL DATE: 1973/08/23 TOWNSHIP 31N RANGE 21W SECTION 29 ELEVATION: 1,265FT  
DRILL DEPTH: 700FT UTM X 476,759.87 UTM Y 4,137,038.09  
DEPTH TO BED: 20FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: SECTION 4 - OWNED BY JOE M. HAYES  
S.W.L. (AFTER CASING): 125

**LOG ID:**  
**003430**

WELL TYPE  
Private Well

DRILL DATE: 1935/07/01 TOWNSHIP 31N RANGE 21W SECTION 30 ELEVATION: 1,250FT  
DRILL DEPTH: 205FT UTM X 475,401.84 UTM Y 4,137,711.10  
DEPTH TO BED: 35FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**026372**

WELL TYPE  
Private Well

DRILL DATE: 1968/02/01 TOWNSHIP 31N RANGE 21W SECTION 30 ELEVATION: 1,240FT  
DRILL DEPTH: 236FT UTM X 475,201.84 UTM Y 4,137,711.11  
DEPTH TO BED: 10FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI S OF HWY H, E OF PLEASANT HOPE.  
S.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**005047**

WELL TYPE  
Private Well

DRILL DATE: 1938/09/01 TOWNSHIP 31N RANGE 21W SECTION 31 ELEVATION: 1,142FT  
DRILL DEPTH: 94FT UTM X 474,750.85 UTM Y 4,136,509.11  
DEPTH TO BED: 40FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 37

**LOG ID:**  
**026366**

WELL TYPE  
Private Well

DRILL DATE: 1967/07/05 TOWNSHIP 31N RANGE 21W SECTION 31 ELEVATION: 1,128FT  
DRILL DEPTH: 277FT UTM X 474,750.85 UTM Y 4,136,105.11  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Walter Stewart - ON HWY H E OF PLEASANT  
S.W.L. (AFTER CASING): 150 HOPE

**LOG ID:**  
**010739**

WELL TYPE  
Private Well

DRILL DATE: 1948/07/13 TOWNSHIP 31N RANGE 22W SECTION 14 ELEVATION: 1,161FT  
DRILL DEPTH: 185FT UTM X 471,877.76 UTM Y 4,141,447.13  
DEPTH TO BED: 37FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI E OF HWY 13 ON COUNTY LINE  
S.W.L. (AFTER CASING): 137

**LOG ID:**  
**004475**

WELL TYPE  
Private Well

DRILL DATE: 1937/08/01 TOWNSHIP 31N RANGE 22W SECTION 22 ELEVATION: 1,111FT  
DRILL DEPTH: 50FT UTM X 469,824.76 UTM Y 4,139,096.14  
DEPTH TO BED: 5FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: STRONG PRODUCTION WHEN DRILLED, BUT VERY WEAK (3  
S.W.L. (AFTER CASING): BUCKETS/DAY) ON 1/38

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**

004481

WELL TYPE

Private Well

DRILL DATE: 1937/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,130FT

DRILL DEPTH: 100FT

31N 22W 22

DEPTH TO BED:

UTM X UTM Y  
469,824.76 4,138,688.14  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "STRONG STREAM"

S.W.L. (AFTER CASING):

**LOG ID:**

007876

WELL TYPE

Private Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,138FT

DRILL DEPTH: 270FT

31N 22W 22

DEPTH TO BED: 88FT

UTM X UTM Y  
470,024.76 4,139,300.14  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**

005253

WELL TYPE

Private Well

DRILL DATE: 1938/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,112FT

DRILL DEPTH: 147FT

31N 22W 23

DEPTH TO BED: 10FT

UTM X UTM Y  
471,642.78 4,139,236.13  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: PRODUCTION "VERY STRONG"; WATER SAID TO TASTE BAD.

S.W.L. (AFTER CASING): 74

**LOG ID:**

011489

WELL TYPE

Outcrop Description

DRILL DATE: 1950/12/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,053FT

DRILL DEPTH:

31N 22W 23

DEPTH TO BED:

UTM X UTM Y  
471,742.78 4,139,134.13  
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DESCRIBED BY CLARK, BEVERIDGE, & McCracken

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****005252**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,118FT

DRILL DEPTH:

126FT

31N

22W

24

DEPTH TO BED:

55FT

UTM XUTM Y

474,049.82

4,138,764.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED 55-126'.

S.W.L. (AFTER CASING):

36

**LOG ID:****010742**WELL TYPE

Private Well

DRILL DATE:

1948/08/14

TOWNSHIPRANGESECTIONELEVATION:

1,242FT

DRILL DEPTH:

250FT

31N

22W

27

DEPTH TO BED:

30FT

UTM XUTM Y

469,783.78

4,136,874.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

HWY 13 &amp; BIRDEYE RD

S.W.L. (AFTER CASING):

162

**LOG ID:****013595**WELL TYPE

Private Well

DRILL DATE:

1955/03/18

TOWNSHIPRANGESECTIONELEVATION:

1,260FT

DRILL DEPTH:

240FT

31N

22W

27

DEPTH TO BED:

25FT

UTM XUTM Y

469,583.76

4,138,098.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI S ON HWY 13 OF JCT OF BB &amp; HWY 13

S.W.L. (AFTER CASING):

144

**LOG ID:****021604**WELL TYPE

Private Well

DRILL DATE:

1963/01/05

TOWNSHIPRANGESECTIONELEVATION:

1,241FT

DRILL DEPTH:

285FT

31N

22W

27

DEPTH TO BED:

30FT

UTM XUTM Y

469,783.78

4,137,078.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELDS - 3.5 GPM @ 205-10', 6.5 GPM @ 270-80'

S.W.L. (AFTER CASING):

193



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****027753**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,230FT

DRILL DEPTH:

565FT

31N

22W

28

DEPTH TO BED:

40FT

UTM XUTM Y

468,768.76

4,137,339.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

VERY POOR SAMPLES

S.W.L. (AFTER CASING):**LOG ID:****004477**WELL TYPE

Private Well

DRILL DATE:

1937/08/01

TOWNSHIPRANGESECTIONELEVATION:

1,109FT

DRILL DEPTH:

108FT

31N

22W

29

DEPTH TO BED:

5FT

UTM XUTM Y

466,157.72

4,138,428.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"STRONG STREAM OF WATER"

S.W.L. (AFTER CASING):**LOG ID:****006199**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1940/00/00

TOWNSHIPRANGESECTIONELEVATION:

1,116FT

DRILL DEPTH:

51FT

31N

22W

31

DEPTH TO BED:

32FT

UTM XUTM Y

465,651.73

4,136,668.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007300**WELL TYPE

Private Well

DRILL DATE:

1941/06/16

TOWNSHIPRANGESECTIONELEVATION:

1,103FT

DRILL DEPTH:

143FT

31N

22W

35

DEPTH TO BED:

10FT

UTM XUTM Y

472,342.82

4,136,218.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

30

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**
**005053**
WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,128FT
<u>DRILL DEPTH:</u>	98FT	31N	22W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				473,741.84	4,136,362.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> WELL #1, LOCATED AT PRIVATE HOME				
<u>S.W.L. (AFTER CASING):</u>	40					

**LOG ID:**
**005092**
WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,092FT
<u>DRILL DEPTH:</u>	110FT	31N	22W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				473,641.83	4,136,261.12
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> WELL #2, LOCATED IN PASTURE				
<u>S.W.L. (AFTER CASING):</u>	12					

**LOG ID:**
**016734**
WELL TYPE

Private Well

<u>DRILL DATE:</u>	1951/10/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,177FT
<u>DRILL DEPTH:</u>	250FT	31N	23W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	169FT				462,006.64	4,140,396.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL DEEPEMED 169-250'; YIELD 4.5 GPM @ 250'				
<u>S.W.L. (AFTER CASING):</u>	145					

**LOG ID:**
**012371**
WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952/08/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,055FT
<u>DRILL DEPTH:</u>	235FT	31N	23W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				456,631.56	4,141,719.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 3.2 MI E & 0.7 MI N OF WALNUT GROVE				
<u>S.W.L. (AFTER CASING):</u>	80					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010919**WELL TYPE

Private Well

DRILL DATE: 1949/00/00TOWNSHIP RANGE SECTION

31N 23W 18

ELEVATION: 1,103FTDRILL DEPTH: 258FTUTM X UTM YDEPTH TO BED: 170FT455,455.55 4,140,797.22  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of F.H. Meltabarger - WALNUT GROVES.W.L. (AFTER CASING):**LOG ID:****014326**WELL TYPE

Private Well

DRILL DATE: 1956/00/00TOWNSHIP RANGE SECTION

31N 23W 22

ELEVATION: 1,080FTDRILL DEPTH: 220FTUTM X UTM YDEPTH TO BED: 30FT460,818.64 4,139,139.20  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: YIELD - 20 GPM @ 150'S.W.L. (AFTER CASING):**LOG ID:****016732**WELL TYPE

Private Well

DRILL DATE: 1951/10/13TOWNSHIP RANGE SECTION

31N 23W 23

ELEVATION: 1,137FTDRILL DEPTH: 200FTUTM X UTM YDEPTH TO BED: 135FT461,935.64 4,140,212.19  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 135-200'S.W.L. (AFTER CASING): 120**LOG ID:****012955**WELL TYPE

Private Well

DRILL DATE: 1951/07/21TOWNSHIP RANGE SECTION

31N 23W 24

ELEVATION: 1,003FTDRILL DEPTH: 116FTUTM X UTM YDEPTH TO BED: 20FT463,348.68 4,138,941.19  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**011831**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1951/06/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,162FT
<u>DRILL DEPTH:</u>	173FT	31N	23W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				456,851.62	4,136,637.25
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WALNUT GROVE			
<u>S.W.L. (AFTER CASING):</u>	45				ZONE 15	

**LOG ID:**  
**003447**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1935/09/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,111FT
<u>DRILL DEPTH:</u>	44FT	31N	23W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				459,169.65	4,136,895.23
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	24				ZONE 15	

**LOG ID:**  
**003491**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1935/11/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,121FT
<u>DRILL DEPTH:</u>	80FT	31N	23W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				459,169.66	4,135,863.24
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

**LOG ID:**  
**016723**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1949/10/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,145FT
<u>DRILL DEPTH:</u>	430FT	31N	24W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				453,392.51	4,141,268.24
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD 9 GPM @ 200'			
<u>S.W.L. (AFTER CASING):</u>	120				ZONE 15	



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**020347**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1961/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,220FT
<u>DRILL DEPTH:</u>	1,162FT	31N	24W	14		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	145 FT				451,479.49	4,140,753.26
<u>S.W.L. (AFTER CASING):</u>	229 FT				ZONE 15	
<u>REMARKS:</u>						

**LOG ID:**  
**005321**

WELL TYPE  
Community Public Well

<u>DRILL DATE:</u>	1939/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,212FT
<u>DRILL DEPTH:</u>	838FT	31N	24W	23		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				451,530.49	4,140,523.27
<u>S.W.L. (AFTER CASING):</u>	215				ZONE 15	
<u>REMARKS:</u> PUMP SET AT 250' TO TOP OF BOWLS.						

**LOG ID:**  
**007866**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,186FT
<u>DRILL DEPTH:</u>	475FT	31N	24W	25		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					453,698.55	4,138,854.26
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>						

**LOG ID:**  
**028149**

WELL TYPE  
Industrial High Capacity Well

<u>DRILL DATE:</u>	1978/08/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,180FT
<u>DRILL DEPTH:</u>	805FT	31N	24W	25		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					453,698.55	4,138,244.27
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	
<u>REMARKS:</u>						



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004394**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1937/08/01TOWNSHIPRANGESECTIONELEVATION:

1,026FT

DRILL DEPTH: 170FT

31N

24W

35

DEPTH TO BED: 70FTUTM XUTM Y

451,626.54

4,136,886.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005421**WELL TYPE

Outcrop Description

DRILL DATE: 1939/06/01TOWNSHIPRANGESECTIONELEVATION:

1,098FT

DRILL DEPTH: 67FT

31N

24W

35

DEPTH TO BED:UTM XUTM Y

451,426.53

4,136,886.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017287**WELL TYPE

Private Well

DRILL DATE: 1958/06/05TOWNSHIPRANGESECTIONELEVATION:

1,114FT

DRILL DEPTH: 110FT

31N

24W

36

DEPTH TO BED: 5FTUTM XUTM Y

453,640.57

4,136,427.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI SE OF WALNUT GROVES.W.L. (AFTER CASING): 35**LOG ID:****019254**WELL TYPE

Private Well

DRILL DATE: 1960/08/08TOWNSHIPRANGESECTIONELEVATION:

1,149FT

DRILL DEPTH: 475FT

31N

24W

36

DEPTH TO BED: 345FTUTM XUTM Y

453,440.56

4,137,243.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3.25 MI SE OF WALNUT GROVE; NO SAMPLES 0-345'.S.W.L. (AFTER CASING): 176**GREENE**